

HIKOKI

ACCESSORIES CATALOG



The Company Behind the Tools




















Hikoki Koki Co. Ltd. is an independent member of the broadly diversified Hikoki group since 1948. Its position as a specialist power tool company within a large industrial group brings important benefits to customers who receive immediate access to the latest advancements in metallurgy, motor design and electronics.





















For decades Hikoki is known for its innovative power tool program. Through an extensive Research & Development program, the latest technologies are developed and applied in order to develop new applications for its machines. Thanks to excellent production capacities the machines are manufactured and assembled with the highest quality. The combination with a worldwide distribution network ensures that Hikoki offers an excellent product for the professional end users.




















Like no other Hikoki understands, that for a good end result not only an excellent machine is required, but that also an appeal is made to excellent accessories that complete the whole range. Only by using the best accessories, the performance of the quality of Hikoki is optimized. It is the combination of well-matched tools to accomplish the optimum result. The development and production of her accessories realizes Hikoki in collaboration with Hikoki distinguished suppliers. This ensures the independence of Hikoki in the market and gives Hikoki the ability to be very selective dealing with the development the accessories. It is reflected in a wide range of high quality accessories with a great innovative character at very competitive market prices.



















Hikoki, as an independent supplier, seeks daily for new and innovative solutions you need as a professional. Products that make working easier, last longer and provide better results. Hikoki has set itself the goal to develop a comprehensive program accessories that fit the Hikoki power tools and other brands as well. Where necessary, multiple quality levels are designed to provide a suitable solution for both intensive and less intensive use.

CONTENT

	HAMMER DRILL BITS SDS-PLUS FULL CARBIDE HEAD Ø 5 – 10 MM	8
	HAMMER DRILL BITS SDS-PLUS 4-CUTTER Ø 11 - 16 MM	12
	HAMMER DRILL BITS SDS-PLUS 4-CUTTER Ø 18 – 32 MM	14
	HAMMER DRILL BITS SDS-PLUS 2-CUTTER Ø 4 - 26 MM	15
	HAMMER DRILL BITS SDS-PLUS SEMI PROFESSIONAL Ø 4 – 16 MM	21
	HAMMER DRILL BITS SDS-PLUS BASIC Ø 4 – 16 MM	22
	HAMMER DRILL BITS SDS-PLUS ACCESSORIES	24
	HAMMER DRILL BITS SDS-MAX 4-CUTTER Ø 12 – 15 MM	26
	HAMMER DRILL BITS SDS-MAX 4-CUTTER Ø 16 – 52 MM	27
	HAMMER DRILL BITS SDS-MAX 2-CUTTER Ø 12 – 15 MM	29
	HAMMER DRILL BITS SDS-MAX SEMI PROFESSIONAL Ø 14 – 40 MM	30
	HAMMER DRILL BITS SDS-PLUS / SDS-MAX DUST EXTRACTION	31
	HAMMER DRILL BITS SDS-MAX CORE CUTTERS - TCT	33
	HAMMER DRILL BITS SDS-MAX ACCESSORIES	34
	HAMMER DRILL BITS 13 MM HEXAGONAL 19 MM HEXAGONAL	35
	HAMMER DRILL BITS SPLINE	36
	HAMMER DRILL BITS HOLLOW CORE BITS	37
	HAMMER DRILL BITS VARIA DRILLING SYSTEM	38
	MASONRY DRILL BITS	39

	UNIVERSAL DRILL BITS	41
	METAL DRILL BITS HSS-R DIN 338 HSS-G DIN 338 HSS-CO DIN 338	43
	SHEET METAL DRILL BITS	58
	COMBI DRILL BIT	60
	METAL CORE CUTTERS	61
	WOOD CV DRILL BITS	67
	WOOD AUGER DRILL BITS	69
	FLAT WOOD DRILL BITS	72
	FORMWORK AND INSTALLATION BITS	75
	FORSTNER BITS	77
	HOLE SAWS BI-METAL	79
	HOLE SAWS CARBIDE TIPPED	83
	DIAMOND HOLE SAWS FOR GRINDERS	85
	DIAMOND HOLE SAWS FOR DRILLING MACHINES	86
	MIXING PADDLES	87
	DRILL CHUCKS	89
	CHISELS	93
	IMPACT BITS	101
	BITS & BIT SETS	103
	IMPACT SOCKETS	109

	DIAMOND SAW BLADES	115
	ABRASIVE CUTTING AND GRINDING DISCS	121
	FLAP / FIBRE DISCS	126
	ACCESSORIES ANGLE GRINDERS	128
	CARBIDE BURRS	130
	BRUSHES	135
	CIRCULAR SAW BLADES	139
	JIGSAW BLADES	147
	RECIPROCATING SAW BLADES	155
	BAND SAW BLADES	166
	OSCILLATING MULTI TOOLS	167
	ROUTER BITS	175
	PLANER BLADES	181
	SANDING PAPER	182
	WOOL BONNETS	191
	POLISHING	192
	VACUUM CLEANER ACCESSORIES	193
	ACCESSORIES HEAT GUN	200
	COLLATED SCREWS	201

	NAILS, STAPLES & FUEL CELLS	202
	MEASURING TAPE ROTARY TOOL	206
	HAND PROTECTION	207
	EYE AND HEAD PROTECTION	208
	FEET PROTECTION	209
	PROTECTIVE GARMENT	211
	LUBRICANTS	214
	JERRYCANS	217
	SAW CHAINS	218
	CHAIN SAW FILES	220
	TRIMMER HEADS	222
	TRIMMER HEADS QUICK LOAD	223
	ALUMINIUM TRIMMER HEAD	224
	NYLON LINES	225
	DEGRADABLE LINES	228
	AUGER BITS	229
	HIGH PRESSURE WASHER	230
	INDEX	232

GLOSSARY

- PQ** Packed quantity: this reflects the number of pieces per part number
- MOQ** Minimum Order Quantity / Multiple Order Quantity: this reflects the minimum quantity per order of a part number and is also the multiple in which the part needs to be ordered

Hikoki realizes that due to the enormous abundance of consumables it is often difficult for an end user to select the right tool for the desired application. In order to simplify the selection and selection process, Hikoki uses a color-coding that is extended as much as possible by all product groups. This applies to drilling, sawing, abrasives and so on.

The color-coding table below contains the explanation of color and application area. For some product groups, Hikoki is forced to use a different color-coding (for example, with diamond saws). This is then stated before the chapter.

The prices shown on this catalogue are only recommended prices, and dealers shall determine their own resale prices.

COLOR	USE
YELLOW/ GOLD	STAINLESS STEEL
BLUE	METAL
BRIGHT BLUE	METAL + WOOD
BEIGE /BROWN	WOOD
RED	MASONRY
GREY	SPECIAL
WHITE	TILES

PROLINE HAMMER DRILL BITS SDS-PLUS



Proline hammer drill bits

Hikoki concrete drill bits are produced in a state of the art plant in Germany. Developed using the most advanced computer software, the drills meet the highest of efficiency and durability. Product development is an ongoing process, and Hikoki is constantly working on improving their products. Also available is a comprehensive range of accessories both rotary hammer and demolition drilling machines, supporting a wide range of applications and budget demands.

Drilling power

Hikoki hammer drills come in five versions, including SDS-Plus, for regular hammer drills, SDS-Max for bigger hammer drills and 13mm hex, 19mm hex and spline. All these bits live up to the highest standards of efficient drilling and long service life. A new standard has been set, allowing you as user to profit from ease of use and lower costs per job. Extended lifetime, optimal drilling capacity, higher drilling speed. It is these characteristics that make the difference, and make this a unique product range and give your machine serious drilling power.

PGM certificate








Hikoki SDS hammer drill bits (except for the Basic-line) and percussion drill bits bear the mark of conformity of the Prüfgemeinschaft Mauerbohrer e.V. (PGM), which makes them suitable for the safe installation of anchor fixings in concrete and masonry. Their tolerances are tailored to metal anchors, bonded anchors and plastic anchors with European Technical Approval (ETA). This is not the case for drill bits without PGM mark. Their use can influence the safety and reliability of anchor fixings.

Drill bits with this mark are guaranteed to conform to strict criteria regarding the diameter of the carbide tip, its symmetrical soldering, and the concentricity of the drills. With drill bits bearing this certification the user drills geometrically precise holes, anchors are fixed properly and so provide the best results.



SDS-Plus in four models


Hikoki composed a complete line-up of SDS-Plus drill bits in four different levels of quality and price. With that, Hikoki tries to serve every type of end user, from heavy users to occasional users. It is up to the end user to decide which quality and price level fits him the best. In the following chart you can find an overview of the advantages of each group of drill bits on the most important characteristics.

	PROFI 4-CUTTER			PROFI 2-CUTTER	SEMI PROFI 2-CUTTER	BASIC 2-CUTTER
Diameter	5-10 mm	11-16 mm	18-32 mm	4-26 mm	4-16 mm	4-16 mm
Carbide tip shape	 					
Centering tip on carbide	yes			yes	no	no
Flute design	multi fluted			multi fluted	standard	standard
For rebar	recommended			suitable	no	no
Dimensional accuracy	***			**	*	*
Drilling speed	**			**	*	*
Durability	***			**	*	*
Vibration absorption	***			**	*	*
Power transmission	***			***	*	*
Manufactured in:	Germany			Germany	Germany	China
PGM approved	yes			yes	yes	no
Suitable for power tool	2-4 kg			2-4 kg	2-4 kg	2-4 kg
Application	Suitable for those users who demand a long life cycle and face lots of rebar and stones in hard concrete. While bearing a higher purchasing price, costs per hole are lower.			Suitable for the intermediate user, wanting to use the hammer drill bit on average hard materials	Suitable for the occasional user, prioritizing purchasing price, where durability and drilling speed are less important or not relevant due to application nature	Suitable for the incidental user where purchasing price is of highest priority

PROLINE

HAMMER DRILL BITS

SDS-PLUS FULL CARBIDE HEAD Ø 5 – 10 MM



After the great success of the SDS-Plus 4-cutter hammer drill bits with embedded carbide head, Hikoki now accelerates drilling technology by the introduction of the SDS-Plus drill bits with Full Carbide Head (FCH).

These drills exceed the performance of the previous model in terms of drilling speed, more precise holes and a significant increase of durability in concrete with reinforcement.

This is all achieved by the newly developed head geometry and flute design,

The FCH design contains four rebar chamfers at every corner, which lead to an increased lifetime and optimum drilling behavior when the drill hits reinforcement.

The two breaking rifs on the carbide cutting edge provide an improved strength of the carbide head and an improved breaking performance in concrete.

The carbide head with its massive main cutting edge and its 4 x 90° cutting symmetry prevents hooking in case of reinforcement strikes. Its geometry has been developed for maximum impact and torsion forces as well as a prolonged service life.

The centering point helps accurate positioning of the hole and prevents the drill from floating over the surface.

The wear mark serves as an indicator of the dimensional accuracy and stability for dowel holes in accordance to PGM.

The new head geometry has an enlarged free space at the cutting surface to facilitate an easy removal of the debris. The short flute entrance makes the drilling dust travelling quicker from the head into the flute.

The newly developed 4-spiral geometry alternates from narrow back to wide back.







The wide back supports the power of the drill and reduces the wear whereas the narrow back reduces the friction of the drill in the hole and improves the drilling speed. The optimized combination of the two ensure a faster removal of the drilling dust while at the same time ensures low-vibration drilling.

The use of high-quality alloy steel in combination with specialized hardening, soldering and surface treatment produces a high-quality, robust professional tool.









This totally newly designed drill results in a 25 % faster drilling capacity and a 20% longer lifetime compared to the embedded 4-cutter hammer drill bit.

In case the user encounters concrete reinforcement, the FCH design ensures a higher resistance against breakage and an increase of lifetime of about 150%.











SDS-PLUS TCT HAMMER DRILL BITS FULL CARBIDE HEAD

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
   		5	115	50	1	1	66783201	8717574056112
		5	165	100	1	1	66783202	8717574056129
		5	215	150	1	1	66783203	8717574056136
		5	265	200	1	1	66783204	8717574056143
		5	315	250	1	1	66783205	8717574056150
		5,5	115	50	1	1	66783206	8717574056167
		5,5	165	100	1	1	66783207	8717574056174
		6	115	50	1	1	66783208	8717574056181
		6	165	100	1	1	66783209	8717574056198
		6	215	150	1	1	66783210	8717574056204
		6	265	200	1	1	66783211	8717574056211
		6	315	250	1	1	66783212	8717574056228
		6,5	165	100	1	1	66783214	8717574056242
		6,5	215	150	1	1	66783215	8717574056259
		6,5	265	200	1	1	66783216	8717574056266
		6,5	315	250	1	1	66783217	8717574056273
		7	115	50	1	1	66783218	8717574056280
		7	165	100	1	1	66783219	8717574056297
		7	215	150	1	1	66783220	8717574056303
		8	115	50	1	1	66783221	8717574056310
		8	165	100	1	1	66783222	8717574056327
		8	215	150	1	1	66783223	8717574056334
		8	265	200	1	1	66783224	8717574056341
		8	315	250	1	1	66783225	8717574056358
		8	365	300	1	1	66783226	8717574056365
		8	465	400	1	1	66783227	8717574056372
		8	605	540	1	1	66783228	8717574056389
		9	165	100	1	1	66783229	8717574056396
		9	265	200	1	1	66783230	8717574056402
		10	115	50	1	1	66783231	8717574056419
	10	165	100	1	1	66783232	8717574056426	
	10	215	150	1	1	66783233	8717574056433	
	10	265	200	1	1	66783234	8717574056440	
	10	315	250	1	1	66783235	8717574056457	
	10	365	300	1	1	66783236	8717574056464	
	10	455	390	1	1	66783237	8717574056471	
	10	600	540	1	1	66783238	8717574056488	
	10	1000	940	1	1	66783239	8717574056495	













SDS-PLUS TCT HAMMER DRILL BITS FULL CARBIDE HEAD BENEFIT PACKAGES

  		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		5	115	50	10	1	66783301	8717574056990
		5	165	100	10	1	66783302	8717574057003
		5,5	115	50	10	1	66783303	8717574057010
		5,5	165	100	10	1	66783304	8717574057027
		6	115	50	10	1	66783305	8717574057034
		6	165	100	10	1	66783306	8717574057041
		6	215	150	10	1	66783307	8717574057058
		6	265	200	10	1	66783308	8717574057065
		6	315	250	10	1	66783309	8717574057072
		6,5	165	100	10	1	66783310	8717574057089
		6,5	215	150	10	1	66783311	8717574057096
		6,5	265	200	10	1	66783312	8717574057102
		6,5	315	200	10	1	66783313	8717574057119
		7	115	50	10	1	66783314	8717574057126
		7	165	100	10	1	66783315	8717574057133
		8	115	50	10	1	66783316	8717574057140
		8	165	100	10	1	66783317	8717574057157
		8	215	150	10	1	66783318	8717574057164
		8	265	200	10	1	66783319	8717574057171
		8	315	250	10	1	66783320	8717574057188
	9	165	100	10	1	66783321	8717574057195	
	9	265	200	10	1	66783322	8717574057201	
	10	115	50	10	1	66783323	8717574057218	
	10	165	100	10	1	66783324	8717574057225	
	10	215	150	10	1	66783325	8717574057232	
	10	265	200	10	1	66783326	8717574057249	
	10	315	250	10	1	66783327	8717574057256	

SDS-PLUS TCT HAMMER DRILL BITS FULL CARBIDE HEAD BENEFIT PACKAGES

  		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
   		5	115	50	25	1	66783341	8717574057263
		5	165	100	25	1	66783342	8717574057270
		5,5	115	50	25	1	66783343	8717574057287
		5,5	165	100	25	1	66783344	8717574057294
		6	115	50	25	1	66783345	8717574057300
		6	165	100	25	1	66783346	8717574057317
		6	215	150	25	1	66783347	8717574057324
		6	265	200	25	1	66783348	8717574057331
		6,5	165	100	25	1	66783349	8717574057348
		6,5	215	150	25	1	66783350	8717574057355
		6,5	265	200	25	1	66783351	8717574057362
		7	115	50	25	1	66783352	8717574057379
		7	165	100	25	1	66783353	8717574057386
		8	115	50	25	1	66783354	8717574057393
		8	165	100	25	1	66783355	8717574057409
		8	215	150	25	1	66783356	8717574057416
		8	265	200	25	1	66783357	8717574057423
		8	315	250	25	1	66783358	8717574057430
		9	165	100	25	1	66783359	8717574057447
		9	265	200	25	1	66783360	8717574057454
	10	115	50	25	1	66783361	8717574057461	
	10	165	100	25	1	66783362	8717574057478	
	10	215	150	25	1	66783363	8717574057485	
	10	265	200	25	1	66783364	8717574057492	
	10	315	250	25	1	66783365	8717574057508	


SDS-PLUS TCT HAMMER DRILL BITS FULL CARBIDE HEAD SETS

 		Contents	PQ	MOQ	Item number	Barcode
   		4-Pcs 6 x 165 mm 8 x 165 mm 10 x 165 mm 12 x 160 mm (4 cutter)	4	1	66783390	8717574057515
						
 		7-Pcs 5 x 115 mm 6 x 115 mm 8 x 115 mm 6 x 165 mm 8 x 165 mm 10 x 165 mm 12 x 160 mm (4 cutter)	7	1	66783391	8717574057522
						

PROLINE

HAMMER DRILL BITS

SDS-PLUS 4-CUTTER Ø 11 - 16 MM



The latest generation of Hikoki SDS-Plus 4-cutter hammer drill bits are designed for very intensive users who demand ultimate performance in drilling. This dynamic design with improved characteristics results in extended life time, noticeably faster penetration and more comfortable drilling.

The symmetrical 4-cutter head ensures a smooth and fluid penetration into the material, resulting in perfectly round holes.






The special 4-fold spiral geometry ensures:

- Proper drainage of the drill cuttings
- Reduced unnecessary vibration
- Extreme resistance to extreme torsional strains
- Allows maximum power transmission from the machine onto the drill bit
- Reduced noise emission







This results in a 50% longer lifetime compared to a conventional 2-cutter hammer drill bit.

In case the user encounters concrete reinforcement, the 4-cutter design ensures an even contact and reduces the chance of breaking the head. The special setting of the carbide crown provides maximum support of the carbide when hitting on rebars and optimum absorption of the released forces during drilling.

SDS-PLUS TCT HAMMER DRILL BITS 4-CUTTER

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	11	160	100	1	1	66752732	8717574030495	
	11	210	150	1	1	66752733	8717574030501	
	11	260	200	1	1	66752734	8717574030518	
	11	310	250	1	1	66752735	8717574030525	
	12	160	100	1	1	66752772	8717574010251	
	12	210	150	1	1	66752773	8717574010268	
	12	260	200	1	1	66752774	8717574010275	
	12	310	250	1	1	66752775	8717574010282	
	12	450	400	1	1	66752776	8717574010299	
	12	600	550	1	1	66752743	8717574023893	
	12	1000	950	1	1	66752788	8717574017533	
	13	160	100	1	1	66752736	8717574033762	
	13	210	150	1	1	66752737	8717574033779	
	13	260	200	1	1	66752738	8717574033786	
	13	310	250	1	1	66752739	8717574033793	
	14	160	100	1	1	66752777	8717574010305	
	14	210	150	1	1	66752778	8717574010312	
	14	260	200	1	1	66752785	8717574013214	
	14	310	250	1	1	66752779	8717574010329	
	14	450	400	1	1	66752780	8717574010336	
	14	600	550	1	1	66752744	8717574023909	
	14	1000	950	1	1	66752789	8717574017540	
	15	160	100	1	1	66752745	8717574023916	
	15	210	160	1	1	66752746	8717574023923	
	15	260	200	1	1	66752747	8717574023930	
	15	450	400	1	1	66752748	8717574023947	
	16	160	100	1	1	66752791	8717574017557	
	16	210	150	1	1	66752792	8717574017564	
	16	260	200	1	1	66752793	8717574017571	
	16	310	250	1	1	66752794	8717574017588	
16	450	400	1	1	66752795	8717574017595		
16	600	550	1	1	66752797	8717574023954		
16	1000	950	1	1	66752796	8717574017601		


SDS-PLUS TCT HAMMER DRILL BITS 4-CUTTER BENEFIT PACKAGES

  		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	11	160	110	10	1	66752926	8717574041637	
	11	210	160	10	1	66752927	8717574041644	
	12	160	110	10	1	66752928	8717574041651	
	12	210	160	10	1	66752929	8717574041668	
	12	260	210	10	1	66752930	8717574041675	
	12	310	260	10	1	66752931	8717574041682	
	14	160	110	10	1	66752932	8717574041699	
	14	210	160	10	1	66752933	8717574041705	
	14	260	210	10	1	66752934	8717574041712	
	14	310	260	10	1	66752935	8717574041729	

PROLINE

HAMMER DRILL BITS

SDS-PLUS 4-CUTTER Ø 18 – 32 MM








Following the overwhelmingly successful development of the SDS-Plus 4-cutter up to Ø 16 mm also larger sizes SDS-Plus drills are further developed. This is based on the basic technical design specificati-


ons of the smaller sizes, which are perfectly for the intensive users. Thus, using the same symmetric 4-course spiral and outstanding carbide plate with high efficiency cutting edges. In this series of drills, the

carbide insert is no longer cross-shaped, but the 4-cutter is formed by a head plate with two hard metal side plates at an angle of 90 °.

SDS-PLUS TCT HAMMER DRILL BITS 4-CUTTER

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	18	250	200	1	1	66783273	8717574056839	
	18	450	400	1	1	66783274	8717574056846	
	20	250	200	1	1	66783275	8717574056853	
	20	450	400	1	1	66783276	8717574056860	
	22	250	200	1	1	66783277	8717574056877	
	22	450	400	1	1	66783278	8717574056884	
	24	250	200	1	1	66783279	8717574056891	
	24	450	400	1	1	66783280	8717574056907	
	25	250	200	1	1	66783281	8717574056914	
	25	450	400	1	1	66783282	8717574056921	
	26	450	400	1	1	66783283	8717574056938	
	28	250	200	1	1	66783284	8717574056945	
	28	450	400	1	1	66783285	8717574056952	
	30	250	200	1	1	66783286	8717574056969	
	30	450	400	1	1	66783287	8717574056976	
	32	450	400	1	1	66783288	8717574056983	

PROLINE HAMMER DRILL BITS SDS-PLUS 2-CUTTER



Next level drilling

SDS-Plus 2-cutter drill bits with double spiral satisfy to the highest quality standards and are designed for the professional end user. Hikoki brings the latest innovation with a newly developed drill bit, which sets a new standard. They are tested under extreme conditions and have proven their quality in terms of efficiency and performance.

Breaking concrete

A central placed tungsten carbide plate that offers special features and benefits forms the 2-cutter. A newly designed centering tip with smooth crossover to shoulder sections ensures immediate spot drilling and easy centering. Next to the carbide tip, three so-called “power breakers” have been added. Now the impact power is transferred from the machine to smaller surfaces of concrete where the punctual power is much higher. The demolition effect creates micro cracks in the drilled

material, hence creating noticeably higher drilling speed.

Transporting debris

After the concrete is broken, the drilling debris or dust has to be transported out of the hole. Due to the tapered shoulder of the vario flute, the front part of the drill bit has a high transportation capacity. Besides avoiding dust explosions or speed reduction occurred by clogged drill hole, the tapered shoulder also reduces the friction in the hole and improves drilling speed.

The back part of the drill is more sturdy and rigid, the backs are wider. First positive effect is the improved energy transfer for faster drilling. Secondly, the chance of breakage is less. This special spiral also reduces vibration; drilling is less strenuous for both the operator and the rotary hammer.

Encountering rebar

Steel reinforcement no longer presents a

problem. The dynamic, chisel-shaped drill bit head penetrates rapidly into the material and simultaneously feeds the drilling dust into the multi-groove spiral.






Since the rebar chamfers are enlarged with about 35% compared to the previous model, the side tip now is prevented against damage in case of hitting rebar. In addition, the likelihood of the bit getting jammed is reduced, especially on lateral hits.

Speed and lifetime

All these technical improvements now lead to a cutting speed, which is 12% higher than the previous SDS-Plus drill bits. Hikoki hammer drill bits:






“The new standard in performance”

SDS-PLUS TCT HAMMER DRILL BITS 2-CUTTER






 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		4	110	50	1	1	66782401	8717574045116
		4	160	100	1	1	66782402	8717574045123
		4,8	160	100	1	1	66782403	8717574045130
		5	110	50	1	1	66782404	8717574045147
		5	140	80	1	1	66782405	8717574045154
		5	160	100	1	1	66782406	8717574045161
		5	210	150	1	1	66782407	8717574045178
		5	260	150	1	1	66782408	8717574045185
		5	310	250	1	1	66782409	8717574045192
		5,5	110	50	1	1	66782410	8717574045208
		5,5	160	100	1	1	66782411	8717574045215
		5,5	210	150	1	1	66782412	8717574045222
		5,5	260	200	1	1	66782413	8717574045239
		5,5	310	250	1	1	66782414	8717574045246
		5,5	600	550	1	1	66782540	8717574050189
		6	110	50	1	1	66782415	8717574045253
		6	160	100	1	1	66782416	8717574045260
		6	210	150	1	1	66782417	8717574045277
		6	260	200	1	1	66782418	8717574045284
		6	310	250	1	1	66782419	8717574045291
		6	410	350	1	1	66782420	8717574045307
		6	460	400	1	1	66782421	8717574045314
		6,5	110	50	1	1	66782422	8717574045321
		6,5	160	100	1	1	66782423	8717574045338
		6,5	210	150	1	1	66782424	8717574045345
		6,5	260	200	1	1	66782425	8717574045352
		6,5	310	250	1	1	66782426	8717574045369
		6,5	400	340	1	1	66782427	8717574045376
		6,5	460	400	1	1	66782428	8717574045383
		7	110	50	1	1	66782429	8717574045390
		7	160	100	1	1	66782430	8717574045406
		7	210	150	1	1	66782431	8717574045413
		8	110	50	1	1	66782432	8717574045420
		8	160	100	1	1	66782433	8717574045437
		8	210	150	1	1	66782434	8717574045444
		8	260	200	1	1	66782435	8717574045451
	8	310	250	1	1	66782436	8717574045468	
	8	400	340	1	1	66782437	8717574045475	
	8	460	400	1	1	66782438	8717574045482	
	8	600	550	1	1	66782439	8717574045499	
	8	1000	950	1	1	66782440	8717574045505	
	9	160	100	1	1	66782441	8717574045512	
	9	210	150	1	1	66782442	8717574045529	
	9,5	160	100	1	1	66782443	8717574045536	
	10	110	50	1	1	66782444	8717574045543	
	10	160	100	1	1	66782445	8717574045550	
	10	210	150	1	1	66782446	8717574045567	
	10	260	200	1	1	66782447	8717574045574	
	10	310	250	1	1	66782448	8717574045581	
	10	350	300	1	1	66782449	8717574045598	
	10	450	400	1	1	66782450	8717574045604	
	10	600	550	1	1	66782451	8717574045611	
	10	800	750	1	1	66782452	8717574045628	
	10	1000	950	1	1	66782453	8717574045635	

HAMMER DRILL BITS








SDS-PLUS TCT HAMMER DRILL BITS 2-CUTTER

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	11	160	100	1	1	66782454	8717574045642	
	11	210	150	1	1	66782455	8717574045659	
	11	260	200	1	1	66782456	8717574045666	
	11	310	250	1	1	66782457	8717574045673	
	12	160	100	1	1	66782458	8717574045680	
	12	210	150	1	1	66782459	8717574045697	
	12	260	200	1	1	66782460	8717574045703	
	12	310	250	1	1	66782461	8717574045710	
	12	360	300	1	1	66782462	8717574045727	
	12	450	400	1	1	66782463	8717574045734	
	12	600	550	1	1	66782464	8717574045741	
	12	800	750	1	1	66782465	8717574045758	
	12	1000	950	1	1	66782466	8717574045765	
	13	160	100	1	1	66782467	8717574045772	
	13	210	150	1	1	66782468	8717574045789	
	13	260	200	1	1	66782469	8717574045796	
	13	310	250	1	1	66782470	8717574045802	
	14	160	100	1	1	66782471	8717574045819	
	14	210	150	1	1	66782472	8717574045826	
	14	260	200	1	1	66782473	8717574045833	
	14	310	250	1	1	66782474	8717574045840	
	14	450	400	1	1	66782475	8717574045857	
	14	600	550	1	1	66782476	8717574045864	
	14	800	750	1	1	66782477	8717574045871	
	14	1000	950	1	1	66782478	8717574045888	
	15	160	100	1	1	66782479	8717574045895	
	15	210	150	1	1	66782480	8717574045901	
	15	260	200	1	1	66782481	8717574045918	
	15	450	400	1	1	66782482	8717574045925	
	16	160	100	1	1	66782483	8717574045932	
	16	210	150	1	1	66782484	8717574045949	
	16	260	200	1	1	66782485	8717574045956	
	16	310	260	1	1	66782486	8717574045963	
	16	450	400	1	1	66782487	8717574045970	
	16	600	550	1	1	66782488	8717574045987	
16	800	750	1	1	66782489	8717574045994		
16	1000	950	1	1	66782490	8717574046007		
17	210	150	1	1	66782491	8717574046014		
18	200	150	1	1	66782492	8717574046021		
18	250	200	1	1	66782493	8717574046038		
18	300	250	1	1	66782494	8717574046045		
18	450	400	1	1	66782495	8717574046052		
18	600	550	1	1	66782496	8717574046069		
18	1000	950	1	1	66782497	8717574046076		
19	200	150	1	1	66782498	8717574046083		
19	450	400	1	1	66782499	8717574046090		
20	200	150	1	1	66782500	8717574046106		
20	250	200	1	1	66782501	8717574046113		
20	300	250	1	1	66782502	8717574046120		
20	450	400	1	1	66782503	8717574046137		
20	600	550	1	1	66782504	8717574046144		
20	1000	950	1	1	66782505	8717574046151		

SDS-PLUS TCT HAMMER DRILL BITS 2-CUTTER







 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		22	250	200	1	1	66782506	8717574046168
		22	300	250	1	1	66782507	8717574046175
		22	450	400	1	1	66782508	8717574046182
		22	600	550	1	1	66782509	8717574046199
		22	1000	950	1	1	66782510	8717574046205
		23	250	200	1	1	66782511	8717574046212
		23	450	400	1	1	66782512	8717574046229
		24	250	200	1	1	66782513	8717574046236
		24	300	250	1	1	66782514	8717574046243
		24	450	400	1	1	66782515	8717574046250
		25	250	200	1	1	66782516	8717574046267
		25	300	250	1	1	66782517	8717574046274
		25	450	400	1	1	66782518	8717574046281
		25	600	550	1	1	66782519	8717574046298
		25	1000	950	1	1	66782520	8717574046304
		26	250	200	1	1	66782521	8717574046311
		26	450	400	1	1	66782522	8717574046328

SDS-PLUS TCT HAMMER DRILL BITS BENEFIT PACKAGES 2-CUTTER

  		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
   		4	110	50	10	1	66782601	8717574046335
		4	160	100	10	1	66782602	8717574046342
		5	110	50	10	1	66782603	8717574046359
		5	140	80	10	1	66782604	8717574046366
		5	160	100	10	1	66782605	8717574046373
		5	210	150	10	1	66782606	8717574046380
		5	260	200	10	1	66782607	8717574046397
		5	310	250	10	1	66782608	8717574046403
		5,5	110	50	10	1	66782609	8717574046410
		5,5	160	100	10	1	66782610	8717574046427
		5,5	210	150	10	1	66782611	8717574046434
		5,5	260	200	10	1	66782612	8717574046441
		6	110	50	10	1	66782613	8717574046458
		6	160	100	10	1	66782614	8717574046465
		6	210	150	10	1	66782615	8717574046472
		6	260	200	10	1	66782616	8717574046489
		6	310	250	10	1	66782617	8717574046496
		6,5	110	50	10	1	66782618	8717574046502
		6,5	160	100	10	1	66782619	8717574046519
		6,5	210	150	10	1	66782620	8717574046526
		6,5	260	200	10	1	66782621	8717574046533
		6,5	310	250	10	1	66782622	8717574046540
		7	110	50	10	1	66782623	8717574046557
		7	160	100	10	1	66782624	8717574046564
		7	210	150	10	1	66782625	8717574046571
		8	110	50	10	1	66782626	8717574046588
		8	160	100	10	1	66782627	8717574046595
		8	210	150	10	1	66782628	8717574046601
		8	260	200	10	1	66782629	8717574046618
		8	310	250	10	1	66782630	8717574046625

HAMMER DRILL BITS

SDS-PLUS TCT HAMMER DRILL BITS BENEFIT PACKAGES 2-CUTTER

  		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	9	160	100	10	1	66782631	8717574046632	
	9	210	150	10	1	66782632	8717574046649	
	9,5	160	100	10	1	66782633	8717574046656	
	10	110	50	10	1	66782634	8717574046663	
	10	160	100	10	1	66782635	8717574046670	
	10	210	150	10	1	66782636	8717574046687	
	10	260	200	10	1	66782637	8717574046694	
	10	310	250	10	1	66782638	8717574046700	
	11	160	100	10	1	66782639	8717574046717	
	11	210	150	10	1	66782640	8717574046724	
	11	260	200	10	1	66782641	8717574046731	
	11	310	250	10	1	66782642	8717574046748	
	12	160	110	10	1	66782643	8717574046755	
	12	210	160	10	1	66782644	8717574046762	
	12	260	210	10	1	66782645	8717574046779	
12	310	260	10	1	66782646	8717574046786		

SDS-PLUS TCT HAMMER DRILL BITS BENEFIT PACKAGES 2-CUTTER

  		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
   	4	110	50	25	1	66782651	8717574046793	
	4	160	100	25	1	66782652	8717574046809	
	5	110	50	25	1	66782653	8717574046816	
	5	140	80	25	1	66782654	8717574046823	
	5	160	100	25	1	66782655	8717574046830	
	5	210	150	25	1	66782656	8717574046847	
	5	260	200	25	1	66782657	8717574046854	
	5,5	110	50	25	1	66782658	8717574046861	
	5,5	160	100	25	1	66782659	8717574046878	
	5,5	210	150	25	1	66782660	8717574046885	
	5,5	260	200	25	1	66782661	8717574046892	
	6	110	50	25	1	66782662	8717574046908	
	6	160	100	25	1	66782663	8717574046915	
	6	210	150	25	1	66782664	8717574046922	
	6	260	200	25	1	66782665	8717574046939	
	6,5	110	50	25	1	66782666	8717574046946	
	6,5	160	100	25	1	66782667	8717574046953	
	6,5	210	150	25	1	66782668	8717574046960	
	6,5	260	200	25	1	66782669	8717574046977	
	7	110	50	25	1	66782670	8717574046984	
	7	160	100	25	1	66782671	8717574046991	
	7	210	150	25	1	66782672	8717574047004	
	8	110	50	25	1	66782673	8717574047011	
	8	160	100	25	1	66782674	8717574047028	
	8	210	150	25	1	66782675	8717574047035	
	8	260	200	25	1	66782676	8717574047042	
	9	160	100	25	1	66782677	8717574047059	
	9	210	150	25	1	66782678	8717574047066	
	10	110	50	25	1	66782679	8717574047073	
	10	160	100	25	1	66782680	8717574047080	
10	210	150	25	1	66782681	8717574047097		

SDS-PLUS TCT HAMMER DRILL BIT SETS


 	Contents	PQ	MOQ	Item number	Barcode
	5-Pcs 5 x 110 mm 6 x 110 mm 8 x 110 mm 6 x 160 mm 8 x 160 mm	5	1	66782530	8717574047165
	5-Pcs 5 x 160 mm 6 x 160 mm 8 x 160 mm 10 x 160 mm 12 x 160 mm	5	1	66782531	8717574047172
	5-Pcs 6 x 110 mm 8 x 110 mm 6 x 160 mm 8 x 160 mm 10 x 160 mm	5	1	66782532	8717574047189
	5-Pcs 10 x 450 mm 12 x 450 mm 14 x 450 mm 16 x 450 mm 20 x 450 mm	5	1	66782534	8717574052572
	6-Pcs 10 x 450 mm 12 x 450 mm 14 x 450 mm 16 x 450 mm 18 x 450 mm 20 x 450 mm	6	1	66782533	8717574047196
	6-Pcs 13 mm drill chuck with SDS-Plus adapter 5 x 110 mm 6 x 110 mm 8 x 110 mm 6 x 160 mm 8 x 160 mm	6	1	66751025	8717154657449
	6-Pcs 13 mm keyless drill chuck with SDS-Plus adapter 5 x 110 mm 6 x 110 mm 8 x 110 mm 6 x 160 mm 8 x 160 mm	6	1	66751030	8717472816580

HAMMER DRILL BITS

PROLINE

HAMMER DRILL BITS

SDS-PLUS SEMI PROFESSIONAL








The SDS-Plus Semi Professional drill bit is for use in concrete, masonry and natural stone. This drill bit is cost-effective thanks to its fast, dynamic drilling progress and robust carbide tip. A large flute enables

easy drilling dust transportation. It is highly appreciated for its reasonable quality by occasional user, who prioritizes purchasing price where durability and cutting speed are less important or not relevant

due to the application nature.


SDS-PLUS SEMI PROFESSIONAL HAMMER DRILL BITS 2-CUTTER

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		4	110	50	1	1	66750371	8717574034103
		4	160	100	1	1	66750372	8717574034110
		5	110	50	1	1	66750373	8717574034127
		5	160	100	1	1	66750374	8717574034134
		5,5	110	50	1	1	66750375	8717574034141
		5,5	160	100	1	1	66750376	8717574034158
		6	110	50	1	1	66750377	8717574034165
		6	160	100	1	1	66750378	8717574034172
		6	210	150	1	1	66750379	8717574034189
		7	160	100	1	1	66750380	8717574034196
		8	110	50	1	1	66750381	8717574034202
		8	160	100	1	1	66750382	8717574034219
		8	210	150	1	1	66750383	8717574034226
		8	260	200	1	1	66750384	8717574034233
		10	160	100	1	1	66750385	8717574034240
		10	210	150	1	1	66750386	8717574034257
		10	260	200	1	1	66750387	8717574034264
		12	160	100	1	1	66750388	8717574034271
		12	210	150	1	1	66750389	8717574034288
		12	260	200	1	1	66750390	8717574034295
	14	160	100	1	1	66750391	8717574034301	
	14	210	150	1	1	66750392	8717574034318	
	14	260	200	1	1	66750393	8717574034325	
	16	160	100	1	1	66750394	8717574034332	
	16	210	150	1	1	66750395	8717574034349	

PROLINE

HAMMER DRILL BITS

SDS-PLUS BASIC






The SDS-Plus Basic line is an entry-level drill bit suitable for the incidental user.


The attractive pricing is of higher importance than the lifetime due to the low number of holes this incidental user will drill.

The drills are for use in masonry and normal concrete.

SDS-PLUS BASIC HAMMER DRILL BITS 2-CUTTER

		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 		4	110	41	1	1	664100801	8717574063080
		4	160	91	1	1	664100802	8717574063097
		5	110	41	1	1	664100803	8717574063103
		5	160	91	1	1	664100804	8717574063110
		5,5	110	41	1	1	664100805	8717574063127
		5,5	160	91	1	1	664100806	8717574063134
		6	110	41	1	1	664100807	8717574063141
		6	160	91	1	1	664100808	8717574063158
		6	210	140	1	1	664100809	8717574063165
		6,5	110	41	1	1	664100810	8717574063172
		6,5	160	91	1	1	664100811	8717574063189
		7	110	41	1	1	664100812	8717574063196
		7	160	91	1	1	664100813	8717574063202
		8	110	41	1	1	664100814	8717574063219
		8	160	91	1	1	664100815	8717574063226
		8	210	140	1	1	664100816	8717574063233
		8	260	185	1	1	664100817	8717574063240
		10	160	91	1	1	664100818	8717574063257
		10	210	140	1	1	664100819	8717574063264
		10	260	185	1	1	664100820	8717574063271
	10	460	365	1	1	664100821	8717574063288	
	12	160	91	1	1	664100822	8717574063295	
	12	210	140	1	1	664100823	8717574063301	
	12	260	185	1	1	664100824	8717574063318	
	12	460	365	1	1	664100825	8717574063325	
	14	160	85	1	1	664100826	8717574063332	
	14	210	130	1	1	664100827	8717574063349	
	14	260	175	1	1	664100828	8717574063356	
	14	460	365	1	1	664100829	8717574063363	
	16	160	85	1	1	664100830	8717574063370	
	16	210	130	1	1	664100831	8717574063387	
	16	460	365	1	1	664100832	8717574063394	









SDS-PLUS BASIC HAMMER DRILL BIT 2-CUTTER SETS

	\varnothing (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 				5	1	664100840	8717574063400
				17	1	66402555	4549115081345

PROLINE

HAMMER DRILL BITS

SDS-PLUS ACCESSORIES

ACCESSORIES SDS-PLUS						
	Description	PQ	MOQ	Item number	Barcode	
ADAPTERS FROM SDS-PLUS:						
	To 1/2" x 20 UNF external thread and M6 internal for drill chuck	1	1	66744085	8717154656039	
	To 1/2" x 20 UNF external thread for drill chuck and 1/4" internal hexagonal for bits	1	1	66744088	8717154659184	
	To 1/4" internal hexagonal for bits without magnet	1	1	66752388	8717574017397	
	To 1/4" internal hexagonal for bits with magnet	1	1	66752389	8717574017403	
	To 1/2" square for impact sockets	1	1	66750455	8717574023862	
ADAPTERS TO SDS-PLUS:						
	From SDS-Max	1	1	66751006	8717154652772	
	From Spline	1	1	66750200	8717154651539	
	From 13 mm hexagonal	1	1	66750246	8717154651997	

PROLINE HAMMER DRILL BITS SDS-MAX





SDS-Max in three models

The latest generation Hikoki SDS-Max hammer drill bits are robust and powerful tools, an innovative combination of new and proven existing geometric intersections of unprecedented quality.

This results in an extra long life, high precision in drilling and maximum energy transfer, even in extremely hard materials.

A high performance hammer drill bit for all professional users who need drilling in reinforced concrete and stone.


The SDS-Max drill bits are available in a three quality levels: A comprehensive line-up 4-Cutters, a top quality 2-cutter for the diameters 12 – 15 mm and in a shortened delivery program, a more economic Semi Professional line.

	PROFESSIONAL			SEMI PROFI
	4-cutter Ø 12 - 15 mm	4-cutter Ø 16 - 52 mm	2-cutter Ø 12 - 15 mm	2-cutter Ø 14 - 40 mm
Carbide tip shape				
Centering tip on carbide	yes	yes	yes	no
Flute design	4-spiral	4-spiral	multi fluted	standard
For rebar	recommended	recommended	suitable	no
Dimensional accuracy	***	***	**	*
Drilling speed	**	**	***	*
Durability	***	***	**	*
Vibration absorption	***	***	**	*
Power transmission	***	***	***	*
PGM approved	yes	yes	yes	yes
Suitable for powertool	2-4 kg	5-10 kg	5-10 kg	4-8 kg
Application	Suitable for those users who demand a long life cycle and face lots of rebar and stones in hard concrete. While bearing a higher purchasing price, costs per hole are lower.	Suitable for those users who demand a long life cycle and face lots of rebar and stones in hard concrete. While bearing a higher purchasing price, costs per hole are lower.	Suitable for the intermediate user, wanting to use the hammer drill bit on average hard materials.	Suitable for the occasional user, prioritizing purchasing price, where durability and drilling speed are less important or not relevant due to application nature.

PROLINE

HAMMER DRILL BITS

SDS-MAX 4-CUTTER Ø 12 – 15 MM



The latest generation of Hikoki SDS-Max 4-cutter hammer drill bits are designed for very intensive users who demand ultimate performance in drilling. This dynamic design with improved characteristics results in extended life time, noticeably faster penetration and more comfortable drilling.

The symmetrical 4-cutter head ensures a smooth and fluid penetration into the material, resulting in perfectly round holes.






The special 4-fold spiral geometry ensures:

- Proper drainage of the drill cuttings
- Reduced unnecessary vibration
- Extreme resistance to extreme torsional strains
- Allows maximum power transmission from the machine onto the drill bit
- Reduced noise emission

This results in a 50% longer lifetime compared to a conventional 2-cutter hammer drill bit.

In case the user encounters concrete reinforcement, the 4-cutter design ensures an even contact and reduces the chance of breaking the head. The special setting of the carbide crown provides maximum support of the carbide when hitting on rebars and optimum absorption of the released forces during drilling.


SDS-MAX TCT HAMMER DRILL 4-CUTTER BITS 12 - 15 MM

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	12	340	200	1	1	66754363	8717574049602	
	12	540	400	1	1	66754364	8717574049619	
	12	740	600	1	1	66754365	8717574049626	
	12	940	800	1	1	66754366	8717574049633	
	14	340	200	1	1	66754367	8717574049640	
	14	540	400	1	1	66754368	8717574049657	
	15	340	200	1	1	66754369	8717574049664	
	15	540	400	1	1	66754370	8717574049671	

PROLINE

HAMMER DRILL BITS

SDS-MAX 4-CUTTER Ø 16 – 52 MM








Hikoki's SDS-Max 4-cutter is a robust, professional drill bit designed for excellent performance with uncompromising quality in its detail. In this series of drills the 4-cutter carbide head is formed by a main plate with two hard metal side plates at an angle of 90°.

This special design prevents seizing up on hitting rebar, where the large secondary cutters actively support the main carbide tip during drilling. An additional feature added to the carbide tip construction is the wear marking, that functions as an indicator for evaluating the dimensional stability of anchor holes.






Due to the drills' optimized core reinforced flute, high break resistance is ensured. Moreover, the impact energy is transferred directly to the drill head, and at the same time the dust is being removed rapidly for constant progress.

All in all, this drill bit achieves the optimum between speed, durability and professional performance.

SDS-MAX TCT HAMMER DRILL BITS 4-CUTTER 16 - 18 MM

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	16	340	200	1	1	66754301	8717574026443	
	16	540	400	1	1	66754302	8717574026450	
	16	740	600	1	1	66754353	8717574029178	
	16	940	800	1	1	66754303	8717574026467	
	16	1320	1200	1	1	66754304	8717574026474	
	18	340	200	1	1	66754305	8717574026481	
	18	540	400	1	1	66754306	8717574026498	
	18	740	600	1	1	66754354	8717574029185	
	18	940	800	1	1	66754307	8717574026504	
	18	1320	1200	1	1	66754308	8717574026511	

SDS-MAX TCT HAMMER DRILL BITS 4-CUTTER 20 - 52 MM


 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	20	320	200	1	1	66754309	8717574026528	
	20	520	400	1	1	66754310	8717574026535	
	20	720	600	1	1	66754355	8717574029192	
	20	920	800	1	1	66754311	8717574026542	
	20	1320	1200	1	1	66754312	8717574026559	
	22	320	200	1	1	66754313	8717574026566	
	22	520	400	1	1	66754314	8717574026573	
	22	720	600	1	1	66754356	8717574029208	
	22	920	800	1	1	66754315	8717574026580	
	22	1320	1200	1	1	66754316	8717574026597	
	24	320	200	1	1	66754317	8717574026603	
	24	520	400	1	1	66754318	8717574026610	
	25	320	200	1	1	66754319	8717574026627	
	25	520	400	1	1	66754320	8717574026634	
	25	720	600	1	1	66754357	8717574029215	
	25	920	800	1	1	66754321	8717574026641	
	25	1320	1200	1	1	66754322	8717574026658	
	26	520	400	1	1	66754323	8717574026665	
	28	370	250	1	1	66754324	8717574026672	
	28	570	450	1	1	66754325	8717574026689	
	28	670	550	1	1	66754326	8717574026696	
	28	920	800	1	1	66754327	8717574026702	
	28	1320	1200	1	1	66754328	8717574026719	
	30	370	250	1	1	66754329	8717574026726	
	30	570	450	1	1	66754330	8717574026733	
	30	720	600	1	1	66754358	8717574029222	
	30	920	800	1	1	66754331	8717574026740	
	32	370	250	1	1	66754332	8717574026757	
	32	570	450	1	1	66754333	8717574026764	
	32	720	600	1	1	66754359	8717574029239	
	32	920	800	1	1	66754334	8717574026771	
	32	1320	1200	1	1	66754335	8717574026788	
	35	370	250	1	1	66754336	8717574026795	
	35	570	450	1	1	66754337	8717574026801	
35	670	550	1	1	66754338	8717574026818		
35	920	800	1	1	66754339	8717574026825		
35	1320	1200	1	1	66754360	8717574029246		
37	370	250	1	1	66754340	8717574026832		
37	570	450	1	1	66754341	8717574026849		
37	920	800	1	1	66754342	8717574026856		
38	370	250	1	1	66754343	8717574026863		
38	570	450	1	1	66754344	8717574026870		
38	720	600	1	1	66754361	8717574029253		
40	370	250	1	1	66754345	8717574026887		
40	570	450	1	1	66754346	8717574026894		
40	720	600	1	1	66754362	8717574029260		
40	920	800	1	1	66754347	8717574026900		
40	1320	1200	1	1	66754348	8717574026917		
45	570	450	1	1	66754349	8717574026924		
45	920	800	1	1	66754350	8717574026931		
50	570	450	1	1	66754351	8717574026948		
52	570	450	1	1	66754352	8717574026955		

HAMMER DRILL BITS

PROLINE

HAMMER DRILL BITS

SDS-MAX 2-CUTTER Ø 12 – 15 MM



The SDS-Max 2-cutter drill bits with double spiral satisfies to the highest quality standards and it is designed for the professional end user. They are tested under extreme conditions and have proven their new standards in terms of efficiency and performance.













The 2-cutter is formed by a central placed tungsten carbide plate of which the special

design provides an easy centring and fast drilling from the very first start.

The cutting speed is about 25% higher than the standard SDS-Max drill bits with an increase of life time of about 50%.

Steel reinforcement no longer presents a big problem. The dynamic, chisel-shaped drill bit head penetrates rapidly into the material and simultaneously feeds the drilling dust into the multi-groove spiral.

The special designed spiral quickly removes drilling dust from the hole, saving both time and money. This special spiral also reduces vibration and transfers more impact energy from the hammer to the drilling head, thus remarkably increasing drilling speed and life expectancy. Drilling is less strenuous for the operator and for the rotary hammer.

SDS-MAX TCT HAMMER DRILL BITS 2-CUTTER 12-15 MM								
		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
		12	340	200	1	1	66750910	8717154652246
		12	540	400	1	1	66750911	8717154652253
		12	740	600	1	1	66750912	8717154652260
		12	940	800	1	1	66750913	8717154652277
		14	340	200	1	1	66750914	8717154652284
		14	540	400	1	1	66750915	8717154652291
		14	940	800	1	1	66750916	8717154652307
		15	340	200	1	1	66750917	8717154652314
		15	540	400	1	1	66750918	8717154652321

PROLINE


HAMMER DRILL BITS

SDS-MAX SEMI PROFESSIONAL Ø 14 – 40 MM

CHISEL SHAPED
DRILL BIT HEAD

ROBUST CARBIDE
TIP WITH 130°
ANGLE

LARGE VOLUME
FLUTE



HIGH FLEXURAL
STRENGTH

The SDS-Max Semi Professional drill bit is for use in concrete, masonry and natural stone. This drill bit is cost-effective thanks to its fast, dynamic drilling progress and robust

carbide tip. A large flute enables easy drilling dust transportation. It is highly appreciated for its reasonable quality by occasional user, who prioritizes

purchasing price where durability and cutting speed are less important or not relevant due to the application nature.


SDS-MAX SEMI PROFESSIONAL HAMMER DRILL BITS 14 - 40 MM

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		14	340	200	1	1	66754371	8717574035117
		14	540	400	1	1	66754372	8717574035124
		16	340	200	1	1	66754373	8717574035131
		16	540	400	1	1	66754374	8717574035148
		18	340	200	1	1	66754375	8717574035155
		18	540	400	1	1	66754376	8717574035162
		20	320	200	1	1	66754377	8717574035179
		20	520	400	1	1	66754378	8717574035186
		22	320	200	1	1	66754379	8717574035193
		22	520	400	1	1	66754380	8717574035209
		24	320	200	1	1	66754381	8717574035216
		24	520	400	1	1	66754382	8717574035223
		25	320	200	1	1	66754383	8717574035230
		25	520	400	1	1	66754384	8717574035247
		28	370	250	1	1	66754385	8717574035254
		28	570	450	1	1	66754386	8717574035261
		30	370	250	1	1	66754387	8717574035278
		30	570	450	1	1	66754388	8717574035285
		32	370	250	1	1	66754389	8717574035292
		32	570	450	1	1	66754390	8717574035308
	32	920	800	1	1	66754391	8717574035315	
	35	370	250	1	1	66754392	8717574035322	
	35	570	450	1	1	66754393	8717574035339	
	38	370	250	1	1	66754394	8717574035346	
	38	570	450	1	1	66754395	8717574035353	
	40	370	250	1	1	66754396	8717574035360	
	40	570	450	1	1	66754397	8717574035377	

PROLINE

HAMMER DRILL BITS

SDS-PLUS / SDS-MAX DUST EXTRACTION



With the Dust Free drill bits from Hikoki you will have the ultimate solution for many challenging issues in practice.

The special Dust Free drill bits are available with SDS-Plus and SDS-Max connection. Onto the standard plastic side adapter with inner diameter Ø 35 mm, you can connect any kind of vacuum cleaner adapter to use industrial vacuum cleaners (minimum advised filter class M).

Due to the extreme high level of dust extraction from the drill bit head – about 98% of dust is extracted –, the user will first experience its extreme fast drilling speed and reduced vibration when compared to a standard drill bit.

The extraction of dust with the use of professional vacuum cleaners also reduces the dust inhalation of the operator

significantly since all harmful dust particles are extracted at the source. This is of great benefit for the user.

Also in working environments where dust is considered as very unpleasant, like in hospitals, living environments or any other place where people continue to live or work during the drilling process, these drill bits offer a great solution.

When the hole is drilled, the job is immediately finished and time-consuming cleaning-up afterwards is no longer needed.

The Dust Free drill bits offer not only a great solution for the operator when drilling vertical and horizontal, but even for overhead drilling.




When the hole is prepared to use plugs, no surplus of debris is left behind in the hole, which improves the fixation of the plug.

The Dust Free drill bits offer a cost-efficient solution for the end user due to the savings in labour for cleaning the hole and the surrounding area around the hole.





All Dust Free drill bits are equipped with a Powerful 4-Cutter innovative head design, assuring an accurate concentricity and high dimensional accuracy of the drilled holes, according to the PGM Conformity.

Due to the dust extraction, there is a continuous air flow around the drilling head which creates an active cooling of the drill bit head and increases the life time.



SDS-PLUS DRILL BIT FOR DUST EXTRACTION

 	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	12	325	200	1	1	66783401	8717574057607
	14	360	240	1	1	66783402	8717574057614
	16	360	240	1	1	66783403	8717574057621
	18	360	240	1	1	66783404	8717574057638

SDS-MAX DRILL BIT FOR DUST EXTRACTION


 	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	16	600	400	1	1	66783411	8717574057645
	18	600	400	1	1	66783412	8717574057652
	20	600	400	1	1	66783413	8717574057669
	22	600	400	1	1	66783414	8717574057676
	24	600	400	1	1	66783415	8717574057683
	25	600	400	1	1	66783416	8717574057690
	28	600	400	1	1	66783417	8717574057706
	28	900	700	1	1	66783418	8717574057713
	30	600	400	1	1	66783419	8717574057720
	30	900	700	1	1	66783420	8717574057737
	32	600	400	1	1	66783421	8717574057744
	32	900	700	1	1	66783422	8717574057751
	35	600	400	1	1	66783423	8717574057768
	35	900	700	1	1	66783424	8717574057775

VACUUM HOSE CONNECTOR FOR DUST EXTRACTION DRILL BITS

	Description	PQ	MOQ	Item number	Barcode
	Connector for SDS-Plus drill bits	1	1	66783428	8717574058208
	Connector for SDS-Max drill bits	1	1	66783429	8717574058215

HAMMER DRILL BITS







PROLINE CORE CUTTERS SDS-MAX TCT



Hikoki core cutters guarantee efficient handling thanks to the special one-piece tool design. The design focusses on the new generation of powerful hammer drills, and provides efficient work with high durability. An ideal tool for through holes in concrete, natural stone and masonry.

The 3 high volume spiral flutes ensure fast removal of drilling dust, fast drilling progress and ensure low vibration during the drilling. The result is consistently precise, professional round holes.




Break resistance is increased and low vibration drilling is made possible due to the increased spiral width and core thickness. Thanks to the short flute, the core cutter offers a reduced drill bit weight, which ensures easy work.


SDS-MAX TCT CORE CUTTERS								
		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
		40	550	410	1	1	66751691	8717574055153
		45	550	410	1	1	66751692	8717574055160
		45	990	850	1	1	66751693	8717574055177
		55	550	410	1	1	66751694	8717574055184
		55	990	850	1	1	66751695	8717574055191
		65	550	410	1	1	66751696	8717574055207
		65	990	850	1	1	66751697	8717574055214
		80	550	410	1	1	66751698	8717574055221
		80	990	850	1	1	66751699	8717574055238
SDS-MAX TCT CORE CUTTERS (SPECIAL LENGTH IN CONVENTIONAL DESIGN)								
		40	310	170	1	1	66751651	8717154657715
		40	550	410	1	1	66751652	8717154657722
		55	310	170	1	1	66751656	8717154657760







PROLINE



HAMMER DRILL BITS

SDS-MAX ACCESSORIES

ACCESSORIES SDS-MAX					
	Description	PQ	MOQ	Item number	Barcode
EXTENSION PIECES FOR DRILL BITS > 32 MM					
	Total length 320 mm	1	1	66751675	8717472817990
	Total length 750 mm	1	1	66751676	8717472818003
	Total length 1100 mm	1	1	66751677	8717472818010
	Adapter for extension piece	1	1	66751686	8717472818102



ADAPTERS SDS-MAX					
	Description	PQ	MOQ	Item number	Barcode
ADAPTERS FROM SDS-MAX					
	SDS-Max to 1/2" x 20 UNF external thread	1	1	66750453	8717472818744
	SDS-Max to 1/2" square	1	1	66750451	8717574023848
	SDS-Max to 3/4" square	1	1	66750452	8717574023855
	SDS-Max adapter to SDS-Plus connection	1	1	66751006	8717154652772
	SDS-Max adapter to Spline connection	1	1	66751049	8717574025897
ADAPTER TO SDS-MAX					
	Adapter from Spline to SDS-Max connection	1	1	66750247	8717574025880






ADAPTER 13 MM HEXAGONAL					
	Description	PQ	MOQ	Item number	Barcode
	Adapter from 13 mm hexagonal to SDS-Plus	1	1	66750246	8717154651997

PROLINE






HAMMER DRILL BITS

13 MM AND 19 MM HEXAGONAL

13 MM HEXAGONAL TCT HAMMER DRILL BITS 4-CUTTER

 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		16	280	130	1	1	66750250	8717154652000
		16	550	400	1	1	66750251	8717154652017
		18	550	400	1	1	66750253	8717154652031
		25	550	420	1	1	66750261	8717154652116
		28	280	130	1	1	66750281	8717154656145
		28	400	250	1	1	66750262	8717154652123
		30	280	130	1	1	66750282	8717154656152
		30	400	250	1	1	66750264	8717154652147
		30	550	420	1	1	66750265	8717154652154
		32	280	130	1	1	66750286	8717154656190
		32	400	250	1	1	66750266	8717154652161
		32	550	420	1	1	66750267	8717154652178
		35	280	130	1	1	66750290	8717154656237
		35	400	250	1	1	66750268	8717154652185
		38	280	130	1	1	66750294	8717154656275
		38	550	420	1	1	66750271	8717154652215
	40	550	400	1	1	66750273	8717154652239	






19 MM HEXAGONAL TCT HAMMER DRILL BITS 4-CUTTER





 		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		16	420	250	1	1	66751601	8717154657876
		16	570	380	1	1	66751602	8717154657883
		18	570	380	1	1	66751604	8717154657913
		20	420	250	1	1	66751605	8717154657920
		20	570	380	1	1	66751606	8717154657937
		22	570	400	1	1	66751608	8717154657951
		24	420	250	1	1	66751609	8717154657968
		25	420	250	1	1	66751611	8717154657982
		25	570	400	1	1	66751612	8717154657999
		25	720	550	1	1	66751613	8717154658002
		28	570	400	1	1	66751616	8717154658033
		30	420	250	1	1	66751617	8717154658040
		35	570	400	1	1	66751630	8717154658170
		38	420	250	1	1	66751635	8717154658224
		38	570	400	1	1	66751636	8717154658231
		40	420	250	1	1	66751637	8717154658248
		40	570	400	1	1	66751638	8717154658255
		44	570	400	1	1	66751643	8717154658309
		50	420	250	1	1	66751644	8717154658316

PROLINE

HAMMER DRILL BITS

SPLINE


SPLINE TCT HAMMER DRILL BITS								
 	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode	
2-CUTTER								
	12	330	200	1	1	66750201	8717154651546	
	13	530	400	1	1	66750204	8717154651577	
	14	380	250	1	1	66750205	8717154651584	
	15	330	200	1	1	66750206	8717154651591	
4-CUTTER								
 	16	250	120	1	1	66750207	8717154651607	
	16	530	380	1	1	66750209	8717154651621	
	18	380	250	1	1	66750210	8717154651638	
	19	530	400	1	1	66750214	8717154651676	
	20	530	380	1	1	66750216	8717154651690	
	22	330	200	1	1	66750217	8717154651706	
	22	530	400	1	1	66750218	8717154651713	
	24	330	200	1	1	66750219	8717154651720	
	24	530	400	1	1	66750220	8717154651737	
	28	530	400	1	1	66750227	8717154651805	
	28	680	530	1	1	66750228	8717154651812	
	30	530	400	1	1	66750230	8717154651836	
	32	380	250	1	1	66750231	8717154651843	
	32	530	400	1	1	66750232	8717154651850	
	35	380	250	1	1	66750233	8717154651867	
	35	530	400	1	1	66750234	8717154651874	
	35	680	530	1	1	66750235	8717154651881	
	38	380	250	1	1	66750236	8717154651898	
	38	530	400	1	1	66750237	8717154651904	
	40	380	250	1	1	66750238	8717154651911	
42	380	250	1	1	66750240	8717154651935		
42	530	400	1	1	66750241	8717154651942		
45	380	250	1	1	66750242	8717154651959		
45	530	400	1	1	66750243	8717154651966		
50	530	400	1	1	66750245	8717154651980		

ADAPTERS SPLINE						
	Description	PQ	MOQ	Item number	Barcode	
	Adapter from Spline to SDS-Plus connection	1	1	66750200	8717154651539	
	Adapter from Spline to SDS-Max connection	1	1	66750247	87171546515880	
	Adapter from SDS-Max to Spline connection	1	1	66751049	8717574025897	

PROLINE

HAMMER DRILL BITS

HOLLOW CORE BITS


HOLLOW HAMMER CORE BITS							
1:8	Description	Ø (mm)	Total length (mm)	PQ	MOQ	Item number	Barcode
CORE BITS INNER CONE 1 : 8							
	Core bit	40	100	1	1	66750960	8717472816252
	Core bit	45	100	1	1	66751055	8717574023534
	Core bit	50	100	1	1	66750961	8717472816269
	Core bit	60	100	1	1	66751058	8717574023541
	Core bit	65	100	1	1	66750962	8717472816276
	Core bit	68	100	1	1	66751056	8717574023558
	Core bit	80	100	1	1	66750963	8717472816283
	Core bit	90	100	1	1	66750964	8717472816290
	Core bit	100	100	1	1	66750965	8717472816306
	Core bit	125	100	1	1	66750966	8717472816313
	Center drill	11	120	1	1	66750967	8717472816320
	Ejection pin			1	1	66750974	8717472816399
	Shaft SDS-Plus		115	1	1	66751029	8717472816405
	Shaft SDS-Max		180	1	1	66750968	8717472816337
	Shaft SDS-Max		450	1	1	66750969	8717472816344
Shaft Spline		216	1	1	66750970	8717472816351	
Shaft Spline		436	1	1	66750971	8717472816368	
Shaft Hex 13		450	1	1	66750973	8717472816382	

PROLINE

HAMMER DRILL BITS

VARIA DRILLING SYSTEM

VARIA DRILLING SYSTEM							
VARIA	Description	Ø (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	Drill bit	28	475	1	1	66751051	8717574035070
	Drill bit	30	475	1	1	66751052	8717574035087
	Drill bit	32	475	1	1	66751053	8717574035094
VARIA SYSTEM INTERNAL THREAD HOLLOW HAMMER CORE BITS							
	Core bit	50	100	1	1	66760086	8717472816511
	Core bit	68	100	1	1	66760087	8717472816528
	Core bit	80	100	1	1	66760088	8717472816535
	Core bit	90	100	1	1	66760071	8717472816542
	Core bit	100	100	1	1	66760072	8717472816559
	Core bit	125	100	1	1	66760073	8717472816566
VARIA SYSTEM HOLLOW HAMMER CENTER DRILL BIT							
	Center drill bit	12	155	1	1	66760074	8717472816573
VARIA DRILLING SYSTEM							
	Core cutter	35	150	1	1	66744120	8717574014266
	Core cutter	40	150	1	1	66744121	8717472816429
	Core cutter	45	150	1	1	66744122	8717472816436
	Core cutter	50	150	1	1	66744119	8717574014273
	Core cutter	55	150	1	1	66744123	8717472816443
	Core cutter	68	150	1	1	66744124	8717472816450
	Core cutter	80	150	1	1	66744125	8717472816467
VARIA SYSTEM THREADED ADAPTER							
	For SDS-Max		195	1	1	66760085	8717472816498
	For 13 mm hexagonal		180	1	1	66744126	8717574002072
	For 19 mm hexagonal		180	1	1	66744127	8717574011791
	For Spline		180	1	1	66744128	8717472816504
VARIA SYSTEM THREADED SHANK EXTENSION ROD							
	Extension rod	25	280	1	1	66744129	8717472816474
VARIA SYSTEM THREADED SHANK							
	Threaded Shank			1	1	66744130	8717472816481



PROLINE MASONRY DRILL BITS




CHISEL-SHAPED
CARBIDE HEAD

S-FLUTE
WITH ROBUST
GEOMETRY



LARGE VOLUME
SPIRAL FLUTE






Hikoki straight shank drill bits are designed for high performance and are equipped with a specially developed tip and flute geometry





for the best drilling results in concrete and masonry.

The drills comply with the DIN 8039 ISO 5468 standard.





STRAIGHT SHANK DRILL BITS FOR CONCRETE / MASONRY

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	3	70	40	1	1	66780851	8717574021707
	4	85	50	1	1	66780852	8717574021714
	5	85	50	1	1	66780853	8717574021721
	5	150	115	1	1	66780854	8717574021738
	5,5	85	50	1	1	66780855	8717574021745
	5,5	150	115	1	1	66780856	8717574021752
	6	100	60	1	1	66780857	8717574021769
	6	150	110	1	1	66780858	8717574021776
	6	200	160	1	1	66780859	8717574021783
	6	400	360	1	1	66780860	8717574021790
	6	600	560	1	1	66780861	8717574021806
	6,5	100	60	1	1	66780862	8717574021813
	6,5	150	110	1	1	66780863	8717574021820
	7	100	60	1	1	66780864	8717574021837
	7	150	110	1	1	66780865	8717574021844
	8	120	80	1	1	66780866	8717574021851
	8	200	160	1	1	66780867	8717574021868
	8	400	360	1	1	66780868	8717574021875
	8	600	560	1	1	66780869	8717574021882
	9	120	80	1	1	66780870	8717574021899
10	120	80	1	1	66780871	8717574021905	
10	200	160	1	1	66780872	8717574021912	
10	400	360	1	1	66780873	8717574021929	
10	600	560	1	1	66780874	8717574021936	






STRAIGHT SHANK DRILL BITS FOR CONCRETE / MASONRY, REDUCED SHANK 10 MM

d = 10 mm		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		12	150	110	1	1	66780875	8717574021943
		12	200	160	1	1	66780876	8717574021950
		12	400	360	1	1	66780877	8717574021967
		12	600	560	1	1	66780878	8717574021974
		13	150	110	1	1	66780879	8717574021981
		14	150	110	1	1	66780880	8717574021998
		14	200	160	1	1	66780881	8717574022001
		14	400	360	1	1	66780882	8717574022018
		14	600	560	1	1	66780883	8717574022025
		15	160	120	1	1	66780884	8717574022032
		16	160	120	1	1	66780885	8717574022049
		16	400	360	1	1	66780886	8717574022056
		16	600	560	1	1	66780887	8717574022063
		18	160	120	1	1	66780888	8717574022070
		18	400	360	1	1	66780889	8717574022087



STRAIGHT SHANK DRILL BITS FOR CONCRETE / MASONRY, REDUCED SHANK 13 MM

d = 13 mm		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		20	160	120	1	1	66780891	8717574022094
		20	400	360	1	1	66780892	8717574022100
		20	600	560	1	1	66780893	8717574022117
		22	400	360	1	1	66780894	8717574022124

STRAIGHT SHANK DRILL BITS FOR CONCRETE / MASONRY SETS

	Description	PQ	MOQ	Item number	Barcode
  	5-Pcs 4 x 85 mm 5 x 85 mm 6 x 100 mm 8 x 120 mm 10 x 120 mm	5	1	66780890	8717574021226
	5-Pcs 4 x 85 mm 5 x 85 mm 6 x 100 mm 8 x 120 mm 10 x 120 mm	5	1	66 780898	8717574022131
	8-Pcs 3 x 70 mm 4 x 85 mm 5 x 85 mm 6 x 100 mm 7 x 100 mm 8 x 120 mm 9 x 120 mm 10 x 120 mm	8	1	66780899	8717574022148


PROLINE UNIVERSAL DRILL BITS



POSITIVE
AGGRESSIVE
CUTTING ANGLE

DIAMOND GROUND
CARBIDE TIP

LARGE VOLUME
SPIRAL FLUTE



Very Versatile

The Hikoki universal drill bits are made to drill in a wide range of materials. From solid brick, hollow brick and masonry through plastic, wood and soft metals; this drill encounters them all.

The special carbide tip removes the material efficient. Because of the sharp edged, diamond ground tip design the material is being cut instead of hammered. In order to keep the edge sharp, the drill is only to be used in rotary application, without percussion.

After cutting, the large volume cupping flute geometry removes the drilling dust fast to ensure continuous progression.

The use of high-quality materials, in combination with state of art hardening and soldering techniques makes this a robust professional tool.



Features

- The carbide tip is engineered with a positive aggressive cutting angle. In combination with the sharp diamond ground edge it is perfectly suited to drill in various materials.
- Large volume flute for fast removal of drilling dust.
- Chisel shaped drill bit head rapidly penetrates the material and therefore quickly channels the drilling dust into the flute.






Only for use in rotary drilling applications, so without percussion. Deactivate impact.




UNIVERSAL DRILL BITS STRAIGHT SHANK

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	3	70	40	1	1	66780801	8717574042054
	4	85	50	1	1	66780802	8717574042061
	5	85	50	1	1	66780803	8717574042078
	5,5	85	50	1	1	66780804	8717574042085
	6	100	60	1	1	66780805	8717574042092
	6	150	110	1	1	66780806	8717574042108
	6,5	100	60	1	1	66780807	8717574042115
	6,5	150	110	1	1	66780808	8717574042122
	7	100	60	1	1	66780809	8717574042139
	8	120	80	1	1	66780810	8717574042146
	8	250	200	1	1	66780811	8717574042153
	9	120	80	1	1	66780812	8717574042160
	10	120	80	1	1	66780813	8717574042177
	10	250	200	1	1	66780814	8717574042184
	12	150	110	1	1	66780815	8717574042191
	12	250	200	1	1	66780816	8717574042207
	14	250	200	1	1	66780817	8717574042214


UNIVERSAL DRILL BITS 1/4" HEXAGONAL SHANK

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	3	95	40	1	1	66780821	8717574042221
	4	105	50	1	1	66780822	8717574042238
	5	105	50	1	1	66780823	8717574042245
	5,5	105	50	1	1	66780824	8717574042252
	6	115	60	1	1	66780825	8717574042269
	6,5	115	60	1	1	66780826	8717574042276
	7	115	60	1	1	66780827	8717574042283
	8	125	80	1	1	66780828	8717574042290

UNIVERSAL DRILL BIT SETS

	Description	PQ	MOQ	Item number	Barcode
	5-Pcs 3 x 70 mm 4 x 85 mm 5 x 85 mm 6 x 100 mm 8 x 120 mm	5	1	66780818	8717574042801
 	5-Pcs 3 x 95 mm 4 x 105 mm 5 x 105 mm 6 x 115 mm 8 x 125 mm	5	1	66780829	8717574042818

PROLINE METAL DRILL BITS



Processing Metal

Hikoki metal drill bits offer high quality and a long lifetime to the professional user. In order to achieve this, only the best raw material for the drill bits are used in a continuous controlled and certified production process. Also, the geometry of the drill bit is optimized to get the highest results in quality of finishing of the drilled hole, drilling speed and service life.

During the production process of Hikoki metal drill bits, the highest quality standards are met. The production environment and processes comply with ISO 9001:2000, the ISO14000 environmental standards and the high Hikoki standards when it comes to responsibility. Hikoki drill bits are regularly tested under the most severe conditions to ensure quality and functionality. These measurements ensure that Hikoki metal drill bits are among the most efficient in the market, even under the toughest conditions. All Hikoki metal drill bits have endured a special hardening process through which the shaft has obtained a lower hardness, improving the adoption in the jaws of the drill chuck.

HSS-R

Metal drill bit for general and incidental usage on hand held power tools.

Properties

This high capacity, rolled twist drill bit made of high-performance high-speed steel offers increased resistance to fracture due to the rolled production process which strengthens the material.

Applications

For steel, cast steel, alloyed and non-alloyed (up to 900 N/mm² strength), grey, tempered, nodular and die castings, sintered-powdered iron, nickel silver, graphite, short chipping aluminum alloys, brass and bronze.

HSS-G

Top quality all-round metal drill bits for usage on hand-held drilling machines as well as drill stands in professional environments.

Properties

This high capacity, completely ground twist drill bit made of high performance high speed steel has increased true running accuracy.

Applications

Suitable for alloyed and unalloyed steel up to a tensile strength of 900N/mm², cast steel, cast iron, sintered iron, malleable cast iron, non-ferrous metals and hard plastics.

HSS-G Co 5




Especially suitable for hard materials like inox. The Hikoki Cobalt drill bits contain 5 % Cobalt. The HSS-Co drill bits are particularly suitable for heavy users who require an extra-long lifetime and have to work with harder materials than usual.

Properties

Like HSS-G plus cobalt alloy. The cobalt content provides higher heat hardness strength.

Applications


Suitable for alloyed and unalloyed steel up to a tensile strength of 1000N/mm², inox V2A/V4A, cast iron, cast steel, acid- and heat-treated steels.


	 HSS-R DIN 338	 HSS-G DIN 338	 HSS-Co DIN 338
DIN	338	338	338
Top angle	118°	135°	135°
Drill tip	Chisel edge	Split point DIN1412	Split point DIN1412
Flute angle	22° - 28°	30°	30°
Surface	Black, steam treated	Bare metal	Gold brown
Material	22° - 28°	30°	30°
Ø Range: 1,0 - 13,0 mm	Each 0,5 mm	Each 0,1 mm, incl. 0,25 mm	Each 0,1 mm, incl. 0,25 mm
Ø Range: 13,5 - 20,0 mm	Each 0,5 mm	Each 0,5 mm	n.a.
Shaft size	≤ 10 mm same as diameter	≤ 13 mm same as diameter	≤ 13 mm same as diameter
	10 - 13 mm reduced 10 mm	10 - 13 mm reduced 10 mm	
	≥ 13,5 mm reduced 13 mm	≥ 13,5 mm reduced 13 mm	
		1/4" hexagonal	
Machine type	Hand held	Hand held	Drill stand

PROLINE




METAL DRILL BITS

HSS-R DIN 338




METAL DRILL BITS HSS-R DIN 338							
	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	1,0	34	12	2	10	66780001	8717574003772
	1,5	40	18	2	10	66780002	8717574003789
	2,0	49	24	2	10	66780003	8717574003796
	2,5	57	30	2	10	66780004	8717574003802
	3,0	61	33	2	10	66780005	8717574003819
	3,2	65	36	1	10	66780006	8717574003826
	3,5	70	39	1	10	66780007	8717574003833
	4,0	75	43	1	10	66780008	8717574003840
	4,2	75	43	1	10	66780009	8717574003857
	4,5	80	47	1	10	66780010	8717574003864
	5,0	86	52	1	10	66780011	8717574003871
	5,5	93	57	1	10	66780012	8717574003888
	6,0	93	57	1	10	66780013	8717574003895
	6,5	101	63	1	10	66780014	8717574003901
	7,0	109	69	1	10	66780015	8717574003918
	7,5	109	69	1	10	66780016	8717574003925
	8,0	117	75	1	10	66780017	8717574003932
	8,5	117	75	1	5	66780018	8717574003949
	9,0	125	81	1	5	66780019	8717574003956
	9,5	125	81	1	5	66780020	8717574003963
	10,0	133	87	1	5	66780021	8717574003970
	10,5	133	87	1	5	66780022	8717574003987
	11,0	142	94	1	5	66780023	8717574003994
	11,5	142	94	1	5	66780024	8717574004007
	12,0	151	101	1	5	66780025	8717574004014
	12,5	151	101	1	5	66780026	8717574004021
	13,0	151	101	1	5	66780027	8717574004038

METAL DRILL BITS HSS-R DIN 338 BENEFIT PACKAGES							
10x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	1,0	34	12	10	1	66780041	8717574004045
	1,5	40	18	10	1	66780042	8717574004052
	2,0	49	24	10	1	66780043	8717574004069
	2,5	57	30	10	1	66780044	8717574004076
	3,0	61	33	10	1	66780045	8717574004083
	3,2	65	36	10	1	66780046	8717574004090
	3,5	70	39	10	1	66780047	8717574004106
	4,0	75	43	10	1	66780048	8717574004113
	4,2	75	43	10	1	66780049	8717574004120
	4,5	80	47	10	1	66780050	8717574004137
	5,0	86	52	10	1	66780051	8717574004144




METAL DRILL BITS HSS-R DIN 338 BENEFIT PACKAGES

10x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	6,0	93	57	10	1	66780053	8717574004168
	6,5	101	63	10	1	66780054	8717574004175
	7,0	109	69	10	1	66780055	8717574004182
	7,5	109	69	10	1	66780056	8717574004199
	8,0	117	75	10	1	66780057	8717574004205
	8,5	117	75	10	1	66780058	8717574004212
	9,0	125	81	10	1	66780059	8717574004229
	9,5	125	81	10	1	66780060	8717574004236
	10,0	133	87	10	1	66780061	8717574004243




METAL DRILL BITS HSS-R DIN 338 BENEFIT PACKAGES

5x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	10,5	133	87	5	1	66780062	8717574004250
	11,0	142	94	5	1	66780063	8717574004267
	11,5	142	94	5	1	66780064	8717574004274
	12,0	151	101	5	1	66780065	8717574004281
	12,5	151	101	5	1	66780066	8717574004298
	13,0	151	101	5	1	66780067	8717574004304

METAL DRILL BITS HSS-R DIN 338 REDUCED SHANK 10 MM

d = 10 mm	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	10,5	133	87	1	1	66780071	8717574004311
	11,0	142	94	1	1	66780072	8717574004328
	11,5	142	94	1	1	66780073	8717574004335
	12,0	151	101	1	1	66780074	8717574004342
	12,5	151	101	1	1	66780075	8717574004359
	13,0	151	101	1	1	66780076	8717574004366

METAL DRILL BITS HSS-R DIN 338 REDUCED SHANK 13 MM

d = 13 mm	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	13,5	160	108	1	1	66780077	8717574004373
	14,0	160	108	1	1	66780078	8717574004380
	14,5	169	114	1	1	66780079	8717574004397
	15,0	169	114	1	1	66780080	8717574004403
	15,5	178	120	1	1	66780081	8717574004410
	16,0	178	120	1	1	66780082	8717574004427
	16,5	184	125	1	1	66780083	8717574004434
	17,0	184	125	1	1	66780084	8717574004441
	17,5	191	130	1	1	66780085	8717574004458
	18,0	191	130	1	1	66780086	8717574004465
	18,5	198	135	1	1	66780087	8717574004472
	19,0	198	135	1	1	66780088	8717574004489
	19,5	205	140	1	1	66780089	8717574004496
	20,0	205	140	1	1	66780090	8717574004502

METAL DRILL HSS-R DIN 338 SETS




	Description	PQ	MOQ	Item number	Barcode
	6-Pcs 2 x 49 mm 3 x 61 mm 4 x 75 mm 5 x 86 mm 6 x 93 mm 8 x 117 mm	6	1	66780094	8717574052510
	10-Pcs 1 - 10 mm x 1,0 mm	10	1	66780095	8717574052527
	19-Pcs 1 - 10 mm x 0,5 mm	19	1	66780096	8717574004519
	25-Pcs 1 - 13 mm x 0,5 mm	25	1	66780097	8717574004526
	170-Pcs set consisting of: 1- 8 mm x 0,5 mm 10 Pcs 8,5 - 10 mm x 0,5 mm 5 Pcs	170	1	66780099	8717574004533

METAL DRILL BITS


PROLINE

METAL DRILL BITS


HSS-G DIN 338

METAL DRILL BITS HSS-G DIN 338							
	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	1,0	34	12	2	10	66780201	8717574004632
	1,5	40	18	2	10	66780202	8717574004649
	2,0	49	24	2	10	66780203	8717574004656
	2,2	53	27	2	10	66780204	8717574004663
	2,25	53	27	2	10	66780205	8717574004670
	2,5	57	30	2	10	66780206	8717574004687
	2,6	57	30	2	10	66780207	8717574004694
	2,75	61	33	2	10	66780208	8717574004700
	2,8	61	33	2	10	66780209	8717574004717
	3,0	61	33	2	10	66780210	8717574004724
	3,2	65	36	1	10	66780211	8717574004731
	3,25	65	36	1	10	66780212	8717574004748
	3,3	65	36	1	10	66780213	8717574004755
	3,5	70	39	1	10	66780214	8717574004762
	3,75	70	39	1	10	66780215	8717574004779
	3,8	75	43	1	10	66780216	8717574004786
	4,0	75	43	1	10	66780217	8717574004793
	4,1	75	43	1	10	66780218	8717574004809
	4,2	75	43	1	10	66780219	8717574004816
	4,25	75	43	1	10	66780220	8717574004823
	4,3	75	43	1	10	66780221	8717574004830
	4,5	80	47	1	10	66780222	8717574004847
	4,75	80	47	1	10	66780223	8717574004854
	4,8	86	52	1	10	66780224	8717574004861
	5,0	86	52	1	10	66780225	8717574004878
	5,1	86	52	1	10	66780226	8717574004885
	5,2	86	52	1	10	66780227	8717574004892
	5,25	86	52	1	10	66780228	8717574004908
	5,5	93	57	1	10	66780229	8717574004915
	5,75	93	57	1	10	66780230	8717574004922
	5,8	93	57	1	10	66780231	8717574004939
	6,0	93	57	1	10	66780232	8717574004946
6,2	101	63	1	10	66780233	8717574004953	
6,25	101	63	1	10	66780234	8717574004960	
6,5	101	63	1	10	66780235	8717574004977	
6,75	109	69	1	10	66780236	8717574004984	
6,8	109	69	1	10	66780237	8717574004991	
7,0	109	69	1	10	66780238	8717574005004	
7,5	109	69	1	10	66780239	8717574005011	
7,8	117	75	1	10	66780240	8717574005028	
8,0	117	75	1	10	66780241	8717574005035	

METAL DRILL BITS HSS-G DIN 338

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	8,5	117	75	1	5	66780242	8717574005042
	9,0	125	81	1	5	66780243	8717574005059
	9,5	125	81	1	5	66780244	8717574005066
	10,0	133	87	1	5	66780245	8717574005073
	10,2	133	87	1	5	66780246	8717574005080
	10,5	133	87	1	5	66780247	8717574005097
	11,0	142	94	1	5	66780248	8717574005103
	11,5	142	94	1	5	66780249	8717574005110
	12,0	151	101	1	5	66780250	8717574005127
	12,5	151	101	1	5	66780251	8717574005134
	13,0	151	101	1	5	66780252	8717574005141

METAL DRILL BITS HSS-G DIN 338 BENEFIT PACKAGES




10x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	1,0	34	12	10	1	66780261	8717574005158
	1,1	36	14	10	1	66780262	8717574005165
	1,2	38	16	10	1	66780263	8717574005172
	1,25	38	16	10	1	66780264	8717574005189
	1,3	38	16	10	1	66780265	8717574005196
	1,4	40	18	10	1	66780266	8717574005202
	1,5	40	18	10	1	66780267	8717574005219
	1,6	43	20	10	1	66780268	8717574005226
	1,7	43	20	10	1	66780269	8717574005233
	1,75	46	22	10	1	66780270	8717574005240
	1,8	46	22	10	1	66780271	8717574005257
	1,9	46	22	10	1	66780272	8717574005264
	2,0	49	24	10	1	66780273	8717574005271
	2,1	49	24	10	1	66780274	8717574005288
	2,2	53	27	10	1	66780275	8717574005295
	2,25	53	27	10	1	66780276	8717574005301
	2,3	53	27	10	1	66780277	8717574005318
	2,4	57	30	10	1	66780278	8717574005325
	2,5	57	30	10	1	66780279	8717574005332
	2,6	57	30	10	1	66780280	8717574005349
	2,7	61	33	10	1	66780281	8717574005356
	2,75	61	33	10	1	66780282	8717574005363
	2,8	61	33	10	1	66780283	8717574005370
	2,9	61	33	10	1	66780284	8717574005387
	3,0	61	33	10	1	66780285	8717574005394
	3,1	65	36	10	1	66780286	8717574005400
	3,2	65	36	10	1	66780287	8717574005417
	3,25	65	36	10	1	66780288	8717574005424
	3,3	65	36	10	1	66780289	8717574005431
	3,4	70	39	10	1	66780290	8717574005448
3,5	70	39	10	1	66780291	8717574005455	
3,6	70	39	10	1	66780292	8717574005462	
3,7	70	39	10	1	66780293	8717574005479	
3,75	70	39	10	1	66780294	8717574005486	
3,8	75	43	10	1	66780295	8717574005493	
3,9	75	43	10	1	66780296	8717574005509	
4,0	75	43	10	1	66780297	8717574005516	
4,1	75	43	10	1	66780298	8717574005523	
4,2	75	43	10	1	66780299	8717574005530	
4,25	75	43	10	1	66780300	8717574005547	

METAL DRILL BITS





METAL DRILL BITS HSS-G DIN 338 BENEFIT PACKAGES

10x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
   	4,3	75	43	10	1	66780301	8717574005554
	4,4	80	47	10	1	66780302	8717574005561
	4,5	80	47	10	1	66780303	8717574005578
	4,6	80	47	10	1	66780304	8717574005585
	4,7	80	47	10	1	66780305	8717574005592
	4,75	80	47	10	1	66780306	8717574005608
	4,8	86	52	10	1	66780307	8717574005615
	4,9	86	52	10	1	66780308	8717574005622
	5,0	86	52	10	1	66780309	8717574005639
	5,1	86	52	10	1	66780310	8717574005646
	5,2	86	52	10	1	66780311	8717574005653
	5,25	86	52	10	1	66780312	8717574005660
	5,3	86	52	10	1	66780313	8717574005677
	5,4	93	57	10	1	66780314	8717574005684
	5,5	93	57	10	1	66780315	8717574005691
	5,6	93	57	10	1	66780316	8717574005707
	5,7	93	57	10	1	66780317	8717574005714
	5,75	93	57	10	1	66780318	8717574005721
	5,8	93	57	10	1	66780319	8717574005738
	5,9	93	57	10	1	66780320	8717574005745
	6,0	93	57	10	1	66780321	8717574005752
	6,1	101	63	10	1	66780322	8717574005769
	6,2	101	63	10	1	66780323	8717574005776
	6,25	101	63	10	1	66780324	8717574005783
	6,3	101	63	10	1	66780325	8717574005790
	6,4	101	63	10	1	66780326	8717574005806
	6,5	101	63	10	1	66780327	8717574005813
	6,6	101	63	10	1	66780328	8717574005820
	6,7	101	63	10	1	66780329	8717574005837
	6,75	109	69	10	1	66780330	8717574005844
	6,8	109	69	10	1	66780331	8717574005851
	6,9	109	69	10	1	66780332	8717574005868
	7,0	109	69	10	1	66780333	8717574005875
	7,1	109	69	10	1	66780334	8717574005882
	7,2	109	69	10	1	66780335	8717574005899
7,25	109	69	10	1	66780336	8717574005905	
7,3	109	69	10	1	66780337	8717574005912	
7,4	109	69	10	1	66780338	8717574005929	
7,5	109	69	10	1	66780339	8717574005936	
7,6	117	75	10	1	66780340	8717574005943	
7,7	117	75	10	1	66780341	8717574005950	
7,75	117	75	10	1	66780342	8717574005967	
7,8	117	75	10	1	66780343	8717574005974	
7,9	117	75	10	1	66780344	8717574005981	
8,0	117	75	10	1	66780345	8717574005998	

METAL DRILL BITS HSS-G DIN 338 BENEFIT PACKAGES




5x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	8,1	117	75	5	1	66780346	8717574006001
	8,2	117	75	5	1	66780347	8717574006018
	8,25	117	75	5	1	66780348	8717574006025
	8,3	117	75	5	1	66780349	8717574006032
	8,4	117	75	5	1	66780350	8717574006049
	8,5	117	75	5	1	66780351	8717574006056

METAL DRILL BITS HSS-G DIN 338 BENEFIT PACKAGES




5x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
   	8,6	125	81	5	1	66780352	8717574006063
	8,7	125	81	5	1	66780353	8717574006070
	8,75	125	81	5	1	66780354	8717574006087
	8,8	125	81	5	1	66780355	8717574006094
	8,9	125	81	5	1	66780356	8717574006100
	9,0	125	81	5	1	66780357	8717574006117
	9,1	125	81	5	1	66780358	8717574006124
	9,2	125	81	5	1	66780359	8717574006131
	9,25	125	81	5	1	66780360	8717574006148
	9,3	125	81	5	1	66780361	8717574006155
	9,4	125	81	5	1	66780362	8717574006162
	9,5	125	81	5	1	66780363	8717574006179
	9,6	133	87	5	1	66780364	8717574006186
	9,7	133	87	5	1	66780365	8717574006193
	9,75	133	87	5	1	66780366	8717574006209
	9,8	133	87	5	1	66780367	8717574006216
	9,9	133	87	5	1	66780368	8717574006223
	10,0	133	87	5	1	66780369	8717574006230
	10,1	133	87	5	1	66780370	8717574006247
	10,2	133	87	5	1	66780371	8717574006254
	10,25	133	87	5	1	66780372	8717574006261
	10,3	133	87	5	1	66780373	8717574006278
	10,4	133	87	5	1	66780374	8717574006285
	10,5	133	87	5	1	66780375	8717574006292
	10,6	133	87	5	1	66780376	8717574006308
	10,7	142	94	5	1	66780377	8717574006315
	10,75	142	94	5	1	66780378	8717574006322
	10,8	142	94	5	1	66780379	8717574006339
	10,9	142	94	5	1	66780380	8717574006346
	11,0	142	94	5	1	66780381	8717574006353
	11,1	142	94	5	1	66780382	8717574006360
	11,2	142	94	5	1	66780383	8717574006377
	11,25	142	94	5	1	66780384	8717574006384
	11,3	142	94	5	1	66780385	8717574006391
11,4	142	94	5	1	66780386	8717574006407	
11,5	142	94	5	1	66780387	8717574006414	
11,6	142	94	5	1	66780388	8717574006421	
11,7	142	94	5	1	66780389	8717574006438	
11,75	142	94	5	1	66780390	8717574006445	
11,8	142	94	5	1	66780391	8717574006452	
11,9	142	94	5	1	66780392	8717574006469	
12,0	151	101	5	1	66780393	8717574006476	
12,1	151	101	5	1	66780394	8717574006483	
12,2	151	101	5	1	66780395	8717574006490	
12,25	151	101	5	1	66780396	8717574006506	
12,3	151	101	5	1	66780397	8717574006513	
12,4	151	101	5	1	66780398	8717574006520	
12,5	151	101	5	1	66780399	8717574006537	
12,6	151	101	5	1	66780400	8717574006544	
12,7	151	101	5	1	66780401	8717574006551	
12,75	151	101	5	1	66780402	8717574006568	
12,8	151	101	5	1	66780403	8717574006575	
12,9	151	101	5	1	66780404	8717574006582	
13,0	151	101	5	1	66780405	8717574006599	

METAL DRILL BITS




METAL DRILL BITS HSS-G DIN 338 REDUCED SHANK 10 MM

d = 10 mm		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		10,5	133	87	1	1	66780411	8717574006605
		11,0	142	94	1	1	66780412	8717574006612
		11,5	142	94	1	1	66780413	8717574006629
		12,0	151	101	1	1	66780414	8717574006636
		12,5	151	101	1	1	66780415	8717574006643
		13,0	151	101	1	1	66780416	8717574006650

METAL DRILL BITS HSS-G DIN 338 REDUCED SHANK 13 MM

d = 13 mm		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		13,5	160	108	1	1	66780420	8717574006667
		14,0	160	108	1	1	66780421	8717574006674
		14,5	169	114	1	1	66780422	8717574006681
		15,0	169	114	1	1	66780423	8717574006698
		15,5	178	120	1	1	66780424	8717574006704
		16,0	178	120	1	1	66780425	8717574006711
		16,5	184	125	1	1	66780426	8717574006728
		17,0	184	125	1	1	66780427	8717574006735
		17,5	191	130	1	1	66780428	8717574006742
		18,0	191	130	1	1	66780429	8717574006759
		18,5	198	135	1	1	66780430	8717574006766
		19,0	198	135	1	1	66780431	8717574006773
		19,5	205	140	1	1	66780432	8717574006780
		20,0	205	140	1	1	66780433	8717574006797







METAL DRILL BITS HSS-G DIN 338 1/4" HEXAGONAL SHANK

1/4"		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		3,0	76	33	1	1	66780441	8717574006803
		3,2	80	36	1	1	66780442	8717574006810
		4,0	90	43	1	1	66780443	8717574006827
		4,2	90	43	1	1	66780444	8717574006834
		5,0	101	52	1	1	66780445	8717574006841
		6,0	108	57	1	1	66780446	8717574006858
		8,0	117	75	1	1	66780447	8717574006865
		10,0	133	87	1	1	66780448	8717574006872
		12,0	151	101	1	1	66780449	8717574006889
		13,0	151	101	1	1	66780450	8717574006896

METAL DRILL HSS-G DIN 338 SETS

★★		Description	PQ	MOQ	Item number	Barcode
  	6-Pcs 2 x 49 mm 3 x 61 mm 4 x 75 mm 5 x 86 mm 6 x 93 mm 8 x 117 mm	6	1	66780462	8717574011777	
  	19-Pcs 1 - 10 mm x 0,5 mm	19	1	66780460	8717574006902	
  	25-Pcs 1 - 13 mm x 0,5 mm	25	1	66780461	8717574006919	
   	5-Pcs 3 x 76 mm 4 x 90 mm 5 x 101 mm 6 x 108 mm 8 x 117 mm	5	1	66780465	8717574006926	

METAL DRILL HSS-G DIN 338 SETS






★★		Description	PQ	MOQ	Item number	Barcode
  	19-Pcs 1 - 10 mm x 0,5 mm	19	1	66780466	8717574052534	
  	25-Pcs 1 - 13 mm x 0,5 mm	25	1	66780467	8717574052541	

METAL DRILL BITS







PROLINE

METAL DRILL BITS

HSS-Co DIN 338






METAL DRILL HSS-Co DIN 338							
	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
    	1,0	34	12	2	10	66780501	8717574007077
	1,5	40	18	2	10	66780502	8717574007084
	2,0	49	24	2	10	66780503	8717574007091
	2,25	53	27	2	10	66780504	8717574007107
	2,5	57	30	2	10	66780505	8717574007114
	2,75	61	33	2	10	66780506	8717574007121
	3,0	61	33	2	10	66780507	8717574007138
	3,2	65	36	1	10	66780508	8717574007145
	3,25	65	36	1	10	66780509	8717574007152
	3,3	65	36	1	10	66780510	8717574007169
	3,5	70	39	1	10	66780511	8717574007176
	3,75	70	39	1	10	66780512	8717574007183
	4,0	75	43	1	10	66780513	8717574007190
	4,1	75	43	1	10	66780514	8717574007206
	4,2	75	43	1	10	66780515	8717574007213
	4,25	75	43	1	10	66780516	8717574007220
	4,5	80	47	1	10	66780517	8717574007237
	4,75	80	47	1	10	66780518	8717574007244
	4,8	86	52	1	10	66780519	8717574007251
	5,0	86	52	1	10	66780520	8717574007268
	5,1	86	52	1	10	66780521	8717574007275
	5,2	86	52	1	10	66780522	8717574007282
	5,25	86	52	1	10	66780523	8717574007299
	5,5	93	57	1	10	66780524	8717574007305
	5,75	93	57	1	10	66780525	8717574007312
	6,0	93	57	1	10	66780526	8717574007329
	6,25	101	63	1	10	66780527	8717574007336
	6,5	101	63	1	10	66780528	8717574007343
	6,75	109	69	1	10	66780529	8717574007350
	6,8	109	69	1	10	66780530	8717574007367
	7,0	109	69	1	10	66780531	8717574007374
	7,5	109	69	1	10	66780532	8717574007381
	8,0	117	75	1	10	66780533	8717574007398
8,5	117	75	1	5	66780534	8717574007404	
9,0	125	81	1	5	66780535	8717574007411	
9,5	125	81	1	5	66780536	8717574007428	
10,0	133	87	1	5	66780537	8717574007435	
10,2	133	87	1	5	66780538	8717574007442	
10,5	133	87	1	5	66780539	8717574007459	
11,0	142	94	1	5	66780540	8717574007466	
11,5	142	94	1	5	66780541	8717574007473	
12,0	151	101	1	5	66780542	8717574007480	
12,5	151	101	1	5	66780543	8717574007497	
13,0	151	101	1	5	66780544	8717574009965	

METAL DRILL BITS HSS-Co DIN 338 BENEFIT PACKAGES






10x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
     	1,0	34	12	10	1	66780551	871757407503
	1,1	36	14	10	1	66780552	871757407510
	1,2	38	16	10	1	66780553	871757407527
	1,25	38	16	10	1	66780554	871757407534
	1,3	38	16	10	1	66780555	871757407541
	1,4	40	18	10	1	66780556	871757407558
	1,5	40	18	10	1	66780557	871757407565
	1,6	43	20	10	1	66780558	871757407572
	1,7	43	20	10	1	66780559	871757407589
	1,75	46	22	10	1	66780560	871757407596
	1,8	46	22	10	1	66780561	871757407602
	1,9	46	22	10	1	66780562	871757407619
	2,0	49	24	10	1	66780563	871757407626
	2,1	49	24	10	1	66780564	871757407633
	2,2	53	27	10	1	66780565	871757407640
	2,25	53	27	10	1	66780566	871757407657
	2,3	53	27	10	1	66780567	871757407664
	2,4	57	30	10	1	66780568	871757407671
	2,5	57	30	10	1	66780569	871757407688
	2,6	57	30	10	1	66780570	871757407695
	2,7	61	33	10	1	66780571	871757407701
	2,75	61	33	10	1	66780572	871757407718
	2,8	61	33	10	1	66780573	871757407725
	2,9	61	33	10	1	66780574	871757407732
	3,0	61	33	10	1	66780575	871757407749
	3,1	65	36	10	1	66780576	871757407756
	3,2	65	36	10	1	66780577	871757407763
	3,25	65	36	10	1	66780578	871757407770
	3,3	65	36	10	1	66780579	871757407787
	3,4	70	39	10	1	66780580	871757407794
	3,5	70	39	10	1	66780581	871757407800
	3,6	70	39	10	1	66780582	871757407817
	3,7	70	39	10	1	66780583	871757407824
	3,75	70	39	10	1	66780584	871757407831
3,8	75	43	10	1	66780585	871757407848	
3,9	75	43	10	1	66780586	871757407855	
4,0	75	43	10	1	66780587	871757407862	
4,1	75	43	10	1	66780588	871757407879	
4,2	75	43	10	1	66780589	871757407886	
4,25	75	43	10	1	66780590	871757407893	
4,3	75	43	10	1	66780591	871757407909	
4,4	80	47	10	1	66780592	871757407916	
4,5	80	47	10	1	66780593	871757407923	
4,6	80	47	10	1	66780594	871757407930	
4,7	80	47	10	1	66780595	871757407947	
4,75	80	47	10	1	66780596	871757407954	
4,8	86	52	10	1	66780597	871757407961	
4,9	86	52	10	1	66780598	871757407978	
5,0	86	52	10	1	66780599	871757407985	
5,1	86	52	10	1	66780600	871757407992	
5,2	86	52	10	1	66780601	871757408005	
5,25	86	52	10	1	66780602	871757408012	

METAL DRILL BITS



METAL DRILL BITS HSS-Co DIN 338 BENEFIT PACKAGES

10x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
    	5,3	86	52	10	1	66780603	871757408029
	5,4	93	57	10	1	66780604	871757408036
	5,5	93	57	10	1	66780605	871757408043
	5,6	93	57	10	1	66780606	871757408050
	5,7	93	57	10	1	66780607	871757408067
	5,75	93	57	10	1	66780608	871757408074
	5,8	93	57	10	1	66780609	871757408081
	5,9	93	57	10	1	66780610	871757408098
	6,0	93	57	10	1	66780611	871757408104
	6,1	101	63	10	1	66780612	871757408111
	6,2	101	63	10	1	66780613	871757408128
	6,25	101	63	10	1	66780614	871757408135
	6,3	101	63	10	1	66780615	871757408142
	6,4	101	63	10	1	66780616	871757408159
	6,5	101	63	10	1	66780617	871757408166
	6,6	101	63	10	1	66780618	871757408173
	6,7	101	63	10	1	66780619	871757408180
	6,75	109	69	10	1	66780620	871757408197
	6,8	109	69	10	1	66780621	871757408203
	6,9	109	69	10	1	66780622	871757408210
	7,0	109	69	10	1	66780623	871757408227
	7,1	109	69	10	1	66780624	871757408234
	7,2	109	69	10	1	66780625	871757408241
	7,25	109	69	10	1	66780626	871757408258
	7,3	109	69	10	1	66780627	871757408265
	7,4	109	69	10	1	66780628	871757408272
	7,5	109	69	10	1	66780629	871757408289
	7,6	117	75	10	1	66780630	871757408296
	7,7	117	75	10	1	66780631	871757408302
	7,75	117	75	10	1	66780632	871757408319
	7,8	117	75	10	1	66780633	871757408326
	7,9	117	75	10	1	66780634	871757408333
8,0	117	75	10	1	66780635	871757408340	

METAL DRILL BITS HSS-Co DIN 338 BENEFIT PACKAGES











5x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
    	8,1	117	75	5	1	66780636	871757408357
	8,2	117	75	5	1	66780637	871757408364
	8,25	117	75	5	1	66780638	871757408371
	8,3	117	75	5	1	66780639	871757408388
	8,4	117	75	5	1	66780640	871757408395
	8,5	117	75	5	1	66780641	871757408401
	8,6	125	81	5	1	66780642	871757408418
	8,7	125	81	5	1	66780643	871757408425
	8,75	125	81	5	1	66780644	871757408432
	8,8	125	81	5	1	66780645	871757408449
	8,9	125	81	5	1	66780646	871757408456

METAL DRILL BITS HSS-Co DIN 338 BENEFIT PACKAGES

5x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
     	9,0	125	81	5	1	66780647	8717574008463
	9,1	125	81	5	1	66780648	8717574008470
	9,2	125	81	5	1	66780649	8717574008487
	9,25	125	81	5	1	66780650	8717574008494
	9,3	125	81	5	1	66780651	8717574008500
	9,4	125	81	5	1	66780652	8717574008517
	9,5	125	81	5	1	66780653	8717574008524
	9,6	133	87	5	1	66780654	8717574008531
	9,7	133	87	5	1	66780655	8717574008548
	9,75	133	87	5	1	66780656	8717574008555
	9,8	133	87	5	1	66780657	8717574008562
	9,9	133	87	5	1	66780658	8717574008579
	10,0	133	87	5	1	66780659	8717574008586
	10,1	133	87	5	1	66780660	8717574008593
	10,2	133	87	5	1	66780661	8717574008609
	10,25	133	87	5	1	66780662	8717574008616
	10,3	133	87	5	1	66780663	8717574008623
	10,4	133	87	5	1	66780664	8717574008630
	10,5	133	87	5	1	66780665	8717574008647
	10,6	133	87	5	1	66780666	8717574008654
	10,7	142	94	5	1	66780667	8717574008661
	10,75	142	94	5	1	66780668	8717574008678
	10,8	142	94	5	1	66780669	8717574008685
	10,9	142	94	5	1	66780670	8717574008692
	11,0	142	94	5	1	66780671	8717574008708
	11,1	142	94	5	1	66780672	8717574008715
	11,2	142	94	5	1	66780673	8717574008722
	11,25	142	94	5	1	66780674	8717574008739
	11,3	142	94	5	1	66780675	8717574008746
	11,4	142	94	5	1	66780676	8717574008753
	11,5	142	94	5	1	66780677	8717574008760
	11,6	142	94	5	1	66780678	8717574008777
	11,7	142	94	5	1	66780679	8717574008784
	11,75	142	94	5	1	66780680	8717574008791
11,8	142	94	5	1	66780681	8717574008807	
11,9	142	94	5	1	66780682	8717574008814	
12,0	151	101	5	1	66780683	8717574008821	
12,1	151	101	5	1	66780684	8717574008838	
12,2	151	101	5	1	66780685	8717574008845	
12,25	151	101	5	1	66780686	8717574008852	
12,3	151	101	5	1	66780687	8717574008869	
12,4	151	101	5	1	66780688	8717574008876	
12,5	151	101	5	1	66780689	8717574008883	
12,6	151	101	5	1	66780690	8717574008890	
12,7	151	101	5	1	66780691	8717574008906	
12,75	151	101	5	1	66780692	8717574008913	
12,8	151	101	5	1	66780693	8717574008920	
12,9	151	101	5	1	66780694	8717574008937	
13,0	151	101	5	1	66780695	8717574008944	

METAL DRILL BITS

METAL DRILL HSS-Co DIN 338 SETS

		Description	PQ	MOQ	Item number	Barcode
    	<p>19-Pcs 1 - 10 mm x 0,5 mm</p>	<p>19</p>	<p>1</p>	<p>66780698</p>	<p>871757408951</p>	
    	<p>25-Pcs 1 - 13 mm x 0,5 mm</p>	<p>25</p>	<p>1</p>	<p>66780699</p>	<p>871757408968</p>	

PROLINE SHEET METAL DRILL BITS



Step drill bits



The Hikoki step drill bits are specially designed for quick drilling of holes with larger diameters in thin sheet material or tubes. Very suitable for drilling in various materials such as plastic, polyester, steel and stainless steel. All step drills come lasered with diameters in the spiral.

The 3-Flat shank ensures Excellent torque transmission and avoid slippage in the drill chuck.

The TiAlN coated step drill bits are strongly recommended for difficult materials such as stainless steels and if drilling without coolants. The coating reduces the temperature and thus extends the service life of the tool.





Spiral fluted:

- No sticking in the material
- Low cutting forces
- Less burrs on the work piece
- Longer service life
- Smooth cutting behavior
- Self-starting tip eliminates skidding and the need for center punching

	Ø (mm)	Shank Ø (mm)	Step Height (mm)	PQ	MOQ	Item number	Barcode
HSS TiAlN COATED, HELICOIDAL FLUTE							
	4-12	6	5	1	1	66780101	8717574055573
	4-20	8	4	1	1	66780102	8717574055580
	6-30	10	4	1	1	66780103	8717574055597
	4-12	6	5	3	1	66780104	8717574055603
	4-20	8	4				
	6-30	10	4				


	Ø (mm)	Shank Ø (mm)	Step Height (mm)	PQ	MOQ	Item number	Barcode
HSS GROUND, HELICOIDAL FLUTE							
 	4-12	6	5	1	1	66780106	8717574055610
	4-20	8	4	1	1	66780107	8717574055627
	6-30	10	4	1	1	66780108	8717574055634
 	4-12	6	5	3	1	66780109	8717574055641
	4-20	8	4				
	6-30	10	4				
HSS GROUND, STRAIGHT FLUTE							
 	4-12	6	5	1	1	66780111	8717574055818
	4-20	8	4	1	1	66780112	8717574055825
	6-30	10	4	1	1	66780113	8717574055832
 	4-12	6	5	3	1	66780114	8717574055849
	4-20	8	4				
	6-30	10	4				

The Hikoki Countersinks are designed and produced with 100% defined cutting geometry: the combined axial/radial relief, professional cutting angle at the cutting edge could only be produced by our 5-Axis Grinding Technology! This ensures a chatter and score free countersink with optimized tool life. Big grooves with smooth flute ground profile guarantees flawless chip removal even with long chip materials. Excellent performance in steel, aluminium, plastics and wood.

	Ø (mm)	Suitable for	PQ	MOQ	Item number	Barcode
HSS GROUND, DIN 13 H6						
 	6,3	M3	1	1	66780121	8717574055658
	8,3	M4	1	1	66780122	8717574055665
	10,4	M5	1	1	66780123	8717574055672
	12,4	M6	1	1	66780124	8717574055689
	16,5	M8	1	1	66780125	8717574055696
	20,5	M10	1	1	66780126	8717574055702
 	12,4/16,5/20,5 Non magnetic bitholder handgrip	M6/M8/M10	5	1	66780128	8717574055719
	6,3/8,3/10,4/12,4/16,5/20,5 Non magnetic bitholder handgrip	M3/M4/M5/ M6/M8/M10	8	1	66780129	8717574055726

PROLINE

COMBI DRILL BIT



The patented Proline Combi Drill bits are designed to drill – thread – sink in one single procedure. The tool is very suitable to be used with cordless power tools, especially due to the 1/4" hex connection. An induction heat treated torsion zone increases the bending strength and therefore increases the lifetime.

The combi drill bits are very user friendly. However, please make sure that after drilling, tapping and sinking the power tool comes to a complete stop. Reverse the



machine to a counter clockwise motion and run it very slowly to ensure the drill comes out of the workpiece without damaging the thread.

HSS-G DIN 335C	Ø (mm)	Usefull length (mm)	PQ	MOQ	Item number	Barcode
	M3	6,5	1	1	66780131	8717574055733
	M4	9	1	1	66780132	8717574055740
	M5	10	1	1	66780133	8717574055757
	M6	12	1	1	66780134	8717574055764
	M8	15	1	1	66780135	8717574055771
	M10	18	1	1	66780136	8717574055788
	M12	18	1	1	66780137	8717574055795
	M3/M4/M5/M6/M8/M10 Non magnetic bit holder		7	1	66780139	8717574055801

THREAD TRIMMER						
	Description	Thread size	PQ	MOQ	Item number	Barcode
	For cleaning the stud after cutting it with a special stud cutter. Insert the stud on the hole in the grip and rotate the trimmer.	M6	1	1	66780141	8717574057980
	When the stud is cut with a disc grinder, the flange may be too large.	M8	1	1	66780142	8717574057997
		M10	1	1	66780143	8717574058000

Suitable to be used in combination with Stud Cutters: Hikoki CL10D(2), CL10SA, CL14DSL, CL18DSL

PROLINE METAL CORE CUTTERS



HSS Core cutters for metal.

Drilling holes using Hikoki core cutters is an efficient way of making holes from 12 to 100 mm. The major benefits of using Hikoki core cutters are:

1. A twist drill bit removes all the material, where a core cutter only removes the outline.
2. Because a core cutter has more cutting edges than a twist drill bit, a core cutter will drill holes 3 times faster.
3. When using a core cutter, pre-drilling is not required.
4. As a core cutter removes less material, less power is required so the machine to be used can be of a lighter type.
5. With core cutters it is also possible and with the greatest convenience to drill half holes and holes in pipes.

To gain the maximum advantage from your magnetic core cutter, you can rely on the Hikoki core cutters. The cutters are worldwide appreciated for their optimum performance, durability, longer functional lifetime and they also offer the shortest drilling time.

At Hikoki, quality and safety have the highest priority for many years. This is especially true when it concerns the production of core cutters. With a basis of HSS steel of superior quality and by high tech CNC machinery Hikoki core cutters are manufactured. The very strong alloy of raw materials ensures a reduced risk of breakage.




A comprehensive quality control system at every stage of production ensures that there is finally a product for you that meets the highest standards and quality.

Hikoki offers you a wide range of core cutters in two lengths, made of HSS steel for use in alloyed and unalloyed steel. They are widely used in construction, oil and shipping industries, as well as in various other industries.

Features:




1. Optimized cutting edge geometry for increased cutting performances and reduced cutting forces.
2. The effective cutting angles are designed for universal use in various sorts of steel, such as T-brackets, pipes, large sheets, cast iron, non-ferrous and light metals.
3. High manufacturing precision and competence
4. Use of high-speed steel for long service life

CORE CUTTERS SHORT




	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	12	65	30	1	1	66754401	8717574030884
	13	65	30	1	1	66754402	8717574030891
	14	65	30	1	1	66754403	8717574030907
	15	65	30	1	1	66754404	8717574030914
	16	65	30	1	1	66754405	8717574030921
	17	65	30	1	1	66754406	8717574030938
	18	65	30	1	1	66754407	8717574030945
	19	65	30	1	1	66754408	8717574030952
	20	65	30	1	1	66754409	8717574030969
	21	65	30	1	1	66754410	8717574030976
	22	65	30	1	1	66754411	8717574030983
	22,23	65	30	1	1	66754412	8717574030990
	23	65	30	1	1	66754413	8717574031003
	24	65	30	1	1	66754414	8717574031010
	25	65	30	1	1	66754415	8717574031027
	25,40	65	30	1	1	66754416	8717574031034
	26	65	30	1	1	66754417	8717574031041
	27	65	30	1	1	66754418	8717574031058
	28	65	30	1	1	66754419	8717574031065
	29	65	30	1	1	66754420	8717574031072
	30	65	30	1	1	66754421	8717574031089
	31	65	30	1	1	66754422	8717574031096
	32	65	30	1	1	66754423	8717574031102
	33	65	30	1	1	66754424	8717574031119
	34	65	30	1	1	66754425	8717574031126
	35	65	30	1	1	66754426	8717574031133
	36	65	30	1	1	66754427	8717574031140
	37	65	30	1	1	66754428	8717574031157
	38	65	30	1	1	66754429	8717574031164
	39	65	30	1	1	66754430	8717574031171
40	65	30	1	1	66754431	8717574031188	
41	65	30	1	1	66754432	8717574031195	
42	65	30	1	1	66754433	8717574031201	
43	65	30	1	1	66754434	8717574031218	
44	65	30	1	1	66754435	8717574031225	
45	65	30	1	1	66754436	8717574031232	
46	65	30	1	1	66754437	8717574031249	
47	65	30	1	1	66754438	8717574031256	
48	65	30	1	1	66754439	8717574031263	
49	65	30	1	1	66754440	8717574031270	
50	65	30	1	1	66754441	8717574031287	

METAL CORE CUTTERS

CORE CUTTERS SHORT

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	51	65	30	1	1	66754442	8717574031294
	52	65	30	1	1	66754443	8717574031300
	53	65	30	1	1	66754444	8717574031317
	54	65	30	1	1	66754445	8717574031324
	55	65	30	1	1	66754446	8717574031331
	56	65	30	1	1	66754447	8717574031348
	57	65	30	1	1	66754448	8717574031355
	58	65	30	1	1	66754449	8717574031362
	59	65	30	1	1	66754450	8717574031379
	60	65	30	1	1	66754451	8717574031386

CORE CUTTERS SHORT

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	61	65	30	1	1	66754452	8717574031393
	62	65	30	1	1	66754453	8717574031409
	63	65	30	1	1	66754454	8717574031416
	64	65	30	1	1	66754455	8717574031423
	65	65	30	1	1	66754456	8717574031430
	66	65	30	1	1	66754457	8717574031447
	67	65	30	1	1	66754458	8717574031454
	68	65	30	1	1	66754459	8717574031461
	69	65	30	1	1	66754460	8717574031478
	70	65	30	1	1	66754461	8717574031485
	71	65	30	1	1	66754462	8717574031492
	72	65	30	1	1	66754463	8717574031508
	73	65	30	1	1	66754464	8717574031515
	74	65	30	1	1	66754465	8717574031522
	75	65	30	1	1	66754466	8717574031539
	76	65	30	1	1	66754467	8717574031546
	77	65	30	1	1	66754468	8717574031553
	78	65	30	1	1	66754469	8717574031560
	79	65	30	1	1	66754470	8717574031577
	80	65	30	1	1	66754471	8717574031584
	81	65	30	1	1	66754472	8717574031591
	82	65	30	1	1	66754473	8717574031607
	83	65	30	1	1	66754474	8717574031614
	84	65	30	1	1	66754475	8717574031621
	85	65	30	1	1	66754476	8717574031638
	86	65	30	1	1	66754477	8717574031645
	87	65	30	1	1	66754478	8717574031652
	88	65	30	1	1	66754479	8717574031669
	89	65	30	1	1	66754480	8717574031676
	90	65	30	1	1	66754481	8717574031683
	91	65	30	1	1	66754482	8717574031690
	92	65	30	1	1	66754483	8717574031706
	93	65	30	1	1	66754484	8717574031713
	94	65	30	1	1	66754485	8717574031720
	95	65	30	1	1	66754486	8717574031737
	96	65	30	1	1	66754487	8717574031744
	97	65	30	1	1	66754488	8717574031751
	98	65	30	1	1	66754489	8717574031768
	99	65	30	1	1	66754490	8717574031775
	100	65	30	1	1	66754491	8717574031782




Diameters ≤ 50 mm are available from stock. Diameters > 50 mm are available on demand.

CORE CUTTERS LONG




	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	12	85	55	1	1	66754501	8717574031799
	13	85	55	1	1	66754502	8717574031805
	14	85	55	1	1	66754503	8717574031812
	15	85	55	1	1	66754504	8717574031829
	16	85	55	1	1	66754505	8717574031836
	17	85	55	1	1	66754506	8717574031843
	18	85	55	1	1	66754507	8717574031850
	19	85	55	1	1	66754508	8717574031867
	20	85	55	1	1	66754509	8717574031874
	21	85	55	1	1	66754510	8717574031881
	22	85	55	1	1	66754511	8717574031898
	23	85	55	1	1	66754512	8717574031904
	24	85	55	1	1	66754513	8717574031911
	25	85	55	1	1	66754514	8717574031928
	26	85	55	1	1	66754515	8717574031935
	27	85	55	1	1	66754516	8717574031942
	28	85	55	1	1	66754517	8717574031959
	29	85	55	1	1	66754518	8717574031966
	30	85	55	1	1	66754519	8717574031973
	31	85	55	1	1	66754520	8717574031980
	32	85	55	1	1	66754521	8717574031997
	33	85	55	1	1	66754522	8717574032000
	34	85	55	1	1	66754523	8717574032017
	35	85	55	1	1	66754524	8717574032024
	36	85	55	1	1	66754525	8717574032031
	37	85	55	1	1	66754526	8717574032048
	38	85	55	1	1	66754527	8717574032055
	39	85	55	1	1	66754528	8717574032062
	40	85	55	1	1	66754529	8717574032079
	41	85	55	1	1	66754530	8717574032086
	42	85	55	1	1	66754531	8717574032093
	43	85	55	1	1	66754532	8717574032109
	44	85	55	1	1	66754533	8717574032116
	45	85	55	1	1	66754534	8717574032123
	46	85	55	1	1	66754535	8717574032130
	47	85	55	1	1	66754536	8717574032147
	48	85	55	1	1	66754537	8717574032154
	49	85	55	1	1	66754538	8717574032161
	50	85	55	1	1	66754539	8717574032178



CORE CUTTERS LONG

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	51	85	55	1	1	66754540	8717574032185
	52	85	55	1	1	66754541	8717574032192
	53	85	55	1	1	66754542	8717574032208
	54	85	55	1	1	66754543	8717574032215
	55	85	55	1	1	66754544	8717574032222
	56	85	55	1	1	66754545	8717574032239
	57	85	55	1	1	66754546	8717574032246
	58	85	55	1	1	66754547	8717574032253
	59	85	55	1	1	66754548	8717574032260
	60	85	55	1	1	66754549	8717574032277

CORE CUTTERS LONG

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	61	85	55	1	1	66754550	8717574032284
	62	85	55	1	1	66754551	8717574032291
	63	85	55	1	1	66754552	8717574032307
	64	85	55	1	1	66754553	8717574032314
	65	85	55	1	1	66754554	8717574032321
	66	85	55	1	1	66754555	8717574032338
	67	85	55	1	1	66754556	8717574032345
	68	85	55	1	1	66754557	8717574032352
	69	85	55	1	1	66754558	8717574032369
	70	85	55	1	1	66754559	8717574032376
	71	85	55	1	1	66754560	8717574032383
	72	85	55	1	1	66754561	8717574032390
	73	85	55	1	1	66754562	8717574032406
	74	85	55	1	1	66754563	8717574032413
	75	85	55	1	1	66754564	8717574032420
	76	85	55	1	1	66754565	8717574032437
	77	85	55	1	1	66754566	8717574032444
	78	85	55	1	1	66754567	8717574032451
	79	85	55	1	1	66754568	8717574032468
	80	85	55	1	1	66754569	8717574032475
	81	85	55	1	1	66754570	8717574032482
	82	85	55	1	1	66754571	8717574032499
	83	85	55	1	1	66754572	8717574032505
	84	85	55	1	1	66754573	8717574032512
	85	85	55	1	1	66754574	8717574032529
	86	85	55	1	1	66754575	8717574032536
	87	85	55	1	1	66754576	8717574032543
	88	85	55	1	1	66754577	8717574032550
	89	85	55	1	1	66754578	8717574032567
	90	85	55	1	1	66754579	8717574032574
	91	85	55	1	1	66754580	8717574032581
	92	85	55	1	1	66754581	8717574032598
	93	85	55	1	1	66754582	8717574032604
	94	85	55	1	1	66754583	8717574032611
	95	85	55	1	1	66754584	8717574032628
	96	85	55	1	1	66754585	8717574032635
	97	85	55	1	1	66754586	8717574032642
	98	85	55	1	1	66754587	8717574032659
	99	85	55	1	1	66754588	8717574032666
	100	85	55	1	1	66754589	8717574032673




Diameters ≤ 50 mm are available from stock. Diameters > 50 mm are available on demand.





Function of the Center Pin

Positioning: Position the center pin exactly to the center punch mark. Switch the magnet on and the machine and tool are in the drilling position.

Oiling: By means of the automatic internal lubrication, cutting oil is supplied via the center pin to the bit in just the right quantity.

Ejecting: In the final stage, the center pin, pre-stressed by means of a spring, pushes the core out of the drill hole.

ACCESSORIES CORE CUTTERS					
	Description	PQ	MOQ	Item number	Barcode
	Center pin short 6,35 x 79 mm	1	1	66754495	8717574032772
	Center pin long 6,35 x 102 mm	1	1	66754594	8717574032789

CORE CUTTERS SETS					
	Content	PQ	MOQ	Item number	Barcode
	7-Pcs 2 x 14 x 30 mm 2 x 18 x 30 mm 2 x 22 x 30 mm Center pin L = 79 mm	7	1	66754496	8717574032796
	8-Pcs 14 x 30 mm 14 x 55 mm 18 x 30 mm 18 x 55 mm 22 x 30 mm 22 x 55 mm Center pin L = 79 mm Center pin L = 102 mm	8	1	66754497	8717574033861
	7-Pcs 12 x 30 mm 14 x 30 mm 16 x 30 mm 18 x 30 mm 22 x 30 mm 26 x 30 mm Center pin L = 79 mm	7	1	66754498	8717574033878
	7-Pcs 12 x 55 mm 14 x 55 mm 16 x 55 mm 18 x 55 mm 22 x 55 mm 26 x 55 mm Center pin L = 102 mm	7	1	66754499	8717574033885

METAL CORE CUTTERS

PROLINE WOOD CV DRILL BITS



All Hikoki CV-wood drills are manufactured according to the strict Hikoki standards from high quality alloy steel.



The Wood drills have a drill head with three points. Thanks to the extremely sharp middle centering point the drill is easy to position for precise positioning of the drill hole. The two outer points ensure the breaking of the chips and thus provide a better finished hole and end result.



Hikoki wood drills are of professional quality and should not be missed in the range of tools of each all-round professional.



Besides a standard assortment Hikoki also offers a range of CV-wood drills with 1/4" hexagonal connection according to ISO 1173 E6.3. Ideal for use on machines with bit connection for faster changing of drills and for having better grip in an ordinary drill chuck.

These special drills are manufactured by precision grinding from solid hardened material



Hikoki also offers interesting sets with a variety of diameters so that the most common sizes are readily available.

WOOD CV DRILL BITS							
	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	3	61	32	1	1	66781901	8717574029697
	4	75	45	1	1	66781902	8717574029703
	5	86	50	1	1	66781903	8717574029710
	6	92	55	1	1	66781904	8717574029727
	7	109	75	1	1	66781905	8717574029734
	8	117	75	1	1	66781906	8717574029741
	9	125	80	1	1	66781907	8717574029758
	10	133	85	1	1	66781908	8717574029765




WOOD CV DRILL BITS REDUCED SHANK 10 MM							
d=10 mm	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	11	142	95	1	1	66781909	8717574029772
	12	150	95	1	1	66781910	8717574029789
	13	150	95	1	1	66781911	8717574029796
	14	150	100	1	1	66781912	8717574029802
	15	160	105	1	1	66781913	8717574029819
	16	160	105	1	1	66781914	8717574029826
	18	180	120	1	1	66781915	8717574029833
	20	180	120	1	1	66781916	8717574029840

WOOD CV DRILL BITS REDUCED SHANK 13 MM							
d=13 mm	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	22	180	120	1	1	66781917	8717574029857
	24	200	140	1	1	66781918	8717574029864
	25	200	140	1	1	66781919	8717574029871
	26	200	140	1	1	66781920	8717574029888
	28	200	140	1	1	66781921	8717574029895
	30	200	140	1	1	66781922	8717574029901




WOOD CV DRILL BITS

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	6	250	140	1	1	66781931	8717574029918
	8	250	140	1	1	66781932	8717574029925
	10	250	140	1	1	66781933	8717574029932
WOOD CV DRILL BITS REDUCED SHANK 10 MM							
	12	250	140	1	1	66781934	8717574029949
	14	250	140	1	1	66781935	8717574029956
	16	250	140	1	1	66781936	8717574029963
	18	250	140	1	1	66781937	8717574029970
	20	250	140	1	1	66781938	8717574029987




WOOD CV DRILL BITS 1/4" HEXAGON

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  	2	55	20	1	1	66781941	8717574029994
	3	65	35	1	1	66781942	8717574030006
	4	75	40	1	1	66781943	8717574030013
	5	85	50	1	1	66781944	8717574030020
	6	90	55	1	1	66781945	8717574030037
	7	90	55	1	1	66781946	8717574030044
	8	90	55	1	1	66781947	8717574030051
	9	100	60	1	1	66781948	8717574030068
	10	100	60	1	1	66781949	8717574030075
	11	100	60	1	1	66781950	8717574030082
	12	110	65	1	1	66781951	8717574030099
	13	110	65	1	1	66781952	8717574030105
	14	120	70	1	1	66781953	8717574030112
	15	120	70	1	1	66781954	8717574030129

WOOD CV DRILL BIT SETS

	Description	PQ	MOQ	Item number	Barcode
 	5-Pcs 4, 5, 6, 8, 10 mm	5	1	66781981	8717574030136
	8-Pcs 3, 4, 5, 6, 7, 8, 9, 10 mm	8	1	66781982	8717574030143

WOOD CV DRILL BITS SETS 1/4" HEXAGON

	Description	PQ	MOQ	Item number	Barcode
  	5-Pcs 4, 5, 6, 8, 10 mm	5	1	66781983	8717574030150

WOOD CV DRILL BITS

PROLINE WOOD AUGER DRILL BITS



The Hikoki non-axis auger drill is a universal wood drill suitable for almost all types of wood.

The non-axis design of the spiral coil which creates an open flow capacity of the drill will benefit and ultimately ensures a longer life.

The solid drill head is provided with a self-tapping screw thread so that the drill bit pulls itself into the timber during the entire drilling and facilitates the drill point and the starting position of the drill.

On one side the head is provided with a chip breaker in order to achieve an excellent finished end result.

The drills are free-running in the longitudinal direction so that the friction is reduced during the drilling.

Because of this it encounters less resistance during the drilling, which is beneficial for the drilling speed, the required drilling pressure and it increases the life of the machine.

This drill is about professionalism and quality you may expect from Hikoki! It is suitable for both hard and soft wood and even good to use in wet wood.



The Hikoki range comprises a wide variety of diameters and the drills are available in lengths of 230, 320, 460 and 620 mm.

Hikoki also offers interesting sets with a variety of diameters so that the most common sizes are readily available.



All auger drill bits have a hexagonal shank for strong adaption in the drill chuck. The size of the hexagonal is as follows:

Ø drill (mm)	Drill chuck (mm)
6 – 8	6
9 – 11	10
12 – 36	13



WOOD AUGER DRILL BITS

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	6	230	150	1	1	66781801	8717574027785
	7	230	150	1	1	66781802	8717574027792
	8	230	150	1	1	66781803	8717574027808
	9	230	150	1	1	66781804	8717574027815
	10	230	150	1	1	66781805	8717574027822
	11	230	150	1	1	66781806	8717574027839
	12	230	150	1	1	66781807	8717574027846
	13	230	150	1	1	66781808	8717574027853
	14	230	150	1	1	66781809	8717574027860
	15	230	150	1	1	66781810	8717574027877
	16	230	150	1	1	66781811	8717574027884
	17	230	150	1	1	66781812	8717574027891
	18	230	150	1	1	66781813	8717574027907
	19	230	150	1	1	66781814	8717574027914
	20	230	150	1	1	66781815	8717574027921
	21	230	150	1	1	66781816	8717574027938
	22	230	150	1	1	66781817	8717574027945
	23	230	150	1	1	66781818	8717574027952
	24	230	150	1	1	66781819	8717574027969
	25	230	150	1	1	66781820	8717574027976
	26	230	150	1	1	66781821	8717574027983
	28	230	150	1	1	66781822	8717574027990
	30	230	150	1	1	66781823	8717574028003
	32	230	150	1	1	66781824	8717574028010
	34	230	150	1	1	66781825	8717574028027
	35	230	150	1	1	66781826	8717574028034
	36	230	150	1	1	66781827	8717574028041

WOOD AUGER DRILL BITS


	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	6	320	240	1	1	66781831	8717574028058
	8	320	240	1	1	66781832	8717574028065
	10	320	240	1	1	66781833	8717574028072
	11	320	240	1	1	66781834	8717574028089
	12	320	240	1	1	66781835	8717574028096
	13	320	240	1	1	66781836	8717574028102
	14	320	240	1	1	66781837	8717574028119
	15	320	240	1	1	66781838	8717574028126
	16	320	240	1	1	66781839	8717574028133
	18	320	240	1	1	66781840	8717574028140
	20	320	240	1	1	66781841	8717574028157
	22	320	240	1	1	66781842	8717574028164
	24	320	240	1	1	66781843	8717574028171
	26	320	240	1	1	66781844	8717574028188
	28	320	240	1	1	66781845	8717574028195
	30	320	240	1	1	66781846	8717574028201
	32	320	240	1	1	66781847	8717574028218
36	320	240	240	1	1	66781848	8717574028225

WOOD AUGER DRILL BITS



	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
 	6	460	380	1	1	66781851	8717574028232
	7	460	380	1	1	66781852	8717574028249
	8	460	380	1	1	66781853	8717574028256
	9	460	380	1	1	66781854	8717574028263
	10	460	380	1	1	66781855	8717574028270
	11	460	380	1	1	66781856	8717574028287
	12	460	380	1	1	66781857	8717574028294
	13	460	380	1	1	66781858	8717574028300
	14	460	380	1	1	66781859	8717574028317
	15	460	380	1	1	66781860	8717574028324
	16	460	380	1	1	66781861	8717574028331
	17	460	380	1	1	66781862	8717574028348
	18	460	380	1	1	66781863	8717574028355
	19	460	380	1	1	66781864	8717574028362
	20	460	380	1	1	66781865	8717574028379
	21	460	380	1	1	66781866	8717574028386
	22	460	380	1	1	66781867	8717574028393
	23	460	380	1	1	66781868	8717574028409
	24	460	380	1	1	66781869	8717574028416
	25	460	380	1	1	66781870	8717574028423
	26	460	380	1	1	66781871	8717574028430
28	460	380	1	1	66781872	8717574028447	
30	460	380	1	1	66781873	8717574028454	
32	460	380	1	1	66781874	8717574028461	
34	460	380	1	1	66781875	8717574028478	
35	460	380	1	1	66781876	8717574028485	
36	460	380	380	1	1	66781877	8717574028492

WOOD AUGER DRILL BITS


WOOD AUGER DRILL BITS

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	6	620	540	1	1	66781881	8717574029451
	8	620	540	1	1	66781882	8717574029468
	10	620	540	1	1	66781883	8717574029475
	11	620	540	1	1	66781884	8717574029482
	12	620	540	1	1	66781885	8717574029499
	13	620	540	1	1	66781886	8717574029505
	14	620	540	1	1	66781887	8717574029512
	15	620	540	1	1	66781888	8717574029529
	16	620	540	1	1	66781889	8717574029536
	18	620	540	1	1	66781890	8717574029543
	20	620	540	1	1	66781891	8717574029550
	22	620	540	1	1	66781892	8717574029567
	24	620	540	1	1	66781893	8717574029574
	26	620	540	1	1	66781894	8717574029581
	28	620	540	1	1	66781895	8717574029598
	30	620	540	1	1	66781896	8717574029604
	32	620	540	1	1	66781897	8717574029611
36	620	540	1	1	66781898	8717574029628	

WOOD AUGER DRILL BITS SETS

	Description	PQ	MOQ	Item number	Barcode
	6-Pcs 6, 8, 10, 12, 14, 16 mm L = 230 mm	6	1	66781991	8717574029635
	6-Pcs 10, 12, 14, 16, 18, 20 mm L = 230 mm	6	1	66781992	8717574029642
	8-Pcs 10, 12, 14, 16, 18, 20, 22, 24 mm L = 230 mm	8	1	66781993	8717574029659
	6-Pcs 6, 8, 10, 12, 14, 16 mm L = 460 mm	6	1	66781994	8717574029666
	6-Pcs 10, 12, 14, 16, 18, 20 mm L = 460 mm	6	1	66781995	8717574029673
	8-Pcs 10, 12, 14, 16, 18, 20, 22, 24 mm L = 460 mm	8	1	66781996	8717574029680

PROLINE FLAT WOOD DRILL BITS



All Hikoki Flat Wood drill bits are manufactured in accordance with the strict Hikoki standards from a high-quality carbon steel with which a high hardness is achieved. Thanks to the extra high-quality steel and hardness the Hikoki flat wood drill can be used in all types of wood.

The head of the drill is equipped with three points, the center ensures precise alignment while the outer points make the chip breaking and thus ensure an excellent finish





and end result. All Hikoki flat wood drills are equipped with a 1/4" hexagonal connection according to ISO 1173 E6.3. Ideal for use on machines with bit connection for faster changing of drills and for having better grip in an ordinary drill chuck.

Hikoki also offers interesting sets with a variety of diameters so that the most common sizes are readily available.




The range includes flat wood drills with a length of 152 mm and 400 mm. In addition, an extension piece with a length of 300 mm is available.

For heavy users there is also a 10-Piece benefit package available.




FLAT WOOD DRILL BITS WITH 1/4" HEXAGONAL SHANK

	\varnothing (mm)	Total length (mm)	PQ	MOQ	Item number	Barcode
  	6	150	1	1	66781701	8717574027006
	8	150	1	1	66781702	8717574027013
	10	150	1	1	66781703	8717574027020
	12	150	1	1	66781704	8717574027037
	13	150	1	1	66781705	8717574027044
	14	150	1	1	66781706	8717574027051
	15	150	1	1	66781707	8717574027068
	16	150	1	1	66781708	8717574027075
	17	150	1	1	66781709	8717574027082
	18	150	1	1	66781710	8717574027099
	19	150	1	1	66781711	8717574027105
	20	150	1	1	66781712	8717574027112
	22	150	1	1	66781713	8717574027129
	24	150	1	1	66781714	8717574027136
	25	150	1	1	66781715	8717574027143
	26	150	1	1	66781716	8717574027150
	28	150	1	1	66781717	8717574027167
	30	150	1	1	66781718	8717574027174
	32	150	1	1	66781719	8717574027181
	34	150	1	1	66781720	8717574027198
35	150	1	1	66781721	8717574027204	
36	150	1	1	66781722	8717574027211	
38	150	1	1	66781723	8717574027228	
40	150	1	1	66781724	8717574027235	



FLAT WOOD DRILL BITS WITH 1/4" HEXAGONAL SHANK

	Ø (mm)	Total length (mm)	PQ	MOQ	Item number	Barcode
 	6	400	1	1	66781731	8717574027242
	8	400	1	1	66781732	8717574027259
	10	400	1	1	66781733	8717574027266
	12	400	1	1	66781734	8717574027273
	13	400	1	1	66781735	8717574027280
	14	400	1	1	66781736	8717574027297
	15	400	1	1	66781737	8717574027303
	16	400	1	1	66781738	8717574027310
	17	400	1	1	66781739	8717574027327
	18	400	1	1	66781740	8717574027334
	19	400	1	1	66781741	8717574027341
	20	400	1	1	66781742	8717574027358
	22	400	1	1	66781743	8717574027365
	24	400	1	1	66781744	8717574027372
	25	400	1	1	66781745	8717574027389
	26	400	1	1	66781746	8717574027396
	28	400	1	1	66781747	8717574027402
	30	400	1	1	66781748	8717574027419
	32	400	1	1	66781749	8717574027426
	34	400	1	1	66781750	8717574027433
	35	400	1	1	66781751	8717574027440
36	400	1	1	66781752	8717574027457	
38	400	1	1	66781753	8717574027464	
40	400	1	1	66781754	8717574027471	




FLAT WOOD DRILL BITS WITH 1/4" HEXAGONAL SHANK BENEFIT PACKAGES

 10x	Ø (mm)	Total length (mm)	PQ	MOQ	Item number	Barcode
 	6	150	10	1	66781761	8717574027488
	8	150	10	1	66781762	8717574027495
	10	150	10	1	66781763	8717574027501
	12	150	10	1	66781764	8717574027518
	13	150	10	1	66781765	8717574027525
	14	150	10	1	66781766	8717574027532
	15	150	10	1	66781767	8717574027549
	16	150	10	1	66781768	8717574027556
	17	150	10	1	66781769	8717574027563
	18	150	10	1	66781770	8717574027570
	19	150	10	1	66781771	8717574027587
	20	150	10	1	66781772	8717574027594
	22	150	10	1	66781773	8717574027600
	24	150	10	1	66781774	8717574027617
	25	150	10	1	66781775	8717574027624
	26	150	10	1	66781776	8717574027631
	28	150	10	1	66781777	8717574027648
	30	150	10	1	66781778	8717574027655
	32	150	10	1	66781779	8717574027662
	34	150	10	1	66781780	8717574027679
	35	150	10	1	66781781	8717574027686
36	150	10	1	66781782	8717574027693	
38	150	10	1	66781783	8717574027709	
40	150	10	1	66781784	8717574027716	

ACCESSORIES FOR FLAT WOOD DRILL BITS WITH 1/4" HEXAGONAL SHANK


	Description	PQ	MOQ	Item number	Barcode
	Extension rod for flat drill bits for wood with 1/4" hexagonal shank L = 300 mm To be used with flat wood drill bits > Ø 16 mm	1	1	66781790	8717574027723

FLAT WOOD DRILL BITS 1/4" HEXAGONAL SHANK SETS

	Description	PQ	MOQ	Item number	Barcode
	6-Pcs 12, 14, 16, 18, 20, 22 mm L = 150 mm	6	1	66781791	8717574027730
	6-Pcs 13, 16, 19, 20, 22, 25 mm L = 150 mm	6	1	66781792	8717574027747
	6-Pcs 14, 16, 18, 20, 22, 24 mm L = 150 mm	6	1	66781793	8717574027754
	13-Pcs 6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 20, 22, 25 mm L = 150 mm	13	1	66781794	8717574027754
	13-Pcs 6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 20, 22, 25 mm L = 150 mm	13	1	66781795	8717574027778

FLAT WOOD DRILL BITS

PROLINE FORMWORK AND INSTALLATION BITS




OPTIMIZED TOP ANGLE FOR EASY PENETRATION

WIDE FLUTE FOR OPTIMIZED CHIP TRANSPORTATION

COMPLIES WITH DIN 7490

OPEN SPIRAL-END FOR GOOD CHIP REMOVAL

UNIQUE CONNECTION BETWEEN DRILL AND SHAFT FOR HIGH DURABILITY

 Only for use in rotary drilling applications, so without percussion. Deactivate impact.

For drilling holes in unreachable places, the Hikoki formwork and installation drill bits are indispensable at every construction site. The drills meet the safety requirements of the Professional Trade Association for wood registered in DIN 7490.


The drill bits, made from High Quality Chrome-Vanadium Steel, enable optimum drilling results in wood, plasterboard as well as boards made from plaster and lightweight materials.




The shafts with the SDS-Plus connection are fully hardened for extended lifetime of the tool.




The top angle of 118° ensures a fast and easy penetration into the material and the big open and tapered flute provide a good chip removal, preventing the drill from getting jammed, even in damp wood.




Recommended applications:
Wide range of applications, both for the building trade (formwork) and for interior fitting work, plumbing, heating and electrical installation. Formwork, boards, planks, beams, plasterboard, light building materials and insulations.

User instructions: For use in all drills with 13 mm drill chuck.

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
	8	400	350	1	1	664100741	8717574064025
	10	400	350	1	1	664100742	8717574064032
	12	400	350	1	1	664100743	8717574064049
	14	400	350	1	1	664100744	8717574064056
	16	400	350	1	1	664100745	8717574064063
	18	400	350	1	1	664100746	8717574064070
	20	400	350	1	1	664100747	8717574064087
	22	400	350	1	1	664100748	8717574064094
	24	400	350	1	1	664100749	8717574064100

		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		8	600	550	1	1	664100751	8717574064117
		10	600	550	1	1	664100752	8717574064124
		12	600	550	1	1	664100753	8717574064131
		14	600	550	1	1	664100754	8717574064148
		16	600	550	1	1	664100755	8717574064155
		18	600	550	1	1	664100756	8717574064162
		20	600	550	1	1	664100757	8717574064179
		22	600	550	1	1	664100758	8717574064186
		24	600	550	1	1	664100759	8717574064193
		26	600	550	1	1	664100760	8717574064209
		28	600	550	1	1	664100761	8717574064216
		30	600	550	1	1	664100762	8717574064223

		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		10	400	350	1	1	664100771	8717574064230
		12	400	350	1	1	664100772	8717574064247
		14	400	350	1	1	664100773	8717574064254
		16	400	350	1	1	664100774	8717574064261
		18	400	350	1	1	664100775	8717574064278
		20	400	350	1	1	664100776	8717574064285
		22	400	350	1	1	664100777	8717574064292

		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item number	Barcode
  		10	600	550	1	1	664100781	8717574064308
		12	600	550	1	1	664100782	8717574064315
		14	600	550	1	1	664100783	8717574064322
		16	600	550	1	1	664100784	8717574064339
		18	600	550	1	1	664100785	8717574064346
		20	600	550	1	1	664100786	8717574064353
		22	600	550	1	1	664100787	8717574064360
		24	600	550	1	1	664100788	8717574064377
		26	600	550	1	1	664100789	8717574064384
		28	600	550	1	1	664100790	8717574064391
		30	600	550	1	1	664100791	8717574064407

PROLINE FORSTNER BITS




The professional quality Hikoki Forstner drill bits are designed for exact results; the ideal choice, especially when drilling blind holes in solid wood and wood materials. Serrated peripheral cutting edges (25 – 50 mm) and two main cutters guarantee burr free holes, even near edges. A precision ground centering ring enables exact positioning. The low



friction design reduces the chance of burn marks, enhances lifetime of the drill and enables fast drilling.

For drilling splinter-free, true to size blind holes, for edge drillings and slant drillings in softwood and hardwood. Meets high requirements with regard to cutting quality

in hard and soft wood, veneered wood and laminated wooden panels. Easy and effortless cutting due to ideal cutting geometries.

The Forstner drills have a 9,5 mm round shank, suitable for 10 mm drill chucks.

FORSTNER BITS						
	Ø (mm)	Total length (mm)	PQ	MOQ	Item number	Barcode
 	10	90	1	1	664100701	8717574062151
	12	90	1	1	664100702	8717574062168
	14	90	1	1	664100703	8717574062175
	15	90	1	1	664100704	8717574062182
	16	90	1	1	664100705	8717574062199
	18	90	1	1	664100706	8717574062205
	20	90	1	1	664100707	8717574062212
	22	90	1	1	664100708	8717574062229
	24	90	1	1	664100709	8717574062236
	25	90	1	1	664100710	8717574062243
	26	90	1	1	664100711	8717574062250
	28	90	1	1	664100712	8717574062267
	30	90	1	1	664100713	8717574062274
	32	90	1	1	664100714	8717574062281
	34	90	1	1	664100715	8717574062298
	35	90	1	1	664100716	8717574062304
	36	90	1	1	664100717	8717574062311
	38	90	1	1	664100718	8717574062328
	40	90	1	1	664100719	8717574062335
45	90	1	1	664100720	8717574062342	
50	90	1	1	664100721	8717574062359	

FORSTNER BIT SET					
	Description	PQ	MOQ	Item number	Barcode
 	5-Pcs 15, 20, 25, 30, 35 mm	5	1	664100729	8717574062366



HiKOKI

16 · 19 · 23

HiKOKI MULTI-VOLT Li-ion 36V 18V

PROLINE HOLE SAWS



Hikoki hole saws for a faster cut

All Hikoki bi-metal hole saws have variable pitched teeth (4/6 TPI), which gives a better and faster cut in all types of material: inox, cast iron, aluminium, copper, wood, plaster board and plastics. Multifunctional in use and made from HSS Bi-metal. The teeth are heat resistant, wear-resistant, created from high alloy tool steel and welded using lasers. The result is a range of hole saws that are extremely strong and have a long service life. The material to be sawn is cut rather than splintered, giving a clean cut. The bottom plate is extra thick. This benefits the stability of the saw and reinforcing accessories are not required. The hole saws are available in all imaginable diameters and each saw includes a table in the packaging that states what speed should be used for various materials. This ensures you always achieve the best result.



Specially for you: Hikoki sets

Everything at hand. That is why Hikoki has developed special sets for special uses: the plumbers' set, the electricians' set, the mechanics' set and the combi-set. All current hole saws in a handy carrying case together with two mounting spindles and reducing nipples. Complete sets in a handy plastic case. You have every size of hole saw you will need in hand. And for extra fast changing of hole saws you have the specially designed Hikoki Quick Power Lock system.




HIKOKI HOLE SAWS BI-METAL	
Material:	HSS alloy
Teeth:	laser welded bi-metal
Teeth set:	variable pitched teeth (4/6 tpi)
Shank:	6/8,5/11 mm Hexagonal, SDS-Plus
Application:	inox cast iron aluminium copper wood plaster board plastics
Extras:	Hikoki Quick Power Lock system 13 mm Hexagonal
Accessories:	extension pieces and reducing nipples

BI-METAL HOLE SAWS

	Ø (mm)	PQ	MOQ	Item number	Barcode
  Actual cutting depth of hole saws: 38 mm.	14	1	1	66752101	8717154656282
	16	1	1	66752102	8717154656299
	17	1	1	66752103	8717154656305
	19	1	1	66752104	8717154656312
	20	1	1	66752105	8717154656329
	21	1	1	66752106	8717154656336
	22	1	1	66752107	8717154656343
	24	1	1	66752108	8717154656350
	25	1	1	66752109	8717154656367
	27	1	1	66752110	8717154656374
	28	1	1	66752111	8717154656381
	29	1	1	66752112	8717154656398
	30	1	1	66752113	8717154656404





BI-METAL HOLE SAWS

	Ø (mm)	PQ	MOQ	Item number	Barcode
	32	1	1	66752114	8717154656411
	33	1	1	66752115	8717154656428
	35	1	1	66752116	8717154656435
	37	1	1	66752117	8717154656442
	38	1	1	66752118	8717154656459
	40	1	1	66752119	8717154656466
	41	1	1	66752120	8717154656473
	43	1	1	66752121	8717154656480
	44	1	1	66752122	8717154656497
	46	1	1	66752123	8717154656503
	48	1	1	66752124	8717154656510
	51	1	1	66752125	8717154656527
	52	1	1	66752126	8717154656534
	54	1	1	66752127	8717154656541
	55	1	1	66752128	8717154656558
	57	1	1	66752129	8717154656565
	59	1	1	66752130	8717154656572
	60	1	1	66752131	8717154656589
	64	1	1	66752132	8717154656596
	65	1	1	66752133	8717154656602
	67	1	1	66752134	8717154656619
68	1	1	66752135	8717154656626	
70	1	1	66752136	8717154656633	
73	1	1	66752137	8717154656640	
76	1	1	66752138	8717154656657	
79	1	1	66752139	8717154656664	
83	1	1	66752140	8717154656671	
86	1	1	66752141	8717154656688	
89	1	1	66752142	8717154656695	
92	1	1	66752143	8717154656701	
95	1	1	66752144	8717154656718	
98	1	1	66752145	8717154656725	
102	1	1	66752146	8717154656732	
105	1	1	66752147	8717154656749	
108	1	1	66752148	8717154656756	
111	1	1	66752149	8717154656763	
114	1	1	66752150	8717154656770	
121	1	1	66752151	8717154656787	
127	1	1	66752152	8717154656794	
133	1	1	66752153	8717154656800	
140	1	1	66752154	8717154656817	
146	1	1	66752155	8717154656824	
152	1	1	66752156	8717154656831	
160	1	1	66752157	8717154656848	
165	1	1	66752158	8717154656855	
168	1	1	66752159	8717154656862	
178	1	1	66752160	8717154656879	
200	1	1	66752161	8717154656886	
210	1	1	66752162	8717154656893	






Actual cutting depth of hole saws: 38 mm.

HIKOKI QUICK POWER LOCK SYSTEM
SUITABLE FOR USE WITH BOTH BI-METAL AND CARBIDE HOLE SAWS







	Description	PQ	MOQ	Item number	Barcode
QUICK POWER LOCK SYSTEM					
	System (including center drill and ejection pin) 11 mm Hexagonal shank	1	1	66752165	8717154659115
ADAPTERS FOR HOLE SAWS					
	to 30 mm	1	1	66752163	8717574030532
	from 31 mm	1	1	66752164	8717574030549
ACCESSORIES					
	Ejection pin	1	1	66752168	8717154659146
	Center drill bit 105 mm	1	1	66752169	8717472817617


ARBORS FOR BI-METAL HOLE SAWS

As well as the Hikoki Quick Power Lock system an extensive range of standard arbors is available, fitting various hole saw dimensions and drill connection types.

	Connection	PQ	MOQ	Item number	Barcode
 hole saws to 30 mm	6 mm round	1	1	66752181	8717154656947
	8,5 mm hexagonal	1	1	66752182	8717154656954
	11 mm hexagonal	1	1	66752183	8717154656961
	SDS-Plus	1	1	66752184	8717154656978
 for hole saws 30 - 38 mm	11 mm hexagonal	1	1	66752185	8717154656985
 'easy connect' for hole saws from 40 mm up	8,5 mm hexagonal	1	1	66752186	8717154656992
	11 mm hexagonal	1	1	66752187	8717154657005
	16 mm hexagonal	1	1	66752188	8717154657012
	SDS-Plus	1	1	66752189	8717154657029

ACCESSORIES FOR BI-METAL HOLE SAWS

	Description	PQ	MOQ	Item number	Barcode
	Extension piece 300 mm, 11 mm hexagonal	1	1	66752190	8717154657036
	Adapter nipple for the shaft of large hole saws to 30 mm	1	1	66752191	8717154657043
	Center drill 80 mm long	1	1	66752192	8717154657050
	Center drill 105 mm long for arbor 752181	1	1	66752193	8717154657067
	Securing bolt for assembly shaft (5 Pcs)	5	1	66752194	8717154657074
	Ejection spring	1	1	66752195	8717154657081



BI-METAL HOLE SAW CASSETTES

	Description	PQ	MOQ	Item number	Barcode
	Plumber's set consisting of: 19, 22, 29, 38, 44, 57 mm diameter 2 x arbor and adapter nipple	9	1	66752171	8717154656909
	Electrician's set consisting of: 22, 29, 35, 44, 51, 64 mm diameter 2 x arbor and adapter nipple	9	1	66752172	8717154656916
	Electrician's set No. 2 consisting of: 22, 29, 35, 44, 68, 82 mm diameter 2 x arbor and adapter nipple.	9	1	66752175	8717574000719
	Mechanic's set consisting of: 19, 22, 29, 35, 38, 44, 51, 57, 64 mm diameter 2 x arbor and adapter nipple and extra center drill.	13	1	66752173	8717154656923
	Mechanic's set No. 2 consisting of: 19, 22, 29, 35, 38, 44, 51, 57, 68 mm diameter 2 x arbor and adapter nipple and extra center drill.	13	1	66752176	8717574000726
	Combi-set consisting of: 19, 20, 22, 25, 29, 32, 35, 38, 44, 51, 57, 67, 76 mm diameter 2 x arbor and adapter nipple	16	1	66752174	8717154656930
	Combi-set No. 2 consisting of: 19, 20, 22, 25, 29, 32, 35, 38, 44, 51, 57, 68, 82 mm diameter 2 x arbor and adapter nipple	16	1	66752177	8717574000733


PROLINE HOLE SAWS CARBIDE TIPPED



Also for construction

Carbide Tipped Hikoki hole saws are specifically suitable to be applied on construction materials. These include plywood, MDF and chipboard. But also tiles up to hardness factor 6, aerated concrete, and polymer plastics. The carbide tipped hole saws contain sizeable chip rooms providing an optimal chip drain. Specific design in teeth geometry makes for drill-holes to be well finished, enables a high cutting speed, and creates an optimal service life.



HIKOKI HOLE SAWS CARBIDE TIPPED	
Material:	HSS alloy
Teeth:	carbide
Shank:	8,5/11 mm Hexagonal
Application:	wood, plastics tiles up to hardness factor 6 aerated concrete
Extras:	Hikoki Quick Power Lock system 11 mm Hexagonal
Accessories:	extension piece

CARBIDE TIPPED HOLE SAWS						
	Ø (mm)	PQ	MOQ	Item number	Barcode	
	16	1	1	66754201	8717574002706	
	19	1	1	66754202	8717574002713	
	20	1	1	66754203	8717574002720	
	22	1	1	66754204	8717574002737	
	25	1	1	66754205	8717574002744	
	27	1	1	66754206	8717574002751	
	29	1	1	66754207	8717574002768	
	32	1	1	66754208	8717574002775	
	35	1	1	66754209	8717574002782	
	38	1	1	66754210	8717574002799	
	40	1	1	66754211	8717574002805	
	44	1	1	66754212	8717574002812	
	50	1	1	66754213	8717574002829	
	51	1	1	66754214	8717574002836	
	54	1	1	66754215	8717574002843	
	57	1	1	66754216	8717574002850	
	60	1	1	66754217	8717574002867	
	63	1	1	66754218	8717574002874	
	64	1	1	66754219	8717574002881	
	65	1	1	66754220	8717574002898	
67	1	1	66754221	8717574002904		
68	1	1	66754222	8717574002911		
71	1	1	66754223	8717574002928		
73	1	1	66754224	8717574002935		
76	1	1	66754225	8717574002942		
79	1	1	66754226	8717574002959		
80	1	1	66754227	8717574002966		
82	1	1	66754228	8717574002973		
92	1	1	66754229	8717574002980		
102	1	1	66754230	8717574002997		
105	1	1	66754231	8717574003000		
111	1	1	66754232	8717574003017		
125	1	1	66754233	8717574003024		
133	1	1	66754234	8717574003031		
152	1	1	66754235	8717574003048		



Actual cutting depth of hole saws: 65 mm.

ARBORS FOR CARBIDE TIPPED HOLE SAWS

As well as the Hikoki Quick Power Lock system an extensive range of standard arbors is offered, fitting various hole saw dimensions and drill connection types.






	Connection	PQ	MOQ	Item number	Barcode
	8,5 mm hexagonal	1	1	66754241	8717574003055
	for hole saws to 30 mm	11 mm hexagonal	1	1	66754243
	8,5 mm hexagonal	1	1	66754242	8717574003062
	with "easy connect" for hole saws from 30 mm up	11 mm hexagonal	1	1	66754244

ACCESSORIES FOR CARBIDE TIPPED HOLE SAWS

	Description	PQ	MOQ	Item number	Barcode
	Center Drill HSS-S extra long: L = 90 mm	1	1	66754245	8717574003093
	Extension piece 300 mm, 11 mm hexagonal	1	1	66752190	8717154657036



TCT HOLE SAW CASSETTES

	Description	PQ	MOQ	Item number	Barcode
	Plumber's set consisting of: 19, 22, 29, 38, 44, 51, 57 mm diameter 2 x arbor	9	1	66754251	8717574003109
	Electrician's set consisting of: 19, 22, 29, 35, 38, 44, 51, 65, 76 mm diameter 2 x arbor	11	1	66754252	8717574003116
	Interior's set consisting of: 40, 44, 54, 60, 65, 76, 82 mm diameter 1 x arbor	8	1	66754253	8717574003123
	All-round set consisting of: 16, 20, 25, 29, 32, 35, 51, 60, 65, 76 mm diameter 2 x arbor	12	1	66754254	8717574003130
	Combi-set consisting of: 19, 20, 22, 25, 29, 35, 38, 44, 51, 54, 60, 65, 76, 82 mm diameter 2 x arbor	16	1	66754255	8717574003147

PROLINE DIAMOND HOLE SAWS FOR GRINDERS



Hikoki offers a best in class range of angle grinder hole saws. The unique and superior design technology controls the delivery of wax (Ø 5 -10 mm) to the life expectancy of the product.

The hole saws are suitable for dry cutting of porcelain tile, ceramic tiles, granite, marble and slate.

The range is available from 5 mm to 35 mm and all hole saws have an M14 inner thread



to mount to angle grinders.

The sizes 5 to 10 mm contain a wax lubricant/coolant for optimized use and life-time. Diameters 12 to 35 can be used completely dry and without wax.

User instruction:

- At full rpm, start drilling at an angle of approximately 5° to 30°. This will create a semi-circular groove in the tile surface.

- Once the groove has been established, raise the hole saw to 90° and apply light pressure.
- Gently oscillate the angle grinder as the hole is being cut, continuing to apply light pressure only.
- To optimize life and speed of cut, lift the hole saw out of the hole every 5 seconds and allow it to rotate in air to cool slightly before continuing with the cut.
- Recommended rpm: 10.000 – 12.000

DIAMOND HOLE SAWS							
	Ø (mm)	Cutting depth (mm)	Connection	PQ	MOQ	Item number	Barcode
	5	30	M14	1	1	664100521	8717574060249
	6	30	M14	1	1	664100522	8717574060256
	7	30	M14	1	1	664100523	8717574060263
	8	30	M14	1	1	664100524	8717574060270
	10	30	M14	1	1	664100525	8717574060287
	12	30	M14	1	1	664100526	8717574060294
	14	30	M14	1	1	664100527	8717574060300
	16	30	M14	1	1	664100528	8717574060317
	20	30	M14	1	1	664100529	8717574060324
	25	30	M14	1	1	664100530	8717574060331
	30	30	M14	1	1	664100531	8717574061505
	32	30	M14	1	1	664100532	8717574061512
	35	30	M14	1	1	664100533	8717574061529

PROLINE DIAMOND HOLE SAWS FOR DRILLING MACHINES






The 2nd generation Hikoki diamond hole saws for drilling machines are designed with the latest diamond grit technology on and superior brazing technology to bond the diamond grit onto the drill body. This new generation addresses the customer requirement to avoid using a constant water supply during cutting. Costly and complex water delivery systems are no longer required, resulting in a cleaner cutting solution. This new generation is a simple dip in water solution that eliminates the need for constant water-cooling.




The round hole saw shank contains three flat sides to avoid slipping of the shank in the drill chuck. The diamond hole saws are suitable for drilling in porcelain tiles, ceramic tiles, granite, marble, slate and glass.

User instruction:
A continuous flow of water is not required for the hole saw when cutting hard tile, stone or glass materials.

- Before drilling, dip the hole saw into water past the ejection slot to pre-cool.

- At full rpm, start drilling at a 45° angle. This will create a semi-circular groove in the tile surface
- Once the groove has been established, raise the drill to 90° and apply light pressure.
- Gently oscillate the drill as the hole is being cut, continuing to apply light pressure only. For best results, dip the hole saw into water every 5 seconds.
- Do not use with hammer or impact action.
- Please take your precautions when using water close to electric power tools.
- Recommended rpm: 1500 – 2000

DIAMOND HOLE SAWS								
		Ø (mm)	Cutting depth (mm)	Connection	PQ	MOQ	Item number	Barcode
		5	25	Tri-Flat 10 mm round shank	1	1	664100501	8717574060119
		6	28		1	1	664100502	8717574060126
		7	28		1	1	664100503	8717574060133
		8	28		1	1	664100504	8717574060140
		10	28		1	1	664100505	8717574060157
		12	28		1	1	664100506	8717574060164
		14	28		1	1	664100507	8717574060171
		16	28		1	1	664100508	8717574060188
		20	28		1	1	664100509	8717574060195
		25	28		1	1	664100510	8717574060201
		30	28		1	1	664100511	8717574060218
		32	28		1	1	664100512	8717574060225
		35	28		1	1	664100513	8717574060232

DIAMOND HOLE SAW SET						
		Description	PQ	MOQ	Item number	Barcode
		4-Pcs Consisting off: Ø 5 / 6 / 8 / 10 mm	4	1	664100519	8717574061857


PROLINE MIXING PADDLES



EXTREME HIGH CONCENTRICITY FOR GOOD BALANCE

STRONG WELDED JOINTS

CONTINUOUS GUARD RING



PRECISE MILLED MOUNTING SURFACE WITH RIGHT ANGLE



WINGS FORMED OUT OF 1 PIECE

POWDER COATED SURFACE

Made to mix




The increasing range of different material mixtures and characteristics demands an ongoing development of tools. Hikoki offers a wide range of mixing tools, that allow the professional end user to mix every material. All have their own optimal design, bringing specific features and benefits. The range exists of paddles with M14 male connection to use in a dedicated mixing tool, as well as hexagonal connectors for use in a standard 10- or 13mm drill chuck.




The manufacturing process is in accordance with the highest industrial standards, and all items are Made-in-Germany. Stable welding and milled M14 connectors ensure optimal fitting to the power tools, and with that constant straight motion. Sharp edges, created by cold forming of the steel, don't occur because of the powder coated finishing.





Whether you need to mix big or small quantities, with high or low viscosity, Hikoki offers the right tool for a perfect result.




Features





- Extremely strong welded joints in combination with tough materials mean that Hikoki mixing tools are made to last
- A continuous guard ring guarantees the mixing tool rotates smoothly and safely, and protects the mixing tub
- Precise milled mounting surface with right angle, for straight swing-free paddle motion


 PADDLE FOR SMALL VOLUMES OF TILE ADHESIVE, READY MIXED MORTAR AND POINTING MORTAR								
	Mixture weight (kg)	Fitting	Dimensions (mm)	Type number	PQ	MOQ	Item number	Barcode
	5-10	Hex 8	85 x 400	PG085HB	1	1	66754701	8717574034936

 PADDLES FOR LIQUID AND THIN MATERIALS SUCH AS PAINTS, LACQUERS AND WATER BASED COVERING								
	Mixture weight (kg)	Fitting	Dimensions (mm)	Type number	PQ	MOQ	Item number	Barcode
	0-5	Hex 8	60 x 400	PP060HA	1	1	66754711	8717574034943
	5-10	Hex 8	80 x 400	PP080HB	1	1	66754712	8717574034950
	10-25	Hex 10	100 x 590	PP100HC	1	1	66754713	8717574034967

 PADDLES FOR STICKY MATERIALS SUCH AS TILE CEMENT, SCREED AND FILLER MORTAR								
	Mixture weight (kg)	Fitting	Dimensions (mm)	Type number	PQ	MOQ	Item number	Barcode
	0-7	Hex 8	70 x 400	PU070HA	1	1	66754721	8717574034974
	5-10	Hex 8	90 x 400	PU090HB	1	1	66754722	8717574034981
	10-25	Hex 10	120 x 590	PU120HC	1	1	66754723	8717574035766
	10-25	M14	120 x 590	PU120MC	1	1	66754726	8717574034998
	25-35	M14	135 x 590	PU135MD	1	1	66754727	8717574035001

 PADDLES FOR HEAVY MATERIALS LIKE CONCRETE, SCREED, PLASTER AND EPOXY MORTAR								
	Mixture weight (kg)	Fitting	Dimensions (mm)	Type number	PQ	MOQ	Item number	Barcode
	20-40	M14	135 x 590	PM135MD	1	1	66754733	8717574035025
	30-60	M14	160 x 590	PM160ME	1	1	66754734	8717574035032

ADAPTERS						
	Description	PQ	MOQ	Item number	Barcode	
	Adapter SDS-Plus to 1/2" x 20 UNF	1	1	66744088	8717154659184	
	Adapter SDS-Max to 1/2" x 20 UNF	1	1	66750453	8717472818744	
	Adapter 1/2" x 20 UNF to M14	1	1	66754740	8717574035773	
	Extension bar 180 mm M14 to M14	1	1	66754745	8717574035889	

DUST COLLECTOR					
	Description	PQ	MOQ	Item number	Barcode
	Dustcollector to be placed on a tub Hose connection \varnothing 38 mm Reduces dust in the air when emptying the bag and mixing the material	1	1	66754750	8717574050448

MIXING PADDLES

PROLINE DRILL CHUCKS

Range

In close cooperation with well-known manufacturer Röhm, Hikoki has selected a core collection from their extensive range of drill chucks which can be used with the majority of available mains and cordless drills.

Making your choice:

In order to determine which drill chuck you need, you need to take the following criteria into account:

1. The connection on the anvil of the machine. In the following product range, we identify the following connections: 1/2"x20UNF, 3/8"x24UNF, 1/4" Hexagonal or SDS-Plus.
2. The required jaw width of the drill chuck. This also depends on the machine's capacity.
3. Does the drill chuck need to be secured with a screw? This is important in case your machine can rotate both clockwise and anti-clockwise.
4. Is the drill chuck going to be used on a percussion or hammer drill? The drill chuck requires a radial locking function.

Quality of jaws

The drill chucks for hammer drills with a power of less than 800 Watts require jaws constructed from high-quality steel.









For hammer drills with a power of more than 800 Watts it is recommended to choose a drill chuck with carbide inserts in the clamping jaws





Packaging


























The drill chucks are presented in a handy blister package, easing the choice of the correct drill.

Key-type drill chucks are supplied with a chuck key.






The screw for securing the drill chuck is not included.














SPECIAL PRODUCT CHARACTERISTICS	
	Key-type drill chuck with jaw width of 1 to 10 mm
	Key-type drill chuck with jaw width of 1,5 to 13 mm
	Keyless drill chuck with jaw width of 1 to 10 mm
	Keyless drill chuck with jaw width of 1,5 to 13 mm
	Specification of key: davel Ø 6 mm; 12 teeth
	Suitable for percussion drilling
	Suitable for hammer drills with a power of less than 800 Watts
	Drill chuck with carbide inserts in the clamping jaws, suitable for hammer drills with a power of more than 800 Watts



3/8" x 24 UNF	Drilled through	Jaw width	Suitable for	PQ	MOQ	Item number	Barcode
	✓			1	1	66752072	8717472814012
	✓			1	1	66752079	8717472814050


1/2" x 20 UNF	Drilled through	Jaw width	Suitable for	PQ	MOQ	Item number	Barcode
	-			1	1	66752056	8717472813824
	✓			1	1	66752057	8717472813831
	✓			1	1	66752058	8717472813848
	✓			1	1	66752061	8717472813879
	✓			1	1	66752066	8717472813923
	✓			1	1	66752062	8717472813886
	✓			1	1	66752064	8717472813909
	✓			1	1	66752065	8717472813916
	✓			1	1	66752067	8717472813930
	-			1	1	66752068	8717472813947
	-			1	1	66752070	8717472813978

DRILL CHUCKS

	Jaw width	Suitable for	PQ	MOQ	Item number	Barcode
			1	1	66752082	8717472814074
			1	1	66752083	8717472814029


 	Jaw width	Suitable for	PQ	MOQ	Item number	Barcode
			1	1	66752097	8717472814081
		 	1	1	66752098	8717574014327
		 	1	1	66752099	8717472818645

	Dimension (mm)	Suitable for drill chucks (mm)	PQ	MOQ	Item number	Barcode
	6 x 80	10	1	1	66752053	8717574051247
	7 x 110	10 and 13	1	1	66752054	8717574051254

	Description	PQ	MOQ	Item number	Barcode
	Securing screw with left thread M6 x 25	1	1	66744087	8717574004540



PROLINE CHISELS



Hikoki innovates

In its continuous search for better performance, now Hikoki introduces significant product enhancements in its programs SDS-Plus, SDS Max and Hexagon 28mm and 30mm chisels:

SDS-Plus Cold chisel

The renewed professional cold chisel is characterized by a sharp edge on the outside of the chisel and the addition of two breakers on the top surface of the cold chisel. This gives the chisel an improved breaking capacity for penetration of the material, which increases the working speed.



SDS-Plus and SDS-Max wide chisels self-sharpening

Due to a change in the cross-sectional profile of the wide chisel Hikoki succeeded to improve the performance of the tool greatly. Because the inner face of the chisel is hollowed out, the contact surface with the material is smaller and penetrates more easily in the material. In addition, the strength per cm^2 is larger than in the conventional chisel, resulting in a more rapid material removal. With the long hollow inner surface, the cross-section of the tool remains during a longer working time in the same shape and therefore longer sharp, even after heavy use and wear. This is the self-sharpening effect of the tool.



SDS-Plus and SDS-Max tile chisels self-sharpening

The new design of the tile chisels is characterized by a much longer blade with a constant thickness.

The thin elongated blade provides the following benefits:

- A longer service life of the chisel.
- The possibility to stab the chisel also in narrow joints and to make removal of the tiles much easier.
- It improves the ability to use the chisel under the tile thus increasing the number of unbroken tiles which can be removed.
- The same cross-section over a long length ensures that the tool remains sharp even after heavy use.



SDS-Plus, SDS-Max and Hexagon 28 and 30 mm bull point chisels self-sharpening

Thanks to the unique design of the SDS-Plus and SDS-Max bull point chisels with twisted star-shaped chisel point, the performance of the tool is significantly improved. The star-shaped cross section, ensures longer sharpness, even after intensive use and wear.


The chisel surface remains virtually unchanged, whereas a conventional chisel is blunter still. Due to the twist of the chisel, the fixed shape of the chisel minimizes jamming. This speeds up the work and prevents much annoyance to the user. Due to the bulge in the of the SDS-Max shaft, vibration is maximized at the tool tip, with an increased material removal as a result.

At the bit with 28 and 30 mm hexagon socket only the star-shaped chisel point is used so the self-sharpening effect is guaranteed. With this chisel, suitable for heavier hammers, jamming is prevented.





SDS-Plus and SDS-Max cold chisel self-sharpening

The SDS-Plus and SDS-Max cold chisels are now available with a corrugated surface. This special geometry of the chisel provides a combination of a reduced surface and thus a higher impact force per cm^2 , the self-sharpening effect and longer lifetime. The peaks of the ribs cause a high peak load in the material, which improves the removal of material and the penetration into the material is accelerating. Due to the bulge in the SDS-Max shaft vibration is maximum at the tool, with an increased material removal as a result.















SDS-PLUS



	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	250	1	1	66751590	8717472815330
	Bull point self sharpening with twisted point	250	1	1	66751587	8717574056082
	Cold chisel	20 x 250	1	1	66751591	8717472815347
	Cold chisel self sharpening with side breakers	20 x 250	1	1	66751588	8717574056099
	Cold chisel with extended blade length	20 x 250	1	1	66751132	8717574057799
	Wide chisel	40 x 250	1	1	66751592	8717472815354
	Wide chisel self-sharpening	40 x 250	1	1	66751597	8717574022995
		60 x 250	1	1	66751598	8717574023008
	Tile chisel	40 x 250	1	1	66751595	8717472815385
	Tile chisel with extended blade length self-sharpening	40 x 260	1	1	66751599	8717574023510
	Chasing gouge	22 x 250	1	1	66751594	8717472815378
	Chasing gouge with glides	22 x 250	1	1	66751133	8717574058260
	Mortar chisel toothed 10 mm	32 x 200	1	1	66751134	8717574058277
	Floor scraper for removing linoleum, vinyl tiles and coatings	100 x 250	1	1	66751135	8717574058284
	Spare parts for floor scraper		8	1	66751136	8717574058291
	Chisel set 3-Pcs (bull point, cold chisel and cutter)	250	3	1	66751589	8717472817433

Suitable for Hikoki / Hitachi light weight rotary hammers like the DH18DBL/DH24PH/DH26PC/DH28PC/DH28PCY/DH28PD/DH28PMY/DH30PC2/DH36DPA and other brands like AEG, Bosch, DeWalt, Makita and Metabo.

CHISELS


SDS-MAX							
	Description	Size (mm)	PQ	MOQ	Item number	Barcode	
	Bull point	280	1	1	66750990	8717154653120	
		400	1	1	66750991	8717154653144	
		400	10	1	66751050	8717574042832	
		600	1	1	66750992	8717154653168	
	Bull point self-sharpening with twisted point	400	1	1	66751032	8717574023527	
	Cold chisel	27 x 280	1	1	66750993	8717154653137	
		27 x 400	1	1	66750994	8717154653151	
		27 x 400	10	1	66751054	8717574042849	
		27 x 600	1	1	66750995	8717154653175	
	Cold chisel self-sharpening	27 x 400	1	1	66751033	8717574023565	
	Cold chisel with extended blade length	25 x 400	1	1	66751222	8717574057812	
	Wide chisel	50 x 300	1	1	66751028	8717154653182	
		50 x 400	1	1	66750997	8717154653199	
		80 x 300	1	1	66751034	8717574023572	
		115 x 350	1	1	66750999	8717154653212	
	Wide chisel self-sharpening	50 x 350	1	1	66751038	8717574023589	
	Tile chisel 20° angled	50 x 300	1	1	66751005	8717154652765	
		80 x 300	1	1	66751037	8717472818232	
	Long tile chisel 20° angled	50 x 300	1	1	66751039	8717574023596	
	Chisel set 3-Pcs (bull point, cold chisel and cutter)	400	3	1	66751035	8717472817600	
















Suitable for Hikoki / Hitachi rotary hammers like including DH36DMA/DH40MC/DH40MEY/DH45MEY/DH52MEY/H41MB2/H45MEY/H60MEY/H60MC and other brands like AEG, Bosch, DeWalt, Makita and Metabo.



Available in SDS-Plus and SDS-Max


SDS-MAX











	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Chasing gouge	26 x 300	1	1	66750996	8717154653229
		32 x 300	1	1	66751036	8717472818225
	Chasing gouge for brick	32 x 300	1	1	66751000	8717154653236
	Chasing gouge with glides	35 x 380	1	1	66751003	8717154653250
	Brick raking chisel	8 x 300	1	1	66751048	8717574023602
	Mortar toothed chisel 7 mm	38 x 300	1	1	66751001	8717154653243
	Mortar chisel TC tipped	38 x 300	1	1	66751004	8717154652758
	Floor scraper for removing linoleum, vinyl tiles and coatings	152 x 653	1	1	66751225	8717574058307
	Spare parts for floor scraper		8	1	66751226	8717574058314
	Asphalt cutter	90 x 400	1	1	66751009	8717154652796
	Digger	110 x 400	1	1	66751008	8717154652789
	Ground rod driver	13 x 260	1	1	66751011	8717154652819
		16,5 x 260	1	1	66751010	8717154652802
THE FOLLOWING ACCESSORIES HAVE A CONNECTION OF CONE 22 TO 26 MM						
	Shank for tamping pad	220	1	1	66751012	8717154652826
	Bushing head 5 x 5	60 x 60	1	1	66751013	8717154652833
	Bushing head 7 x 7	60 x 60	1	1	66751014	8717154652840
	Tamping pad	120 x 120	1	1	66751015	8717154652857
		150 x 150	1	1	66751016	8717154652864

Suitable for Hikoki / Hitachi rotary hammers like including DH36DMA/DH40MC/DH40MEY/DH45MEY/DH52MEY/H41MB2/H45MEY/H60MEY/H60MC and other brands like AEG, Bosch, DeWalt, Makita and Metabo.


13 MM ROUND, 17 MM HEXAGON










	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	450	1	1	66751501	8717154653465
	Cold chisel	20 x 450	1	1	66751503	8717154653502
	Wide chisel	50 x 280	1	1	66751504	8717154653519
		75 x 400	1	1	66751509	8717154653533
	Chasing gouge for brick	30 x 270	1	1	66751507	8717154653489
	Chasing gouge	30 x 270	1	1	66751508	8717154654134
	Curved Tile chisel	50 x 280	1	1	66751510	8717472817594
	Mortar chisel TC tipped patented	38 x 200	1	1	66751125	8717574023817
		38 x 280	1	1	66751126	8717574023824

Suitable for Hikoki / Hitachi demolition hammers H41SA/H45SR and other brands like Atlas Copco and Makita


13 MM ROUND, 17 MM HEXAGON WITH COLLAR








	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	280	1	1	66751551	8717472818416
		450	1	1	66751552	8717472818423
	Cold chisel	25 x 450	1	1	66751554	8717472818447
	Wide chisel	50 x 280	1	1	66751555	8717472818454
	Chasing gouge	22 x 270	1	1	66751557	8717472818478
		30 x 280	1	1	66751558	8717472818485
	Mortar chisel TC tipped patented	38 x 200	1	1	66751125	8717574023817
		38 x 280	1	1	66751126	8717574023824
	Digger	110 x 400	1	1	66751559	8717472818492

Suitable for Hikoki / Hitachi demolition hammers DH28Y/DH38/DH38YB/DH38SS/DH38YB1/DH40SR/DH40YB/H45SA/VRY38/PHU45 and other brands like Ryobi.


19 MM ROUND, 21 MM HEXAGON








	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	300	1	1	66751531	8717472818317
		380	1	1	66751532	8717472818324
		450	1	1	66751533	8717472818331
	Cold chisel	30 x 380	1	1	66751535	8717472818355
		30 x 450	1	1	66751536	8717472818362
	Wide chisel	50 x 380	1	1	66751537	8717472818379
		75 x 380	1	1	66751538	8717472818386
	Asphalt cutter	75-110 x 440	1	1	66751539	8717472818393

Suitable for Hikoki / Hitachi heavy hammers DH50SA/DH50SA1/H55SA/H60KA and other brands like Atlas Copco, Breaker, Felisatti, Kango, Makita, Milwaukee and Ryobi.


SPLINE













	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	300	1	1	66751561	8717472818249
		400	1	1	66751562	8717472818256
	Cold chisel	25 x 300	1	1	66751563	8717472818263
		25 x 400	1	1	66751564	8717472818270
	Wide chisel	50 x 300	1	1	66751565	8717472818287
		50 x 400	1	1	66751566	8717472818294
	Asphalt cutter	100 x 400	1	1	66751567	8717472818300

Suitable for Hikoki / Hitachi heavy hammers DH40FA/DH40FB/DH50SB and other brands like AEG, Atlas Copco, Black & Decker, Bosch, Breaker, Elu, Felisatti, Kango, Makita, Milwaukee and Ryobi.


HEXAGON 28 MM (1 1/8")








	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	400	1	1	66751520	8717154653687
		520	1	1	66751521	8717154653694
	Bull point self-sharpening	400	1	1	66751519	8717574044195
	Cold chisel	36 x 400	1	1	66751522	8717154653700
		36 x 520	1	1	66751523	8717154653717
	Wide chisel	80 x 400	1	1	66751524	8717154653724
	Asphalt cutter	115 x 440	1	1	66751525	8717154653731
	Digger	125 x 500	1	1	66751526	8717154653748
	Ground rod driver	27 x 400	1	1	66751529	8717154653779
THE FOLLOWING ACCESSORIES HAVE A CONNECTION OF CONE 38 TO 44 MM						
	Shank for tamping pad	400	1	1	66751527	8717574023619
	Tamping pad	Ø 178	1	1	66751530	8717574023619

Suitable for Hikoki / Hitachi heavy hammers H65SD/H65SD2/H70SD/H90SE/H90SG and other brands like Bosch, Hilti and Makita.


HEXAGON 28 MM WITH COLLAR (1 1/8")









	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	550	1	1	66751571	8717472818539
	Cold chisel	36 x 550	1	1	66751572	8717472818546
	Wide chisel	76 x 500	1	1	66751573	8717472818553
	Digger	125 x 480	1	1	66751574	8717472818560




Suitable for Hikoki / Hitachi heavy hammers H65SD/H65SD2/H70SD/H80/H90SE/H90SG and other brands like AEG, Bosch, DeWalt, Makita and Metabo.

HEXAGON 30 MM





	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	410	1	1	66751543	8717472818508
	Bull point self-sharpening	410	1	1	66751548	8717574030877
	Cold chisel	35 x 410	1	1	66751544	8717472818515
	Wide chisel	75 x 410	1	1	66751545	8717472818522
	Digger (H70SA)	135 x 450	1	1	66751541	8717154653663
	Digger (H65SB) 90° turned	135 x 450	1	1	66751542	8717154653670

THE FOLLOWING ACCESSORIES HAVE A CONNECTION OF CONE 22 TO 26 MM


	Shank for tamping pad	400	1	1	66751546	8717574002430
	Bushing head 5 x 5	60 x 60	1	1	66751013	8717154652833
	Bushing head 7 x 7	60 x 60	1	1	66751014	8717154652840
	Tamping pad	120 x 120	1	1	66751015	8717154652857
		150 x 150	1	1	66751016	8717154652864






THE FOLLOWING ACCESSORIES HAVE A CONNECTION OF CONE 38 TO 44 MM

	Shank for tamping pad	400	1	1	66751547	8717574023626
	Tamping pad	Ø 178	1	1	66751530	8717574023619

Suitable for Hikoki / Hitachi heavy hammers H65SB/H65SB2/H65SC/H70SA and other brands like Makita and Ryobi.


HEXAGON 32 MM WITH COLLAR (1 1/4")



	Description	Size (mm)	PQ	MOQ	Item number	Barcode
	Bull point	550	1	1	66751582	8717472818584
	Cold chisel	36 x 550	1	1	66751583	8717472818591
	Wide chisel	76 x 550	1	1	66751584	8717472818607
	Digger	140 x 540	1	1	66751585	8717472818614

Suitable for Hikoki / Hitachi heavy hammers H90SA/H90SC and other brands like AEG, Bosch, DeWalt, Makita and Metabo.

TROLLEY

	Description	PQ	MOQ	Item number	Barcode
	Trolley for heavy hammers Suitable for H90SA/H90SC/H90SG	1	1	66712690	8717574026016

CHISELS

PROLINE IMPACT BITS



GRINDED BIT POINT
FOR PERFECT
FITTING

SPECIAL LENGTH
TO SECURE SHORT
TOTAL LENGTH OF
MACHINE WITH BIT

TOP QUALITY
SPRING STEEL



INDIVIDUAL
TORSION ZONE
PER DRIVE

QUICK
CONNECTION 1/4"



Impact bits next generation

The ongoing development of high-end impact screwdriver machines has led to an increasing high-torque fastening power. This enforces a demand of higher quality bits, which has led Hikoki to develop the next generation of impact bits.

The short peak torque of high-impact machines are high above the usual transmittable torques of bits and screws. A screw has to withstand this load only once to be fastened. The bit must withstand this peak torque repeatedly.

To facilitate this, Hikoki has improved a number of technical parameters to increase the durability:

- A special spring steel is used to achieve a significantly better elasticity (resilience) against low-alloy steels, which are usually used for bits.
- To obtain the spring action, the hardening process has been specially adapted to the steel.

- The suspension can only protect the bit when the cross section of the torsion area (spring area) is adapted to allow the maximum torsional deformation of the shaft, and transfer the necessary torque for tightening the screw. Therefore, this area has been calculated and tested separately for each bit profile.










These bits have been especially designed for applications where impact drivers generate the highest torque (Nm) currently reachable. Compared to the standard impact bits, these bits are extremely shatter proof, and have a 10 times longer lifetime.





The narrow recessed waist section reliably absorbs sudden and exceeded peaks in torque overload. This waist section functions like a buffer, absorbing the energy in the shock zone. Like a spring, the shock zone is activated as soon as the torque reaches high levels. Where other bits slip, strip or break, the Hikoki Next Generation impact bits will last and prove to be extremely durable.






Features

- The selection of the steel is focused on providing the longest lifetime for each application
- Unique heat treatment is used for hardening. A soft bit will bend, a hard bit will break. Hikoki bits have a hardness that exactly fits the maximum load and application
- Special design provides a long lifetime product
- "Clever length"; the bits are only 38mm long, the minimal length that you need to use directly in impact drivers, without the need of using an additional bit holder. This also respects the ultimate short design of Hikoki impact driver machines, which gives optimal control of the machine as well as to use in confined spaces.



  	Description	Size	Length (mm)	PQ	MOQ	Item number	Barcode
	 PH	1	38	3	1	66751171	8717574034523
		2	38	3	1	66751172	8717574034530
		3	38	3	1	66751173	8717574034547
	 PZ	1	38	3	1	66751176	8717574034554
		2	38	3	1	66751177	8717574034561
		3	38	3	1	66751178	8717574034578
	 Torx	15	38	3	1	66751181	8717574034585
		20	38	3	1	66751182	8717574034592
		25	38	3	1	66751183	8717574034608
		30	38	3	1	66751184	8717574034615
		40	38	3	1	66751185	8717574034622

IMPACT BIT SET							
  	Description	Length (mm)	PQ	MOQ	Item number	Barcode	
	21-Pcs assortments Impact bit set consisting of: 1 x PH 1, 2 x PH 2, 3 1 x PZ 1, 2 x PZ 2, 3 2 x T 15, 20, 25, 30, 40 Magnetic bit holder quick change	38	21	1	66751190	8717574034639	

  	Description	Size	Length (mm)	PQ	MOQ	Item number	Barcode
	 Torx	45	50	1	1	664100308	8717574062861
		50	50	1	1	664100309	8717574062878

IMPACT BITS

PROLINE BITS & BIT SETS



Hikoki: a full range of bits

Hikoki bits are designed to provide both a maximum level of power transmission and a long product life. In order to warrant this, the bits must meet the following production standards:

1. the best types of steels are selected
2. the correct heat treatment is used for each type of bit
3. a production process of the highest standards that guarantees the tolerances required

The range includes many types of bits. Various sets are available, including economy packs for the most frequently used bits to keep the range as economical as possible.

An extra hard surface





Hikoki uses two different production processes depending on the type of bit and its use:












1. forming the basic shape followed by forging to the final shape
2. machining the entire bit





















After production, the bit is hardened and

tempered. The tempering ensures not only that the bit has an extra hard surface but, more importantly, that it has the correct toughness. If the bit is too hard it will splinter during heavy use, but if it is too soft it will distort.













SPECIAL PRODUCT FEATURES







	Special bit for powerful impact screwdrivers		Magnetic version
	Bit coated with Titanium Nitride for extra durability		Non-magnetic version

 	Description	Size	Length (mm)	PQ	MOQ	Item number	Barcode
BITS							
	 Phillips	0	25	3	1	66752251	8717472810007
		1	25	3	1	66752252	8717472810014
		1	25	25	1	66752256	8717472810052
		2	25	3	1	66752253	8717472810021
		2	25	25	1	66752257	8717472810069
		3	25	3	1	66752254	8717472810038
		3	25	25	1	66752258	8717472810076
		4	32	1	1	66752255	8717472810045
	 Phillips	1	50	3	1	66752263	8717472810120
		2	50	3	1	66752264	8717472810137
		3	50	3	1	66752265	8717472810144
	 Phillips	2	109	2	1	66752266	8717472810151
		2	136,4	2	1	66752376	8717574001204
		2	152	2	1	66752267	8717472810168
 	 Phillips	1	25	3	1	66752260	8717472810090
		2	25	3	1	66752261	8717472810106
		3	25	3	1	66752262	8717472810113



 	Description	Size	Length (mm)	PQ	MOQ	Item number	Barcode	
BITS								
		Pozidrive	0	25	3	1	66752271	8717472810182
			1	25	3	1	66752272	8717472810199
			1	25	25	1	66752276	8717472810236
			2	25	3	1	66752273	8717472810205
			2	25	25	1	66752277	8717472810243
			3	25	3	1	66752274	8717472810212
			3	25	25	1	66752278	8717472810250
			4	32	1	1	66752275	8717472810229
		Pozidrive	1	50	3	1	66752285	8717472810328
			2	50	3	1	66752286	8717472810335
			3	50	3	1	66752287	8717472810342
		Pozidrive	2	109	2	1	66752288	8717472810359
			2	136,4	2	1	66752379	8717574001211
			2	152	2	1	66752289	8717472810366
		Pozidrive	1	25	3	1	66752280	8717472810274
			2	25	3	1	66752281	8717472810281
			3	25	3	1	66752282	8717472810298
		Slotted	4.0/5.5/6.5	25	3	1	664100301	8717574060966
		Torx	T4/T5/T6	25	3	1	664100302	8717574060973
			T7/T8/T9	25	3	1	664100303	8717574060980
			T 10	25	3	1	66752307	8717472810496
			T 15	25	3	1	66752308	8717472810502
			T 20	25	3	1	66752309	8717472810519
			T 20	25	25	1	66752243	8717574000481
			T 25	25	3	1	66752310	8717472810526
			T 25	25	25	1	66752244	8717574000498
			T 27	25	3	1	66752311	8717472810533
			T 30	25	3	1	66752312	8717472810540
			T 30	25	25	1	66752241	8717574050073
			T 40	25	3	1	66752313	8717472810557
			T 40	25	25	1	66752242	8717574050080
		Torx	T 10	50	3	1	66752318	8717472810601
			T 15	50	3	1	66752319	8717472810618
			T 20	50	3	1	66752320	8717472810625
			T 25	50	3	1	66752321	8717472810632
			T 30	50	3	1	66752323	8717472810656
			T 40	50	3	1	66752324	8717472810663
		Torx with hole		25	3	1	664100304	8717574060997
			TX25/30/40	25	3	1	664100305	8717574061000
		Hexagonal	1.5/2/2.5	25	3	1	664100306	8717574061017
			2.5	25	3	1	66752343	8717472810779
			3	25	3	1	66752344	8717472810786
			4	25	3	1	66752345	8717472810793
			5	25	3	1	66752346	8717472810809
			6	25	3	1	66752347	8717472810816

BITS & BIT SETS

 		Description	Size	Length (mm)	PQ	MOQ	Item number	Barcode
BITS								
 		Socket	5.5	45	1	1	66752351	8717472810823
		6	45	1	1	66752352	8717472810830	
		7	45	1	1	66752353	8717472810847	
		8	45	1	1	66752354	8717472810854	
		9	45	1	1	66752355	8717472810861	
		10	45	1	1	66752356	8717472810878	
		11	45	1	1	66752357	8717472810885	
		12	45	1	1	66752358	8717472810892	
		13	45	1	1	66752359	8717472810908	
		17	50	1	1	66752360	8717472810915	
		1/4"	45	1	1	66752362	8717472810939	
		3/8"	45	1	1	66752363	8717472810946	
5/16"	45	1	1	66752364	8717472810953			
 		Socket	8	45	1	1	66750555	8717472817471
		10	45	1	1	66750557	8717472817495	
		Robertson	1	25	3	1	66752366	8717472810960
		2	25	3	1	66752367	8717472810977	
		3	25	3	1	66752368	8717472810984	
		Double-sided Phillips-Pozidrive	1/2/3	60	3	1	664100307	8717574061024
		Double-sided Phillips	2	150	2	1	66752386	8717472811080

 		Contents	Length (mm)	PQ	MOQ	Item number	Barcode
BIT SETS							
 		7-Pcs nut setter set consisting of: 7, 8, 10, 12 and 13 mm 1/4" and 3/8" inch	50	7	1	66752239	8717574057591
		8-Pcs assortments bit set consisting of: PH 1, 2 PZ 1, 2 Slotted 4.0, 5.5, 6.5 Magnetic bit holder	25	8	1	66752397	8717472811165
		31-Pcs assortments bit set consisting of: 3 x PH 1, 2, 3 3 x PZ 1, 2, 3 3 x T 20, 25, 30, 40 Magnetic bit holder quick change	25	31	1	66752248	8717574033014

	Description	Length (mm)	PQ	MOQ	Item number	Barcode
BIT HOLDERS						
 	Unique Hikoki Magnetic bit holder with extra strong magnet in the head for a much greater force of attraction	60	1	1	66750345	8717574043716
 	Magnetic bit holder with depth gauge	60	1	1	66752390	8717574009996
 	Magnetic bit holder	60	1	1	66752394	8717472811134
 	Magnetic bit holder with ring	75	1	1	66752391	8717472811103
		150	1	1	66752392	8717472811110
		200	1	1	66752393	8717472811127
 	Bit holder quick change	300	1	1	66781790	8717574027723
 	Magnetic bit holder quick change	60	1	1	66752396	8717472811158
 	Magnetic bit holder with PZ 2 bit. Specifically suited for Hikoki / Hitachi screwdrivers.	41	1	1	66752398	8717472814098
 	Bit holder SDS-Plus	75	1	1	66752388	8717574017397
 	Magnetic bit holder SDS-Plus	75	1	1	66752389	8717574017403

	Description	Length (mm)	PQ	MOQ	Item number	Barcode
MINI RATCHET						
	<ul style="list-style-type: none"> - Fine ratchet mechanism with 60 teeth - Easy to operate L / R switch - Suitable for 1/4" hex bits - Additional 8 mm hex wrench 	95	1	1	66752240	8717574049916


BITS & BIT SETS

1/4" ★★		Contents	Length (mm)	PQ	MOQ	Item number	Barcode
	<p>18-Pcs assortments bit set consisting of: PH 1, 2, 3 PZ 1, 2, 3 Slotted 4.5, 6.5 Hex 3, 4, 5 T 10, 15, 20, 25, 27, 30, 40</p>	75	18	5	66750361	8717574033359	
	<p>24-Pcs bit/socket set consisting of: PH 1, 2, 3 PZ 1, 2, 3 Socket 6, 7, 8, 10, 11, 13 Hex 3, 4, 5 T 10, 15, 20, 25, 30, 40 Magnetic bit holder Adapter hex 1/4" to square 1/4" Ratchet wrench</p>	25	24	12	66750362	8717574033366	
	<p>32-Pcs assortments bit set consisting of: PH 1, 3 2 x PH 2 PZ 1, 3 2 x PZ 2 Slotted 3.5, 4.5, 5.5, 6.5 Hex 3, 4, 5, 6 T 10, 15, 20, 25, 27, 30, 40 TX 10, 15, 20, 25, 27, 30, 40 Magnetic bit holder quick change Adapter hex 1/4" to square 1/4"</p>	25	32	12	66750363	8717574033373	
	<p>50-Pcs bit/drill set consisting of: 2 x PH 1, 2, 3 2 x PZ 1, 2, 3 Slotted 3.5, 4.5, 5.5, 6.5 mm Hex 3, 4, 5, 6, 8 2 x T 10, 15, 20, 25 T 27, 2 x T 30, 40 TX 10, 15, 20, 25, 30, 40 1/4" Wood drill D. 3, 4, 5, 6 mm 1/4" Metal drill D. 2, 3, 4, 5 mm 1/4" Counter sink drill D. 12.4 mm Magnetic bit holder quick change</p>	25	50	8	66750365	8717574042306	
	<p>60-Pcs assortments bit set consisting of: 3 x PH 1, 2, 3 3 x PZ 1, 2, 3 Slotted 3.5, 6.5 2 x Slotted 4.5, 5.5 2 x Hex 4, 5, 6, 8 3 x T 10, 15, 20, 25, 30, 40 2 x T 27 TX 10, 15, 20, 25, 30, 40 Magnetic bit holder Magnetic bit holder quick change</p>	25	60	5	66750364	8717574033380	

		Contents	PQ	MOQ	Item number	Barcode
		10-Pcs assortments bit set consisting of: L = 40 mm PH 1, 2, 3 PZ 1, 2, 3 T 15, 20, 25, 30	10	1	66711000	8717574011944
		11-Pcs assortments bit set consisting of: PH 1, 2, 3 PZ 1, 2, 3 T 20, 25, 30 Robertson 2 Magnetic bit holder	11	1	664100311	8717574061420
		31-Pcs assortments bit set consisting of: PH 1, 3 2 x PH 2 PZ 1, 3 2 x PZ 2 T 10, 15, 20, 25, 27, 30, 40 TX 10, 15, 20, 25, 27, 30 Hex 3, 4, 5, 6 Slotted 3, 4, 5, 6	31	1	66753000	8717154650761
		61-Pcs assortments bit set consisting of: PH 1 3 x PH 2 2 x PH 3 5 x PZ 1, 3 10 x PZ 2 T 10, 27, 30, 40 2 x T 15, 20, 25 TX 10, 15, 20, 25, 27, 30 Hex 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8 Slotted 4, 4.5, 5, 6, 7, 8 Adapter hex 1/4" to square 1/4" Magnetic bit holder	61	1	66715000	8717154650846
		100-Pcs assortments bit set consisting of: 7 x PH 1, 2, 3 7 x PZ 2, 3 2 x T 10, 15, 20, 25, 27, 30, 40 2 x TX 10, 15, 20, 25, 27, 30, 40 7 x Hex 4, 5, 6 7 x Slotted 4, 6 Magnetic bit holder Magnetic bit holder quick change	100	1	66754000	8717154650778
		112-Pcs bit/drill set consisting of: PH 0, 1, 2, 3 PZ 1, 2, 3 T 10, 15, 20, 25, 27, 30, 40 Hex 2, 3, 4, 5, 6, 7 Slotted 3, 4, 5, 7, 8 2 x Slotted 6 Robertson 1, 2, 3 PH 1, 3, L = 50 mm 2 x PH 2, L = 50 mm T 10, 15, 20, L = 50 mm Hex 2, 3, 4, 5, 6, L = 50 mm Slotted 6, 10, L = 50 mm 2x Slotted 8 Robertson 1, 2, 3, L = 50 mm Magnetic bit holder Bit holder quick change 1/4" Flexible shaft L = 280 mm 1/4" Bit holder screwdriver 4 x Screw holder 1/4" Countersink drill Metal: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm Wood: 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8 mm Masonry: 3, 4, 5, 6, 8, 10 mm Speed drills: 10, 12, 20 mm 1/4" Socket 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"	112	1	66705315M	8717154650815

BITS & BIT SETS

PROLINE IMPACT SOCKETS



We focus on the details - even for the heaviest job

The specially shaped machine side of Hikoki impact sockets makes the changing of the socket much easier. The sockets are suitable for use with pin and ring locks, ball connection and for fixing in a chuck.

The foundation of the range is the high quality of the steel used and the optimal production process. Hikoki impact and wrench sockets are produced in accordance with DIN 3121 and DIN 3129. Special notches in the head of the socket ensures optimal fitting on the bolt or nut. This prevents loss of power and excessive wear. Even the noise and vibration levels are reduced, which makes working with Hikoki sockets more pleasant.

A complete range

The Hikoki range contains a wide range of accessories such as torsion bars, adapters and knee joints. Also available is a 14 pcs basic set with sockets from 14 to 24 mm. In a handy steel case – the correct socket always just where you need it.

New angle sockets make anything possible

All difficult to access points can now be easily reached with the new flexible angle sockets without the need for major modifications. Ideal for working on engines or in corners on uprights and beams. The angle sockets are supplied with long 1/4" hexagonal shafts and in the sizes 8 to 22 mm. The shaft can be used at an angle up to 15° or fixed for straight use.

HIKOKI IMPACT AND SOCKET WRENCH	
Material:	Cr-Mo.
Connections:	1/2" square internal 3/4" square internal 1" square internal 1/4" hexagonal
O-ring and pin:	can be ordered separately
Sizes	8 - 50 mm
Accessories:	adapters, torsion bar, cardan joints and complete sets
Use:	for making screwed joints

ANGLE SOCKET FOR HARD TO ACCESS JOBS



IMPACT SOCKETS 1/2" SQUARE INTERNAL

	Dimensions	Length (mm)	O-ring + pin to be used	PQ	MOQ	Item number	Barcode
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS							
  	8	38	Type 1	1	1	66751801	8717154654516
	10	38	Type 1	1	1	66751802	8717154654523
	11	38	Type 1	1	1	66751803	8717154654530
	12	38	Type 1	1	1	66751804	8717154654547
	13	38	Type 1	1	1	66751805	8717154654554
	14	38	Type 1	1	1	66751806	8717154654561
	15	38	Type 2	1	1	66751807	8717154654578
	16	38	Type 2	1	1	66751808	8717154654585
	17	38	Type 2	1	1	66751809	8717154654592
	18	38	Type 2	1	1	66751810	8717154654608
	19	38	Type 2	1	1	66751811	8717154654615
	20	38	Type 2	1	1	66751812	8717154654622
	21	38	Type 2	1	1	66751813	8717154654639
	22	38	Type 2	1	1	66751814	8717154654646
	23	38	Type 2	1	1	66751815	8717154654653
	24	38	Type 2	1	1	66751816	8717154654660
	25	38	Type 2	1	1	66751817	8717154654677
	26	38	Type 2	1	1	66751818	8717154654684
	27	38	Type 2	1	1	66751819	8717154654691
	28	38	Type 2	1	1	66751820	8717154654707
	29	38	Type 2	1	1	66751821	8717154654714
	30	38	Type 2	1	1	66751822	8717154654721
	32	38	Type 2	1	1	66751823	8717154654738
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS, EXTRA LONG							
  	8	85	Type 1	1	1	66751825	8717154655261
	10	85	Type 1	1	1	66751826	8717154655278
	11	85	Type 1	1	1	66751827	8717154655285
	12	85	Type 1	1	1	66751828	8717154655292
	13	85	Type 1	1	1	66751829	8717154655308
	14	85	Type 1	1	1	66751830	8717154655315
	15	85	Type 2	1	1	66751831	8717154655322
	16	85	Type 2	1	1	66751832	8717154655339
	17	85	Type 2	1	1	66751833	8717154655346
	18	85	Type 2	1	1	66751834	8717154655353
	19	85	Type 2	1	1	66751835	8717154655360
	20	85	Type 2	1	1	66751836	8717154655377
	21	85	Type 2	1	1	66751837	8717154655384
	22	85	Type 2	1	1	66751838	8717154655391
	23	85	Type 2	1	1	66751839	8717154655407
	24	85	Type 2	1	1	66751840	8717154655414
	26	85	Type 2	1	1	66751842	8717154655438
	27	85	Type 2	1	1	66751843	8717154655445
	30	85	Type 2	1	1	66751846	8717154655476
	32	85	Type 2	1	1	66751847	8717154655483
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS, EXTRA LONG, CONDENSED WIDTH							
 	10	78	Type 1	1	1	66751881	8717154655070
	13	78	Type 1	1	1	66751884	8717154655100

IMPACT SOCKETS

IMPACT SOCKETS 1/2" SQUARE INTERNAL

	Dimensions	Length (mm)	O-ring + pin to be used	PQ	MOQ	Item number	Barcode
IMPACT SOCKETS FOR EXTERNAL TORX BOLTS							
	T 10	38	Type 1	1	1	66751849	8717154654752
	T 12	38	Type 1	1	1	66751850	8717154654769
	T 14	38	Type 1	1	1	66751851	8717154654776
	T 20	38	Type 2	1	1	66751854	8717154654806
	T 24	38	Type 2	1	1	66751855	8717154654813
IMPACT SOCKETS FOR INTERNAL TORX BOLTS							
 	T 30	78	Type 1	1	1	66751856	8717154654820
	T 40	78	Type 1	1	1	66751857	8717154654837
	T 50	78	Type 1	1	1	66751858	8717154654844
	T 55	78	Type 1	1	1	66751859	8717154654851
	T 60	78	Type 1	1	1	66751860	8717154654868
IMPACT SOCKETS FOR INTERNAL HEX BOLTS							
 	H 4	78	Type 1	1	1	66751861	8717154654875
	H 5	78	Type 1	1	1	66751862	8717154654882
	H 6	78	Type 1	1	1	66751863	8717154654899
	H 8	78	Type 1	1	1	66751864	8717154654905
	H 10	78	Type 1	1	1	66751865	8717154654912
	H 12	78	Type 1	1	1	66751866	8717154654929
	H 14	78	Type 1	1	1	66751867	8717154654936
H 17	78	Type 1	1	1	66751868	8717154654943	
EXTENSION ROD FOR IMPACT SOCKETS							
		50	Type 1	1	1	66751869	8717154654950
		125	Type 1	1	1	66751870	8717154654967
		250	Type 1	1	1	66751871	8717154654974
ADAPTOR FOR HAND SOCKETS							
	1/2"	50	Type 1	1	1	66751872	8717154654981
CARDAN JOINT							
	1/2"	65	Type 1	1	1	66751873	8717154654998
BIT ADAPTOR TO 1/4" HEXAGON							
 	With ball	38	Type 1	1	1	66751874	8717154655001
	With magnet	38	Type 1	1	1	66751875	8717154655018
ADAPTOR							
	3/8"	36	Type 1	1	1	66751878	8717154655049
CASSETTES							
	14-Pcs impact socket 1/2" set, in cassette Containing: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 Including 1 x ring + pin, type 1 and type 2			14	1	66751879	8717154655056
	45-Pcs Impact bit/socket set consisting of: PH 1, 2, 3 PZ 1, 2, 3 T 10, 15, 20, 25, 27, 30, 40 TX 10, 15, 20, 25, 27, 30, 40 Hex 3, 4, 5, 6 Slotted 3, 4, 5, 6 Magnetic bit holder quick change Impact socket 8, 10, 11, 12, 13, 14, 17, 19, 21, 22 mm Adapter hex 1/4" to square 1/2" Adapter square internal 1/2" to hex internal 1/4"			45	1	66752500	8717154654158


IMPACT SOCKETS 3/4" SQUARE INTERNAL

	Dimensions	Length (mm)	O-ring + pin to be used	PQ	MOQ	Item number	Barcode
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS							
  	17	51	Type 3	1	1	66751901	8717154655506
	19	51	Type 3	1	1	66751903	8717154655520
	21	51	Type 3	1	1	66751904	8717154655537
	22	51	Type 3	1	1	66751905	8717154655544
	23	51	Type 3	1	1	66751906	8717154655551
	24	51	Type 3	1	1	66751907	8717154655568
	26	54	Type 3	1	1	66751909	8717154655582
	27	54	Type 3	1	1	66751910	8717154655599
	28	54	Type 3	1	1	66751911	8717154655605
	29	54	Type 3	1	1	66751912	8717154655612
	30	54	Type 3	1	1	66751913	8717154655629
	32	57	Type 3	1	1	66751914	8717154655636
	33	57	Type 3	1	1	66751915	8717154655643
	34	57	Type 3	1	1	66751916	8717154655650
	36	57	Type 3	1	1	66751917	8717154655667
	38	57	Type 3	1	1	66751918	8717154655674
41	57	Type 3	1	1	66751919	8717154655681	
46	62	Type 3	1	1	66751920	8717154655698	
50	62	Type 5	1	1	66751921	8717154655704	
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS, EXTRA LONG							
 	17	90	Type 3	1	1	66751950	8717472817792
	19	90	Type 3	1	1	66751951	8717472817808
	21	90	Type 3	1	1	66751952	8717472817815
	22	90	Type 3	1	1	66751953	8717472817822
	23	90	Type 3	1	1	66751954	8717472817839
	24	90	Type 3	1	1	66751955	8717472817846
	27	90	Type 3	1	1	66751956	8717472817853
	30	90	Type 3	1	1	66751957	8717472817860
	32	90	Type 3	1	1	66751958	8717472817877
	36	90	Type 3	1	1	66751959	8717472817884
IMPACT SOCKETS FOR INTERNAL HEX BOLTS							
 	17	89	Type 3	1	1	66751927	8717154655766
	19	89	Type 3	1	1	66751929	8717154655780
	21	89	Type 3	1	1	66751930	8717154655797
	22	89	Type 3	1	1	66751931	8717154655803
	23	89	Type 3	1	1	66751932	8717154655810
	24	89	Type 3	1	1	66751933	8717154655827
	27	89	Type 3	1	1	66751934	8717154655834
	30	89	Type 3	1	1	66751935	8717154655841
	32	89	Type 3	1	1	66751936	8717154655858
	36	89	Type 3	1	1	66751939	8717154655889
IMPACT SOCKETS EXTENSION PIECE							
		150	Type 3	1	1	66751943	8717154655926
		250	Type 3	1	1	66751944	8717154655933
		300	Type 3	1	1	66751945	8717154655940
ADAPTER							
	1/2"	58	Type 3	1	1	66751947	8717154655964
CARDAN JOINT							
	3/4"	105	Type 3	1	1	66751964	8717574002089





IMPACT SOCKETS

IMPACT SOCKETS 1" SQUARE INTERNAL

1"	Dimensions	Length (mm)	O-ring + pin to be used	PQ	MOQ	Item number	Barcode
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS							
  	24	58	Type 4	1	1	66751451	8717574049008
	27	58	Type 4	1	1	66751452	8717574049015
	30	60	Type 4	1	1	66751453	8717574049022
	32	60	Type 4	1	1	66751454	8717574049039
	33	62	Type 4	1	1	66751455	8717574049046
	34	62	Type 5	1	1	66751456	8717574049053
	36	62	Type 5	1	1	66751457	8717574049060
	38	62	Type 5	1	1	66751458	8717574049077
	41	62	Type 5	1	1	66751459	8717574049084
	46	64	Type 5	1	1	66751460	8717574049091
IMPACT SOCKETS FOR EXTERNAL HEXAGONAL BOLTS, EXTRA LONG							
  	24	90	Type 4	1	1	66751461	8717574049107
	27	90	Type 4	1	1	66751462	8717574049114
	30	90	Type 4	1	1	66751463	8717574049121
	32	90	Type 4	1	1	66751464	8717574049138
	33	90	Type 4	1	1	66751465	8717574049145
	34	90	Type 5	1	1	66751466	8717574049152
	36	90	Type 5	1	1	66751467	8717574049169
	38	92	Type 5	1	1	66751468	8717574049176
	41	92	Type 5	1	1	66751469	8717574049183
	46	92	Type 5	1	1	66751470	8717574049190
EXTENSION ROD FOR IMPACT SOCKETS							
	1"	200	Type 4	1	1	66751471	8717574049206
CARDAN JOINT							
	1"	110	Type 5	1	1	66751472	8717574049213
ADAPTOR							
	3/4"	75	Type 4	1	1	66751473	8717574049220


SET OF 3 PINS AND 3 RINGS						
	Model	Dimensions	PQ	MOQ	Item number	Barcode
	Type 1	Ring D.19mm; pin 3 x 20 mm	6	1	66751876	8717154655025
	Type 2	Ring D.24mm; pin 3 x 25 mm	6	1	66751877	8717154655032
	Type 3	Ring D. 36 mm; pin 4 x 35 mm	6	1	66751948	8717154655971
	Type 4	Ring D.43mm; pin 5 x 43 mm	6	1	66751474	8717574049237
	Type 5	Ring D.46mm; pin 5 x 46 mm	6	1	66751475	8717574049244

FLEXIBLE TILTING SOCKETS						
	Dimensions	Length (mm)	PQ	MOQ	Item number	Barcode
 free internal length is 62 mm	8	112	1	1	66750331	8717574029284
	10	112	1	1	66750332	8717574029291
	12	112	1	1	66751978	8717154658989
	13	112	1	1	66750334	8717574029314
	14	112	1	1	66751980	8717154659009
	16	112	1	1	66751982	8717154659023
	17	112	1	1	66750338	8717574029352
	19	112	1	1	66750340	8717574029376
	20	112	1	1	66751986	8717154659061
	21	112	1	1	66751987	8717154659078
	22	112	1	1	66751988	8717154659085

ADAPTERS							
	Machine connection	To connection	Length (mm)	PQ	MOQ	Item number	Barcode
	SDS-Plus	1/2" Square	125	1	1	66750455	8717574023862
	SDS-Max	1/2" Square	155	1	1	66750451	8717574023848
	SDS-Max	3/4" Square	155	1	1	66750452	8717574023855
	1/4" Hexagonal	1/4" Square	65	1	1	66751971	8717154656008
	1/4" Hexagonal	3/8" Square	65	1	1	66751972	8717154656015
	1/4" Hexagonal	1/2" Square	75	1	1	66751973	8717154656022
	3-Pcs adapter set consisting of: 1/4" Hexagonal to 1/4" Square 1/4" Hexagonal to 3/8" Square 1/4" Hexagonal to 1/2" Square			3	1	66751970	8717154655995

IMPACT SOCKETS

PROLINE DIAMOND SAW BLADES



Range

With integration of world-famous Sankyo Diamond Tools, HiKOKI has composed a select product range of the finest and best diamond saw blades.

Sankyo a full member of the HiKOKI group – is well known for its high quality, technology, extensive experience and ongoing innovation when it comes to diamond tools.

From this extraordinary product range, HiKOKI has constructed a core business assortment, ideal for the building and construction industries.

APPLICATION	Hard materials (Turbo)	Hard materials Wave-Shape	Universal	Soft materials Laser	Tiles
●● Ideally suitable					
● Suitable					
○ Limited use					
- Not suitable					
Aerated	○	○	○	●●	-
Asphalt	-	-	-	●●	-
Basalt	●●	●	○	-	-
Bluestone	●	○	○	-	●
Coating (sand/cement)	○	○	○	●●	-
Concrete (reinforced)	●●	●	○	-	-
Concrete brick	○	○	○	●●	-
Fire brick	●	○	○	-	-
Glass	-	-	-	-	●
Granite	●●	○	○	-	-
Green concrete	○	○	○	●●	-
Hand moulded brick	●	●	●	●●	-
Hard Brick	●●	●	●	●	-
Limestone	○	○	○	●●	-
Marble	○	○	○	-	●
Medium-hard brick	●●	●	○	●	-
Pebble tiles	●●	●	●	-	-
Pumice concrete	○	○	○	●●	-
Quartzite	●●	○	○	-	●
Rooftiles	○	○	○	●●	-
Slate	●●	○	○	-	●
Tiles (ceramic)	●	○	○	-	●●
Wall tiles	○	○	○	-	●●




Applications

To make it easy to distinguish the application for which the diamond wheel is designed, even after intensive use, and to make it possible to make a quick and easy choice from the range of products, Hikoki diamond wheels are colour-coded as follows:

Green	= suitable for general use in a variety of materials
Blue	= suitable for hard materials such as concrete, hard bricks, granite etc.
Red	= suitable for soft materials such as sand stone, soft bricks, limestone, asphalt etc.
White	= suitable for ceramic and natural tiles

Quality

In developing the product range an optimal balance has been created between HiKOKI users, high quality demands and a competitive price. This has resulted in indexing products in three quality levels, indicated by the number of diamonds:





Highest quality		Suitable for those users who demand a long life cycle and high cutting speed. While bearing a higher purchasing price, costs per cut are lower.
High quality		Suitable for the intermediate user, wanting to use the diamond wheel on a variety of materials.
Medium quality		Suitable for the occasional user, prioritizing purchasing price, where durability and cutting speed are less important or not relevant due to application nature.

EN
13236

All HiKOKI selected diamond saw blades are manufactured to meet DIN EN 13236:2010 quality standards











SUITABLE FOR ELECTRIC ANGLE GRINDERS
FOR GENERAL USE IN A VARIETY OF MATERIALS

	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode
 SEGMENT TYPE							
	115	22,2	10	1	1	66752811	8717574001587
	125	22,2	10	1	1	66752812	8717574001594
	150	22,2	10	1	1	66752813	8717574001600
	180	22,2	10	1	1	66752814	8717574001617
	230	22,2	10	1	1	66752815	8717574001624
	300	22,2	10	1	1	66752817	8717574001631
 SEGMENT TYPE							
	115	22,2	7	1	1	66752801	8717574001532
	125	22,2	7	1	1	66752802	8717574001549
	180	22,2	7	1	1	66752804	8717574001563
	230	22,2	7	1	1	66752805	8717574001570








SUITABLE FOR ELECTRIC ANGLE GRINDERS
FOR HARD MATERIALS SUCH AS CONCRETE, HARD BRICKS, GRANITE ETC.

	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode
 SEGMENT TYPE							
	115	22,2	10	1	1	66752851	8717574001808
	125	22,2	10	1	1	66752852	8717574001815
	150	22,2	10	1	1	66752853	8717574001822
	180	22,2	10	1	1	66752854	8717574001839
	230	22,2	10	1	1	66752855	8717574001846
	300	22,2	10	1	1	66752857	8717574001853
 TURBO							
	115	22,2	6	1	1	66752841	8717574001754
	125	22,2	6	1	1	66752842	8717574001761
	180	22,2	6	1	1	66752844	8717574001785
	230	22,2	6	1	1	66752845	8717574001792
 WAVE SHAPE TYPE							
	115	22,2	6	1	1	66752821	8717574001648
	125	22,2	6	1	1	66752822	8717574001655
	150	22,2	6	1	1	66752823	8717574001662
	180	22,2	6	1	1	66752824	8717574001679
	230	22,2	6	1	1	66752825	8717574001686










 SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR SOFT MATERIALS SUCH AS SAND STONE, SOFT BRICKS, LIME STONE, ASPHALT ETC.							
	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode
 SEGMENT TYPE							
	115	22,2	10	1	1	66752861	8717574001860
	125	22,2	10	1	1	66752862	8717574001877
	150	22,2	10	1	1	66752863	8717574001884
	180	22,2	10	1	1	66752864	8717574001891
	230	22,2	10	1	1	66752865	8717574001907
	300	22,2	10	1	1	66752867	8717574001914













From Ø 150 mm up, the blades are enriched with protection segments




 SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR (CERAMIC AND NATURAL) TILES							
	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode
 RIM TYPE							
	110	22,2	5	1	1	66752886	8717574001990
	125	22,2	5	1	1	66752887	8717574002003

 SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR HARD MATERIALS							
	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode
 TURBO RIM TYPE							
	100	22,2	4,5	1	1	66752871	8717574001921
	125	22,2	4,5	1	1	66752872	8717574001938
 DOUBLE ROW SEGMENTED							
	115	22,2	5	1	1	66752876	8717574001945
	125	22,2	5	1	1	66752877	8717574001952
	175	22,2	5	1	1	66752878	8717574001969


DIAMOND SAW BLADES

 		SUITABLE FOR FUEL ENGINE DRIVEN CUT-OFF MACHINES FOR GENERAL USE IN A VARIETY OF MATERIALS						
	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode	
    WAVED SEGMENT TYPE								
	300	20,0	11.5	1	1	66773000	4549115056268	
	300	25,4	11.5	1	1	66773001	4549115056275	
	350	20,0	11.5	1	1	66773002	4549115056282	
	350	25,4	11.5	1	1	66773003	4549115056299	
  SEGMENT TYPE								
	300	20,0	15	1	1	66773004	4549115056305	
	300	25,4	15	1	1	66773005	4549115056312	
	350	20,0	15	1	1	66773006	4549115056329	
	350	25,4	15	1	1	66773007	4549115056336	

  		SUITABLE FOR FUEL ENGINE DRIVEN CUT-OFF MACHINES FOR HARD MATERIALS SUCH AS CONCRETE, HARD BRICKS, GRANITE ETC						
	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode	
    WAVED SEGMENT TYPE								
	300	20,0	10	1	1	66773008	4549115056343	
	300	25,4	10	1	1	66773009	4549115056350	
	350	20,0	10	1	1	66773010	4549115056367	
	350	25,4	10	1	1	66773011	4549115056374	
    SEGMENT TYPE								
	300	20,0	10	1	1	66773012	4549115056381	
	300	25,4	10	1	1	66773013	4549115056398	
	350	20,0	10	1	1	66773014	4549115056404	
	350	25,4	10	1	1	66773015	4549115056411	

 SUITABLE FOR FUEL ENGINE DRIVEN CUT-OFF MACHINES FOR SOFT MATERIALS SUCH AS SAND STONE, SOFT BRICKS, LIME STONE, ASPHALT ETC.							
	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item number	Barcode
 SEGMENT TYPE							
	350	20,0	10	1	1	66773016	4549115056428
	350	25,4	10	1	1	66773017	4549115056435
 SEGMENT TYPE							
	300	20,0	10	1	1	66773018	4549115056442
	300	25,4	10	1	1	66773019	4549115056459
	350	20,0	10	1	1	66773020	4549115056466
	350	25,4	10	1	1	66773021	4549115056473

The above diamond wheels have inclined segments to protect the core against undercutting

WATER PRESSURE TANK						
	Description	PQ	MOQ	Item number	Barcode	
	Water pressure tank WPT10 with plastic tank Filling contents: 10 l Total contents: 12,5 l Operating pressure: 3 bar (44 psi) Funnel cover to prevent dirt entering the tank Integrated dirt filter Including 4 m transparent hose complete with ½" plug-in coupling with water stop	1	1	66712630	8717574043600	

DIAMOND SAW BLADES

PROLINE ABRASIVE CUTTING AND GRINDING DISCS



Cut's all

Hikoki Proline Abrasive wheels are selected to offer maximum performance, lifetime, clean cutting areas, the lowest burr formation and low thermal load on the work piece. Cut-off wheels in standard widths offer not only the most economical solution, but also ultimate safety due to the maximum lifetime and stability.

The wheels are specifically designed for cutting solid materials, pipes, and profiles made from steel and stainless steel, including cast iron.

2-in-1 wheels

Both perfectly well designed for use in Stainless steel as well as in Steel. The wheel composition content of Iron (Fe), Sulfur (S), and Chlorine (Cl) is below 0,1% and therefore safe to use on delicate work pieces such as Inox. The unique composition also guarantees a long life-time whilst cutting in metal, where usual wheels for Inox wear-out too fast. Important note; after having cut with this type of wheels in Metal, you can't go back cutting Inox because of contamination

Quality levels

Selecting the right disc and power tool for the material to be cut is crucial. To help selecting the right product, Hikoki offers 3 quality levels in 115 / 125mm. The professional that frequently cuts with the stronger range of angle grinders will benefit most from the Premium*** wheels. The harder grains and strong bond provide a long lifetime and fast burr free cutting. When cutting occasionally or with angle grinders in the lower wattage range, choose for the Basic* range. The economic price/ quality ratio makes this a universal product that can be used in a wide range of applications.

Super Thin Wheels

The innovative and economic advantages of our super thin cut-off wheels can be seen especially when cutting sheet metal and thin-walled profiles. Extra thin cutting discs have a smaller friction surface. This allows a fast and cool cut and avoids blueing of the work piece.

The Hikoki wheels convince through outstandingly smooth running resulting in optimum handling. Its exceptional precise, clean

and almost burr-free cut reduces reworking to almost zero. Its narrow cut also means that hardly any contact pressure is needed, making for noticeably easier work.

oSa

oSa stands for "Organization for the Safety of Abrasives". Tools with the oSa trademark symbol have been manufactured according to the worldwide strict guidelines of the oSa. All Hikoki cutting and grinding discs bear the oSa trademark and thus meet the highest safety standards.






Types of grinding discs

Hikoki grinding discs are colour-coded to easily identify the correct disc for an application.






Gold	= Inox
Blue	= Metal
Red	= Stone
















CUTTING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS
FOR USE IN INOX AND METAL




INOX	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 10px;">★★★</div> <div style="flex-grow: 1;"> <p style="text-align: center;">TYPE A60U-BF41</p> </div> </div>							
	115	1,0	22,23	1	25	66782301	8717574043068
	125	1,0	22,23	1	25	66782302	8717574043075
TIN CAN PROMO PACK WITH 10 DISCS							
	125	1,0	22,23	10	1	66782304	8717574043082
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 10px;">★★</div> <div style="flex-grow: 1;"> <p style="text-align: center;">TYPE A46T-BF41</p> </div> </div>							
	115	1,0	22,23	1	25	66752501	8717472814111
	125	1,0	22,23	1	25	66752502	8717472814135
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 10px;">★</div> <div style="flex-grow: 1;"> <p style="text-align: center;">TYPE A60R-BF41</p> </div> </div>							
	115	1,0	22,23	1	25	66782306	8717574043099
	125	1,0	22,23	1	25	66782307	8717574043105
TIN CAN PROMO PACK WITH 10 DISCS							
	115	1,0	22,23	10	1	66782308	8717574050202
	125	1,0	22,23	10	1	66782309	8717574055146




ABRASIVE CUTTING AND GRINDING DISCS

 CUTTING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR USE IN INOX AND METAL							
INOX	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
★★	TYPE A46U-BF41 						
	115	1,6	22,23	1	25	66782311	8717574043112
	125	1,6	22,23	1	25	66782312	8717574043129
	150	1,6	22,23	1	25	66782313	8717574043136
	178	1,6	22,23	1	25	66782314	8717574043143
	230	1,9	22,23	1	25	66782315	8717574043150
★	TYPE A46R-BF41 						
	115	1,6	22,23	1	25	66782316	8717574043167
	125	1,6	22,23	1	25	66782317	8717574043174
	230	1,9	22,23	1	25	66782319	8717574050196






 CUTTING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR USE IN METAL							
METAL	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
★★	TYPE A24R -BF41 						
	115	2,5	22,23	1	25	66752511	8717472814234
	125	2,5	22,23	1	25	66752512	8717472814258
	180	3,0	22,23	1	25	66752514	8717472814296
	230	3,0	22,23	1	25	66752515	8717472814319
	TYPE A24R -BF42 						
	115	2,5	22,23	1	25	66752521	8717472814395
	125	2,5	22,23	1	25	66752522	8717472814418
	180	3,0	22,23	1	25	66752524	8717472814456
	230	3,0	22,23	1	25	66752525	8717472814470
★	TYPE A24R -BF41 						
	115	2,5	22,23	1	25	664100201	8717574060355
	125	2,5	22,23	1	25	664100202	8717574060362
	150	2,5	22,23	1	25	664100203	8717574060379
	180	3,0	22,23	1	25	664100204	8717574060386
	230	3,0	22,23	1	25	664100205	8717574060393
TYPE A24R -BF42 							
	115	2,5	22,23	1	25	664100206	8717574060409
	125	2,5	22,23	1	25	664100207	8717574060416
	180	3,0	22,23	1	25	664100208	8717574060423
	230	3,0	22,23	1	25	664100209	8717574060430






 CUTTING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR USE IN STONE							
STONE	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
★	TYPE C30S-BF42						
	115	2,5	22,2	1	25	664100211	8717574060447
	125	2,5	22,2	1	25	664100212	8717574060454
	180	3,0	22,2	1	25	664100214	8717574060461
	230	3,0	22,2	1	25	664100215	8717574060478
	TYPE C30S-BF41						
	230	3,0	22,2	1	25	664100219	8717574060485

 GRINDING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR USE IN INOX AND METAL							
INOX	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
★★★	TYPE A24R-BF27						
	115	6,0	22,2	1	10	664100221	8717574060492
	125	6,0	22,2	1	10	664100222	8717574060508
	150	6,0	22,2	1	10	664100223	8717574060515
	180	6,0	22,2	1	10	664100224	8717574060522
	230	6,0	22,2	1	10	664100225	8717574060539

 GRINDING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR USE IN METAL							
METAL	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
★	TYPE A24R-BF27						
	115	6,0	22,2	1	10	664100231	8717574060546
	125	6,0	22,2	1	10	664100232	8717574060553
	150	6,0	22,2	1	10	664100233	8717574060560
	180	6,0	22,2	1	10	664100234	8717574060577
	230	6,0	22,2	1	10	664100235	8717574060584

ABRASIVE CUTTING AND GRINDING DISCS

 		SUITABLE FOR FUEL ENGINE DRIVEN CUT-OFF MACHINES FOR USE IN METAL					
METAL	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
		TYPE A36S-BF41 					
	300	3,5	20,0	1	10	664100246	8717574060621
	350	4,0	20,0	1	10	664100248	8717574060638

 		CUTTING DISCS FOR CHOP SAWS FOR USE IN METAL					
METAL	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
		TYPE A36S-BF41 					
	300	2,8	25,4	1	10	664100241	8717574060591
	350	2,8	25,4	1	10	664100242	8717574060607
	400	3,0	25,4	1	10	664100243	8717574060614






PROLINE FLAP / FIBRE DISCS





Hikoki flap discs are synonymous with excellent abrasion of material. You will achieve your goal faster as a result and the disc will remain easy cutting and abrasive over its entire lifetime. The flap disc is the perfect tool for demanding grinding and surface treatment jobs, such as edge chamfering, light stock removal, deburring, rust removal and weld blending.

The professional quality is suitable for rough and intermediate grinding in all fields of metalworking including grinding stainless steel, steel, cast iron, and sheet steel. A high lamellar lining on fibre glass pad for excellent lifetime and uniform grinding capacity. Cool and low vibration grinding for an optimal result and low noise level for comfortable grinding.



As an entry class we offer you the powerful Hikoki HSP series with optimized price quality ratio.

 FLAP DISCS FOR USE WITH ANGLE GRINDERS FOR USE IN INOX AND METAL							
INOX	Ø (mm)	Grit	Arbor hole (mm)	PQ	MOQ	Item number	Barcode
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 10px;">★★</div> <div style="flex-grow: 1;"> <p style="text-align: center;">TYPE ZK </p> </div> </div>							
	115	40	22,23	1	10	664100111	8717574059960
	115	60	22,23	1	10	664100112	8717574059977
	115	80	22,23	1	10	664100113	8717574059984
	115	120	22,23	1	10	664100114	8717574059991
	125	40	22,23	1	10	664100116	8717574060003
	125	60	22,23	1	10	664100117	8717574060010
	125	80	22,23	1	10	664100118	8717574060027
	125	120	22,23	1	10	664100119	8717574060034
	178	40	22,23	1	10	664100121	8717574060041
	178	60	22,23	1	10	664100122	8717574060058
	178	80	22,23	1	10	664100123	8717574060065
	178	120	22,23	1	10	664100124	8717574060072
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 10px;">★</div> <div style="flex-grow: 1;"> <p style="text-align: center;">TYPE ZK </p> </div> </div>							
	115	40	22,23	1	10	664100101	8717574059885
	115	60	22,23	1	10	664100102	8717574059892
	115	80	22,23	1	10	664100103	8717574059908
	115	120	22,23	1	10	664100104	8717574059915
	125	40	22,23	1	10	664100106	8717574059922
	125	60	22,23	1	10	664100107	8717574059939
	125	80	22,23	1	10	664100108	8717574059946
	125	120	22,23	1	10	664100109	8717574059953



FIBRE DISCS FOR USE WITH ANGLE GRINDERS

INOX	Ø (mm)	Grit	PQ	MOQ	Item number	Barcode
 	115	24	1	25	66753502	8717574002201
	115	36	1	25	66753503	8717574002218
	115	60	1	25	66753506	8717574002225
	115	80	1	25	66753507	8717574002232
	115	120	1	25	66753509	8717574002249
	125	24	1	25	66753512	8717574002256
	125	36	1	25	66753513	8717574002263
	125	60	1	25	66753516	8717574002270
	125	80	1	25	66753517	8717574002287
	125	120	1	25	66753519	8717574002294
	180	24	1	25	66753522	8717574002300
	180	36	1	25	66753523	8717574002317
	180	60	1	25	66753526	8717574002324
	180	80	1	25	66753527	8717574002331
	180	120	1	25	66753529	8717574002348

FIBRE DISCS FOR USE WITH ANGLE GRINDERS


METAL	Ø (mm)	Grit	PQ	MOQ	Item number	Barcode
 	115	24	1	25	66753172	8717472812674
	115	36	1	25	66753173	8717472812681
	115	60	1	25	66753176	8717472812698
	115	80	1	25	66753177	8717472812704
	115	120	1	25	66753179	8717472812711
	125	24	1	25	66753182	8717472812728
	125	36	1	25	66753183	8717472812735
	125	60	1	25	66753186	8717472812742
	125	80	1	25	66753187	8717472812759
	125	100	1	25	66753188	8717574058727
	125	120	1	25	66753189	8717472812766
	180	24	1	25	66753192	8717472812773
	180	36	1	25	66753193	8717472812780
	180	60	1	25	66753196	8717472812797
	180	80	1	25	66753197	8717472812803
	180	120	1	25	66753199	8717472812810

BACKING PADS FOR USE WITH FIBRE DISCS ON ANGLE GRINDERS


ISO 15636	Ø (mm)	Connection	PQ	MOQ	Item number	Barcode
MEDIUM-HARD BACKING PAD						
	115	M14	1	1	66753801	8717574002355
	125	M14	1	1	66753802	8717574002362
	180	M14	1	1	66753804	8717574002386
SOFT RUBBER BACKING PAD FOR MORE FLEXIBILITY						
	115	M14	1	1	66753806	8717574002393
	125	M14	1	1	66753807	8717574002409
	180	M14	1	1	66753809	8717574002416

All backing pads include nut.


PROLINE ACCESSORIES ANGLE GRINDERS

	Description	PQ	MOQ	Item number	Barcode
	Pin spanner Length 145 mm Pin diameter 4,85 mm Pitch pins 35 mm Suitable for grinders ≤ 125 mm	1	1	66711271	8717574050431
	Pin spanner Length 228 mm Pin diameter 5,5 mm Pitch pins 35 mm Suitable for grinders ≥ 150 mm	1	1	66711272	8717574050448


	Description	PQ	MOQ	Item number	Barcode
	Vibration absorbing side handle M10 thread for angle grinders up till 150 mm	1	1	66711281	8717574052381
	Vibration absorbing side handle M14 thread for angle grinders from 180 mm and bigger	1	1	66711282	8717574052398

	Description	PQ	MOQ	Item number	Barcode
	Side handle M10 thread for angle grinders up till 150 mm	1	1	66711283	8717574053555
	Side handle M14 thread for angle grinders from 180 mm and bigger	1	1	66711284	8717574053562



DUST FILTER FOR ANGLE GRINDERS

	Description	PQ	MOQ	Item number	Barcode
	<p>Detachable dust filter against coarse particles or chips to extend the life time of the machine Prevents small particles from entering the machine Filter can be cleaned easily and fast thanks to smooth exterior metal grid Filter can be assembled and disassembled tool-free.</p>	1	1	66750449	8717574058710

Suitable for Hikoki / Hitachi grinders G13BA/G13BY/G13YG and Metabo

	Description	PQ	MOQ	Item number	Barcode
	<p>Cord 5 meter 1,0 mm2 H07RN-F</p>	1	1	66714500	8717154654196
	<p>Cord 5 meter 1,5 mm2 H07RN-F</p>	1	1	66714520	8717154654202

PROLINE CARBIDE BURRS



High performance

Hikoki Tungsten Carbide Burrs are produced in an ISO certified facility, in compliance with the highest quality standards. This ensures outstanding quality, long service life, reliability and efficient stock removal. Hikoki burrs are designed to handle complex work piece configurations and deliver accuracy required for tight tolerance applications. The tools are precision ground on multi axis CNC grinding machines offering high performance meeting the demands of challenging materials such as aluminium, metal alloys, stainless steels etc.

Burr selection

First identify the most suitable burr shape to suit the application. Secondly choose the applicable size, keeping in mind that no more than 50% of the burr surface should be in contact with the work piece. Next step is to identify the correct type of cut to suit requirements and material. A Cut 3 is a fast mill cut for rapid stock removal of softer, non-ferrous materials and plastics. The Cut 6 double cut is suited for general purpose use in materials such as brass, copper, (un)hardened steels, cast iron, titanium etc. Finally, ensure that the selected burr is operated within the recommended speed range. Failure to comply may cause a safety hazard and may reduce performance of the burr.












DIN: ZYA A-SHAPE	DIN: ZYA-S B-SHAPE		DIN: WRC C-SHAPE	
Cut 6	Cut 3	Cut 6	Cut 3	Cut 6
6	6	6	6	6 8













DIN: KUD D-SHAPE		DIN: TRE E-SHAPE	DIN: RBF F-SHAPE		DIN: SPG G-SHAPE
Cut 3	Cut 6	Cut 6	Cut 3	Cut 6	Cut 6
6	6	6	6	6 8	6

Flame H-SHAPE	DIN: KEL L-SHAPE	DIN: SKM M-SHAPE
Cut 6	Cut 6	Cut 6
6	6	6













Suitable for Hikoki / Hitachi straight grinders GP2, GP3, GP5 and other brands

		d (mm)	Ø head (mm)	L head (mm)	L total (mm)	α (°)	PQ	MOQ	Item number	Barcode
SHAPE DIN 8033 "ZYA" / ISO "A"										
 	6	6	18	50	-	1	1	66780726	8717574054583	
	6	8	19	64	-	1	1	66780727	8717574054590	
	6	9,6	19	64	-	1	1	66780728	8717574054606	
	6	12,7	25	70	-	1	1	66780729	8717574054613	
	6	16	25	70	-	1	1	66780730	8717574054620	
SHAPE DIN 8033 "ZYA-S" / ISO "B"										
 	6	6	18	50	-	1	1	66780732	8717574044676	
	6	8	19	64	-	1	1	66780733	8717574044683	
	6	9,6	19	64	-	1	1	66780734	8717574044690	
	6	12,7	25	70	-	1	1	66780736	8717574044713	
SHAPE DIN 8033 "WRC" / ISO "C"										
 	6	6	18	50	-	1	1	66780739	8717574044720	
	6	8	19	64	-	1	1	66780740	8717574044737	
	6	9,6	19	64	-	1	1	66780741	8717574044744	
	6	12,7	25	70	-	1	1	66780743	8717574044768	
	8	8	19	64	-	1	1	66780791	8717574049923	
SHAPE DIN 8033 "KUD" / ISO "D"										
 	6	6	4,7	50	-	1	1	66780746	8717574044775	
	6	8	6	52	-	1	1	66780747	8717574044782	
	6	9,6	8	54	-	1	1	66780748	8717574044799	
	6	12,7	11	56	-	1	1	66780750	8717574044812	
SHAPE DIN 8033 "TRE" / ISO "E"										
 	6	6	10	50	-	1	1	66780753	8717574044829	
	6	8	15	60	-	1	1	66780754	8717574044836	
	6	9,6	16	60	-	1	1	66780755	8717574044843	
	6	12,7	22	67	-	1	1	66780756	8717574044850	

 		d (mm)	Ø head (mm)	L head (mm)	L total (mm)	α (°)	PQ	MOQ	Item number	Barcode
SHAPE DIN 8033 "RBF" / ISO "F"										
 	6	6	18	50	-	1	1	66780759	8717574044867	
	6	8	20	65	-	1	1	66780760	8717574044874	
	6	9,6	19	64	-	1	1	66780761	8717574044881	
	6	12,7	25	70	-	1	1	66780763	8717574044904	
	8	8	20	65	-	1	1	66780792	871774049930	
SHAPE DIN 8033 "SPG" / ISO "G"										
 	6	6	18	50	-	1	1	66780766	8717574044911	
	6	8	19	64	-	1	1	66780767	8717574044928	
	6	9,6	19	64	-	1	1	66780768	8717574044935	
	6	12,7	25	70	-	1	1	66780769	8717574044942	
SHAPE "FLAME" / ISO "H"										
 	6	6	14	50	-	1	1	66780772	8717574044959	
	6	8	19	64	-	1	1	66780773	8717574044966	
	6	9,6	19	64	-	1	1	66780774	8717574044973	
	6	12,7	32	77	-	1	1	66780775	8717574044980	
SHAPE DIN 8033 "KEL" / ISO "L"										
 	6	6	18	50	14°	1	1	66780778	8717574044997	
	6	8	25,4	70	14°	1	1	66780779	8717574045000	
	6	9,6	30	76	14°	1	1	66780780	8717574045017	
	6	12,7	32	77	14°	1	1	66780781	8717574045024	
SHAPE DIN 8033 "SKM" / ISO "M"										
 	6	6	20	50	14°	1	1	66780784	8717574045031	
	6	9,6	16	64	28°	1	1	66780785	8717574045048	
	6	12,7	22	71	28°	1	1	66780786	8717574045055	

CARBIDE BURRS

 		d (mm)	Ø head (mm)	L head (mm)	L total (mm)	α (°)	PQ	MOQ	Item number	Barcode
SHAPE DIN 8033 "ZYA-S" / ISO "B"										
 	6	12,7	25	70	-	1	1	66780735	8717574044706	
SHAPE DIN 8033 "WRC" / ISO "C"										
 	6	12,7	25	70	-	1	1	66780742	8717574044751	
SHAPE DIN 8033 "KUD" / ISO "D"										
 	6	12,7	11	56	-	1	1	66780749	8717574044805	
SHAPE DIN 8033 "RBF" / ISO "F"										
 	6	12,7	25	70	-	1	1	66780762	8717574044898	

	Contents	d (mm)	PQ	MOQ	Item number	Barcode
	5-Pcs Set consisting of: B - 9,6 x 19 / 64 mm C - 9,6 x 19 / 64 mm D - 9,6 x 8 / 54 mm E - 9,6 x 16 / 60 mm G - 9,6 x 19 / 64 mm	6	5	1	66780788	8717574045062
	10-Pcs Set consisting of: B - 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm C - 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm D - 12,7 x 11 / 56 mm E - 9,6 x 16 / 60 mm F - 12,7 x 25 / 70 mm G - 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm L - 12,7 x 32 / 77 mm	6	10	1	66780789	8717574045079
	40-Pcs Display consisting of: 2 x B - 6 x 18 / 50 mm 8 x 19 / 64 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2 x C - 6 x 18 / 50 mm 8 x 19 / 64 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2 x F - 6 x 18 / 50 mm 8 x 20 / 65 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2 x G - 6 x 18 / 50 mm 8 x 19 / 64 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2 x L - 6 x 18 / 50 mm 8 x 25 / 70 mm 9,6 x 30 / 76 mm 12,7 x 32 / 77 mm	6	40	1	66780790	8717574045086

CARBIDE BURRS

PROLINE BRUSHES



For both coarse work and those fine details

Removing rust is not the most pleasant job, nor is stripping paint from wood. Therefore Hikoki / Hikoki supplies a range of brushes that are especially suited to your needs: top quality enabling the work to be done more easily and faster. This applies to coarse work and also to the more detailed work when a straight grinder is of more use. The development and production of Hikoki / Hikoki brushes is part of an integrated quality management system. Only very high-quality raw materials that meet strict quality control tests are used for our brushes. New raw materials are systematically tested, and new models are developed. Each newly developed range is extensively tested so that the brushes immediately meet requirements.

Special applications

For example, for removing rust from metal you use a coarse wire brush suitable for angle grinders. Or in drills because Hikoki also supplies brushes in a model with a hexagonal fitting for use in your drill, or impact screwdriver.

For detailed grinding work there are wire brushes for use in straight grinders, ideal for work on small areas. Special brushes made with rust-proof vanadium wire have been developed for use on stainless steel. Nylon brushes are the solution for wooden surfaces or for thin metals.

HEXAGONAL CONNECTION
ALSO AVAILABLE!







 	Ø (mm)	Wire Thickness (mm)	Connec-tion	Grinder diameter	PQ	MOQ	Item number	Barcode
WHEEL BRUSH KNOTTED WIRE								
	115	0,5	22,2	115	1	1	66751301	8717154657098
	125	0,5	22,2	125	1	1	66751302	8717154657104
CUP BRUSH KNOTTED WIRE								
	65	0,35	M14	115	1	1	66751346	8717574000542
	65	0,5	M14	115	1	1	66751306	8717154657142
	80	0,5	M14	150	1	1	66751307	8717154657159
	100	0,5	M14	180	1	1	66751308	8717154657166
	110	0,5	M14	230	1	1	66751309	8717154657173
CUP BRUSH CRIMPED WIRE								
	60	0,3	M14	115	1	1	66751311	8717154657197
	75	0,3	M14	125	1	1	66751312	8717154657203
	80	0,3	M14	150	1	1	66751313	8717154657210
	100	0,3	M14	180	1	1	66751314	8717154657227
	125	0,3	M14	230	1	1	66751315	8717154657234
BEVEL BRUSH KNOTTED WIRE								
	100	0,5	M14	180	1	1	66751317	8717154657258
BEVEL BRUSH CRIMPED WIRE								
	100	0,3	M14	180	1	1	66751318	8717154657265




BRUSHES

INOX FOR PROCESSING OF INOX AND OTHER NON-FERROUS METALS

 	Ø (mm)	Wire Thickness (mm)	Connection	Grinder diameter	PQ	MOQ	Item number	Barcode
WHEEL BRUSH KNOTTED WIRE								
	115	0,5	22,2	115	1	1	66751305	8717154657135
CUP BRUSH KNOTTED WIRE								
	65	0,5	M14	115	1	1	66751310	8717154657180
CUP BRUSH CRIMPED WIRE								
	75	0,3	M14	125	1	1	66751316	8717154657241

 	Ø (mm)	Wire Thickness (mm)	Connection	PQ	MOQ	Item number	Barcode
WHEEL BRUSH CRIMPED WIRE							
	50	0,3	1/4" hexagonal	1	1	66751319	8717154657272
	75	0,3	1/4" hexagonal	1	1	66751320	8717154657289
	100	0,3	1/4" hexagonal	1	1	66751321	8717154657296
CUP BRUSH CRIMPED WIRE							
	50	0,3	1/4" hexagonal	1	1	66751322	8717154657302
	75	0,3	1/4" hexagonal	1	1	66751323	8717154657319

 	Ø (mm)	Wire Thickness (mm)	Connection	PQ	MOQ	Item number	Barcode
END BRUSH CRIMPED WIRE							
	25	0,3	1/4" hex	1	1	66751324	8717154657326
ROTARY FLAPPER BRUSH BRASS COATED							
	100	0,3	6 mm round	1	1	66751325	8717154657333
WHEEL BRUSH KNOTTED WIRE							
	75	0,5	6 mm round	1	1	66751326	8717154657340
WHEEL BRUSH GRITTYFLEX SPECIFICALLY SUITED FOR PROCESSING OF ALUMINIUM, BRASS, PLASTICS AND STEEL							
	75	Coarse (red wire)	1/4" hex	1	1	66751328	8717154657364
	75	Fine (blue wire)	1/4" hex	1	1	66751329	8717154657371
CUPBRUSH GRITTY FLEX, SPECIFICALLY SUITED FOR PROCESSING OF ALUMINIUM, BRASS, PLASTICS AND STEEL							
	75	Coarse (red wire)	1/4" hex	1	1	66751330	8717154657388
	75	Fine (blue wire)	1/4" hex	1	1	66751331	8717154657395

	Ø (mm)	Wire Thickness (mm)	Connection	PQ	MOQ	Item number	Barcode
END BRUSH KNOTTED WIRE							
	SUITED UP TO 22.000 RPM						
	20	0,26	6 mm round	1	1	66751340	8717472818898
	SUITED UP TO 20.000 RPM						
30	0,26	6 mm round	1	1	66751342	8717472818911	
WHEEL BRUSH CRIMPED WIRE FOR HIGH SPEED MACHINES, SUITED UP TO 15.000 RPM							
	50	0,2	6 mm round	1	1	66751327	8717154657357

BRUSHES

PROLINE CIRCULAR SAW BLADES



Good teeth make the difference

Hikoki circular saw blades have been developed to make your work easier, with almost no vibration, good chip removal, low noise level and high precision. To meet these conditions, the circular saw blades have been designed and manufactured in a specific way.

Firstly the circular saw blades are made from hardened and tempered steel, tipped with high quality fine grain carbide. Blades for melamine and laminate are tipped with sub micron grain, blades for cement board

with polycrystalline diamond and blades for inox with cermet teeth.

The expansion slots provide cooling and prevent excessive vibration and noise. This makes working with Hikoki circular saw blades a much more pleasant experience.

Combined with extra attention to the material

The blade core for Hikoki circular saw blades is laser cut. This gives the blade optimum accuracy and maximal flatness. The cutting

surfaces of the teeth are extra large and brazed with an extremely hard alloy of silver, and copper for extra strength and a long service life. In addition the entire blade is given a special 30C coating to prevent corrosion.

The arbor hole is also laser cut to give the best machine fit.

WOOD	Alternating teeth (ATB) for wood cutting applications. The very thin blades for cordless tools have alternating + flat FLR teeth.
LAMINATES	Combined Trapezoidal / Flat teeth (TR-F) for particularly precise fine cuts of the highest quality. For non-ferrous metals such as aluminium profiles, hardwood, laminated chipboard, plastic pipes and soft composite material.
INOX	Trapezium teeth (TCG) configuration made out of high quality Ceramic, allows these blades to be used in Inox and metal.
METAL	Trapezium teeth (TCG) for cutting all kinds of metal.
ALUMINIUM	Trapezium teeth (TCG) with a negative angle to cut precise in aluminium and laminates.
ABRASIVES	Polycrystalline Diamond (PCD) to withstand high impact and for extra long life when cutting abrasive materials.

HIKOKI CIRCULAR SAW BLADES

Material:	high quality hardened and tempered steel
Sizes:	from 150 to 335 mm Ø
Spindle holes:	from 16 to 30 mm Ø
Teeth material:	tungsten carbide cermet polycrystalline Diamond
Teeth type:	trapezium teeth (TCG) alternating teeth (ATB) alternating + flat (FLR) trapezoidal +flat (TR-F)
Usage:	all types of wood, laminate, aluminium, steel, stainless steel and abrasive for stationary and hand circular saws



CIRCULAR SAW BLADES FOR WOOD






Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
150	2,6	1,6	20/16	12	FC5SA1	1	1	66752401	8717472813077
150	2,6	1,6	20/16	24				66752402	8717472813084
150	2,6	1,6	20/16	36				66752403	8717472813091
160	2,6	1,6	20/16	18	Bosch/Festool	1	1	66752406	8717472813107
160	2,6	1,6	20/16	36				66752407	8717472813114
160	2,6	1,6	20/16	48				66752408	8717472813121
165	2,6	1,6	20	18	C6(B)UY Makita/Metabo	1	1	66752480	8717574014280
165	2,6	1,6	20	36				66752481	8717472813589
165	2,6	1,6	20	48				66752482	8717472813596
165	2,6	1,6	30/20	18	C6(B)U(2/3)(M)C6MFA/ Makita	1	1	66752416	8717472813169
165	2,6	1,6	30/20	36				66752417	8717472813176
165	2,6	1,6	30/20	48				66752418	8717472813183
170	2,6	1,6	30/20	18	Bosch/Festool/Elu	1	1	66752421	8717472813190
170	2,6	1,6	30/20	36				66752422	8717472813206
170	2,6	1,6	30/20	48				66752423	8717472813213
180	2,6	1,6	30/20	18	Festool/Holzher/Elu	1	1	66752426	8717472813220
180	2,6	1,6	30/20	36				66752427	8717472813237
180	2,6	1,6	30/20	48				66752428	8717472813244
185	2,6	1,6	30	18	C7U/C7BU	1	1	66752431	8717472813251
185	2,6	1,6	30	36				66752432	8717472813268
185	2,6	1,6	30	48				66752433	8717472813275
190	2,6	1,6	20	18	C7(B)UY Kress/Metabo	1	1	66752483	8717472813602
190	2,6	1,6	20	36				66752484	8717472813619
190	2,6	1,6	20	48				66752485	8717574014297
190	2,6	1,6	30	18	C7(B)U(2/3)(M)/C7MFA C7SS/Bosch/DeWalt Festool/Makita	1	1	66752436	8717472813282
190	2,6	1,6	30	36				66752437	8717472813626
190	2,6	1,6	30	48				66752438	8717472813299
210	2,6	1,6	30	18	C8U	1	1	66752441	8717472813305
210	2,6	1,6	30	36				66752442	8717472813312
210	2,6	1,6	30	60				66752443	8717472813329
230	2,8	1,8	30	18	Bosch	1	1	66752451	8717472813374
230	2,8	1,8	30	36				66752452	8717472813381
230	2,8	1,8	30	60				66752453	8717472813398
235	2,6	1,6	30	18	C9(B)U(2/3) Makita	1	1	66752456	8717472813404
235	2,6	1,6	30	24				66752455	8717574000382
235	2,6	1,6	30	36				66752457	8717472813411
235	2,6	1,6	30	60				66752458	8717472813428
240	2,8	1,8	30	18	PSM9/PSM9A Festool/DeWalt	1	1	66752461	8717472813442
240	2,8	1,8	30	36				66752462	8717472813459
240	2,8	1,8	30	48				66752463	8717472813466
335	2,8	1,8	30	24	C13U	1	1	66752476	8717472813541
335	2,8	1,8	30	40				66752477	8717472813558
335	2,8	1,8	30	60				66752478	8717472813565



The 230 – 335 mm saw blades have noise reducing lasered dentations

  **CIRCULAR SAW BLADES FOR LAMINATE AND MELAMINE** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
160	2,2	1,6	20	48	6 / 6-1/2" inch circular saw machines	1	1	664100001	8717574061048
160	2,2	1,6	20	56		1	1	664100002	8717574061055
160	2,2	1,6	30	48		1	1	664100003	8717574061062
160	2,2	1,6	30	56		1	1	664100004	8717574061079

   **EXTRA THIN CIRCULAR SAW BLADES, SPECIFICALLY SUITED FOR CORDLESS CIRCULAR SAWS** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
165	1,8	1,2	20	18	C6MEY/ C18DGL/ C18DBAL	1	1	66752414	8717574051872
165	1,8	1,2	20	36		1	1	66752415	8717574051889
165	1,8	1,2	30/20	18	C6DD/C18DL/ C18DMR/C18DSL	1	1	66752412	8717472813145
165	1,8	1,2	30/20	36		1	1	66752413	8717472813152

    **CIRCULAR SAW BLADES FOR INOX** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
185	2,0	1,6	20	48	CD7SA	1	1	66752435	8717574011968



This saw blade has noise reducing lasered dentations

  **CIRCULAR SAW BLADES FOR CUTTING METAL** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
185	2,0	1,6	20	48	CD7SA	1	1	66752434	8717574011951



This saw blade has noise reducing lasered dentations

   **CIRCULAR SAW BLADES FOR ALUMINIUM AND LAMINATES** 


Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
165	2,8	2,2	30/20	42	C6(B)U(2/3)(M) C6MFA/Makita	1	1	66752419	8717574000405
190	2,8	2,2	30	54	C7(B)U(2/3)(M)/C7MFA C7SS/Bosch/DeWalt- Festool/Makita	1	1	66752439	8717574000412
210	2,8	2,2	30	54	C8U	1	1	66752444	8717574000429
235	2,4	1,8	30	64	C9(B)U(2/3) Makita	1	1	66752459	8717472813435
335	2,5	1,8	30	84	C13U	1	1	66752479	8717472813572



The 235 – 335 mm saw blades have noise reducing lasered dentations


  **CIRCULAR SAW BLADES FOR WOOD** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
216	2,2	1,6	30	18	C8FC/C8FS/ C8FSE/C8FSHE DeWalt	1	1	66752446	8717472813336
216	2,2	1,6	36	66752447				8717472813343	
216	2,2	1,6	60	66752448				8717472813350	
255	2,5	1,8	30	24	C10FCB/C10FCH/ C10FCH2/C10FSB/ C10FSH/C10RA	1	1	66752466	8717472813473
255	2,5	1,8	48	66752467				8717472813480	
255	2,5	1,8	60	66752468				8717472813497	
305	2,8	1,8	30	24	C12FCH/C12LC/ C12LCH/C12LSH/ C12RSH/C12YA/C12YB	1	1	66752486	8717472819758
305	2,8	1,8	40	66752487				8717472819765	
305	2,8	1,8	60	66752488				8717472819772	

 These saw blades have noise reducing lasered dentations


    **CIRCULAR SAW BLADES FOR INOX** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
305	2,2	1,8	25,4	60	CD12F	1	1	66752473	8717574017380
305	2,2	1,8	25,4	80		1	1	664100006	8717574061086

 These saw blades have noise reducing lasered dentations


  **CIRCULAR SAW BLADES FOR STEEL** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
305	2,2	1,8	25,4	60	CD12F	1	1	66752471	8717472813527

 This saw blade has noise reducing lasered dentations

   **CIRCULAR SAW BLADES FOR ALUMINIUM AND LAMINATES** 

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	For use with	PQ	MOQ	Item number	Barcode
216	2,8	2,2	30	60	C8FC/C8FS/C8FSE/ C8FSHE/DeWalt	1	1	66752449	8717472813367
255	2,8	2,2	30	60	C10FCB/C10FCH/ C10FSB/C10FSH/ C10RA	1	1	66752469	8717472813503
255	2,8	2,2	30	80				66752470	8717472813510
305	2,8	2,2	30	96	C12FCH/C12LC/ C12LCH/C12LSH/ C12RSH/C12YA/C12YB	1	1	66752489	8717472819789


 These saw blades have noise reducing lasered dentations

REDUCTION RINGS

Diameter outside (mm)	Diameter inside (mm)	Size (mm)	PQ	MOQ	Item number	Barcode
30,0	16,0	1,4	1	1	66752491	8717472815217
30,0	20,0	1,4	1	1	66752493	8717472815231
30,0	25,0	1,4	1	1	66752494	8717472815248

CIRCULAR SAW BLADES

PROLINE CIRCULAR SAW BLADES POLY CRISTALLINE DIAMOND



The Hikoki Poly Cristalline Diamond (PCD) saw blades consists of a steel body on which hard metal elements are soldered on which a diamond coating is sintered. The result is a tooth that is three times harder than tungsten carbide and reaches a multiple of cuts lives in suitable materials. Over many years, the PCD saw blades have proven their value in chipboard, fiber boards

as well as in abrasive materials. Due to the extended life time, they are an economic efficient tool for these applications.

The technical design of these saw blades is created to establish an excellent chip removal thanks to the large chip evacuation gap and an easy and fast cutting due to the large cutting angle of the teeth. Thanks to

the thin kerf blade a fast and clean cut is reached and the user is exposed to less dust.

The PCD saw blades are extremely suitable for trimming and finish cuts in cement-bound boards, gypsum boards, Corian, melamine, laminate, MDF, and other particle boards and thermosetting plastics.




CIRCULAR SAW BLADES FOR CEMENT-BONDED BOARDS, GYPSUM AND MDF									
	Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	PQ	MOQ	Item number	Barcode
	160	2,2	1,6	20	8	1	1	664100011	8717574061093
	160	2,2	1,6	30	8	1	1	664100012	8717574061109
	180	2,2	1,6	30	8	1	1	664100013	8717574061116
	190	2,2	1,6	20	8	1	1	664100014	8717574061123
	190	2,2	1,6	30	8	1	1	664100015	8717574061130
	230	2,2	1,6	30	15	1	1	664100017	8717574061154

CIRCULAR SAW BLADES FOR CEMENT-BONDED BOARDS, GYPSUM AND MDF									
	Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Number of teeth	PQ	MOQ	Item number	Barcode
	210	2,2	1,6	30	12	1	1	664100016	8717574061147
	250	2,2	1,6	30	16	1	1	664100018	8717574061161
	300	2,2	1,6	30/25,4	20	1	1	664100019	8717574061178



These saw blades have noise reducing lasered dentations


WORKSTATIONS

	Description	PQ	MOQ	Item number	Barcode
	Workstation UU610CZ Suitable for all Hikoki / Hitachi mitre and chop saw machines except C12-models Size of the extended stand: 150 x 84 x 87 cm (LxWxH) Weight excl. machine: 17,3 kg Maximum load: 225 kg Maximum length of material to be cut: 3,66 m	1	1	66712600	8717574002447
	Tool mount kit for UU610CZ For quick change of different machines on same stand	1	1	66712605	8717574004625
	Universal workstation Suitable for all Hikoki / Hitachi mitre and chop saw machines Size of the extended stand: 142 x 65 x 92 cm (LxWxH) Weight excl. machine: 27,7 kg Maximum load: 136 kg Maximum length of material to be cut: 2,4 m	1	1	66712650	8717574042542
	Tool mount kit for universal workstation For quick change of different machines on same stand	1	1	66712651	8717574042559




CIRCULAR SAW BLADES

GUIDE RAIL FOR CIRCULAR SAW MACHINES

	Description	Dimensions (mm)	PQ	MOQ	Item number	Barcode
	Guide rail for circular saw machines	800 x 180	1	1	66711231	8717574043747
	Equipped with slide profile for easy movement of machine	1400 x 180	1	1	66711232	8717574043754

The Hikoki / Hitachi C6/C7 UY can be used directly onto the guide rail
To use the C6/C7(B)U(2) with the guide rail, the adapter 317848 needs to be used

GUIDE RAIL FOR CIRCULAR SAW MACHINES C6(B)UM AND C7(B)UM





	Description	Dimensions (mm)	PQ	MOQ	Item number	Barcode
	Guide rail for circular saw machines	800 x 168	1	1	66370105	4549115122055
	Equipped with slide profile for easy movement of machine	1400 x 168	1	1	66370106	4549115122062

To use the C6(B)U3 with the guide rail, the adapter 330998 needs to be used.




To use the C7(B)U3 with the guide rail, the adapter 331762 needs to be used.

Also fully interchangeable with Festool and Makita

ACCESSORIES FOR GUIDE RAIL

	Description	Dimensions (mm)	PQ	MOQ	Item number	Barcode
	Nylon carrying bag suitable for two guide rails and accessories	1500 x 220	1	1	66711236	8717574043556
	Steel screw clamp for guide rail	120	1	1	66711237	8717574043693
	Steel lever clamp for guide rail	160	1	1	66711238	8717574043709
	Adapter to connect two guide rails	400	1	1	66711239	8717574047677

SPARE PARTS FOR GUIDE RAIL

	Description	Dimensions (mm)	PQ	MOQ	Item number	Barcode
		1 711251 2 pieces on 370105/370106 and 3 pieces on 711231/711232 2 711252 (not applicable on 370105/370106) 3 711253 4 711254				
	Slide profile for guide rail	1400 x 12	1	1	66711251	8717574047301
	Foam strip for guide rail	1400 x 12 x 2,5	1	1	66711252	8717574047318
	Rubber strip for guide rail	1400 x 20 x 2	1	1	66711254	8717574047332

Cut length 1400 mm to suit 800 mm guide rail



PROLINE JIGSAW BLADES



Working with Hikoki

Circles, straight lines, holes and trimming - with Hikoki jigsaw blades you can cut just about any shape. Hikoki has created a wide range of jigsaw blades for all jobs in many types of material and for all imaginable applications. Straight cuts, fine cuts, without splintering or at high speed - almost anything is possible.

Hikoki jigsaw blades are extremely strong and durable, thanks to the use of high-quality materials.

Material

High Carbon Steel (HCS) is used to cut softer materials such as wood, plastic and plastic-coated chipboard.

High Speed Steel (HSS) fully hardened saw blades are used to cut harder materials such as metal, aluminum and non-ferrous metals.

Bi-Metal (BiM) blades are the perfect combination of a durable HSS strip welded on a flexible HCS base. This type of blade is used if there is a risk of shank breakage. Especially suitable for use in hardwood, hard plastics and various types of metal.

Tungsten Carbide (HM/TC) saw blades are powerful thanks to the high abrasion resistance of carbide. The different types vary from carbide tip, strip and grit, available for cutting stainless steel, glass fiber reinforced plastics and even tiles.


Blade Production

Milling: The saw blade is milled giving a faster production time. The teeth are quite rough and will cut almost all materials at high speed.


Grinding: The grinding process gives finer teeth and therefore a finer cut of better quality suitable for fine materials. The rake of the teeth also plays a role and prevents the saw blade jamming in the material being cut.

Teeth Geometry


Milled Side set: The teeth are set out of line with each other to speed up sawing. Result is a relatively rough cut.




Milled Wavy set: The teeth are wavy set. This provides a finer cut in almost all materials.



Ground Side set: The blade is ground and therefore the teeth are sharper, for fast rough cuts in wood.



Taper ground/ Conical: The blade is ground to a taper shape which enables kerf clearance. The sharp teeth achieve a fine precise cut in wood and plastic.



Progressive: This saw blade is executed with a progressively increasing tooth pitch, which combines good sawing speed with a smooth finish.

We have selected the most suitable blades for a wide range of materials. These can be easily selected by the color-coding system and pictograms mentioning the specific usage and application.




NAVIGATING INSTRUCTIONS

In the chart on the first pages the entire range of Hikoki jigsaw blades and their application is depicted. When navigating based on your specific application, you can easily find which product suits your demands best, accompanied by its technical specifications.















The subsequent pages show you detailed product specifications of all Hikoki jigsaw blades, classified by application. In the subsequent blade descriptions, the first number in size markings expresses total length, followed by toothed length. The actual useful length depends on brand and type of the machine employing the blade.






INOX	The TC-strip configuration allows these blades to be used in Inox sheet metal, hardened screws and nails up to maximum 50HRC.
METAL	Bi-Metal saw blades for cutting softer- and non-ferrous metals.
WOOD + METAL	Saw blade with progressive Bi-Metal teeth enable fast wood cutting and sawing of non-hardened screws and nails.
WOOD	For wood cutting applications the coarse and sharpened teeth give optimal results. Use a BiM blade for cutting hard wood.
ABRASIVES	Carbide gritted blades for cutting tiles and Carbide Tipped blades for cutting plaster board, glass fiber reinforced plastics/epoxy and fiber cement boards.







































Technical specifications ● pre-eminently suitable for

			Bosch equivalent	Total length	Toothed length	Height	Thickness	Pitch		Material	Stainless steel	Metal plate, pipes, profiles	Sheet metal
	Type	Item Nr.		mm	mm	mm	mm	mm	TPI				
INOX	JM18I	66750011	T118EHM	82,6	56,0	9,3	1,0	1,4	18	HM/TC	●		
METAL	JM12B	66750090	T121GF	91,5	68,0	9,7	0,9	0,8	32	BIM			0,5-1,5 mm
	JM13B	66750091	T121AF	91,5	68,0	9,7	0,9	1,1	24	BIM			1-3 mm
	JM10	66750038	T118A	91,5	65,0	7,5	1,0	Progress.	17-24	HSS			1-3 mm
	JM10B	66750039	T118AF	91,5	65,0	7,5	1,0	Progress.	17-24	BIM			1-3 mm
	JM40B	66750089	T318AF	132,0	105,0	7,5	1,0	1,1	24	BIM			1-3 mm
	JPM20	66750033	T123XF	100,4	75,0	8,6	1,0	Progress.	10-20	BIM			1,5-10 mm
	JM11	66750040	T118B	91,5	65,0	7,5	1,0	Progress.	11-14	HSS			2,5-6 mm
	JM11B	66750041	T118BF	91,5	65,0	7,5	1,0	Progress.	11-14	BIM			2,5-6 mm
	JM41B	66750032	T318BF	132,0	105,0	7,5	1,0	1,8	14	BIM			2,5-6 mm
	JM80B	66750088	T1018AFP	250,0	220,0	16,0	1,6	1,1	24	BIM			
	JM20	66750012	T127D	100,4	75,0	7,5	1,0	3,0	8	HSS			3-15 mm
	JUM10	66750026	U118A	70,0	50,0	7,5	0,8	1,1	24	HSS			1-3 mm
JUM11	66750025	U118B	70,0	50,0	7,5	1,0	1,8	14	HSS			2,5-6 mm	
WOOD + METAL	JPU10	66750031	T345XF	132,0	105,0	10,0	1,25	Progress.	5-10	BIM		●	
WOOD	JW10C	66750036	T101AO	76,6	54,0	4,7	1,25	1,4	18	HCS			
	JW30	66750042	T119B	91,5	65,0	7,5	1,0	Progress.	11-14	HCS			
	JPW30	66750029	T234X	116,5	90,0	9,2	1,5	Progress.	8-12	HCS			
	JW10R	66750019	T101BR	100,4	75,0	7,2	1,5	2,5	10	HCS			
	JW10	66750044	T101B	100,4	75,0	7,2	1,5	2,5	10	HCS			
	JW20	66750021	T111C	100,4	75,0	7,5	1,25	3,0	8	HCS			
	JW40	66750043	T144D	100,4	75,0	7,2	1,25	Progress.	5-8	HCS			
	JW50	66750046	T244D	100,4	75,0	6,0	1,25	Progress.	5-8	HCS			
	JW40L	66750028*	T344DP	132,0	107,0	7,2	1,7	4,0	6	HCS			
	JW80	66750087	T1044DP	250,0	220,0	16,0	1,6	4,0	6	HCS			
	JW11	66750045	T101D	100,4	75,0	7,2	1,5	Progress.	5-8	HCS			
	JW60	66750027	T301CD	116,5	90,0	7,2	1,5	3,0	8	HCS			
	JW10F	66750037	T101AIF	100,4	74,0	7,5	1,25	1,7	15	BIM			
	JUW10	66750024	U101B	91,5	70,0	7,2	1,25	2,5	10	HCS			
JUW20	66750023	U111C	91,5	70,0	7,5	1,25	3,0	8	HCS				
ABRASIVES	JC10	66750047	T130RF	82,6	56,0	8,0	0,8	Gritted Grain 30		HM/TC			
	JA10	66750030	T141HM	100,4	75,0	7,4	1,25	4,0	6	HM/TC			
	JA20	66750085	T341HM	132,0	107,0	7,4	1,25	4,0	6	HM/TC			



























* = not suitable for use with CJ65V3









Closed pipes, profiles	Aluminium	Sandwich material	Metal sandwich materials	Construction timber with nails	Softwood, boards	Plastic	Plywood	Parquet	Coarse wood	Laminate boards	Plaster board	Fiber cement	Ceramic walltiles
													
		< 65 mm	< 150 mm	< 65 mm		epoxy		± 2-30 mm					± 5-15 mm
< 65 mm	< 65 mm												
< 30 mm	< 30 mm												
< 65 mm	< 65 mm	•				< 65 mm							
	< 30 mm		•			< 30 mm							
	3-10 mm			•		< 65 mm			< 65 mm				
					1,5-15 mm		1,5-15 mm			2-30 mm			
					2-15 mm		2-15 mm						
					2-65 mm								
					3-30 mm					3-30 mm			
					3-30 mm	<30 mm							
					4-50 mm								
					5-50 mm								
					5-50 mm								
					5-100 mm				<100 mm				
					5-150 mm				<150 mm				
					10-45 mm								
					10-65 mm								
					2-30 mm	< 30 mm		•		2-30 mm			
					3-30 mm	< 30 mm							
					4-50 mm								
						5-20 mm					5-50 mm	•	•
						5-50 mm					5-80 mm	•	








INOX		Type number	PQ	MOQ	Item number	Barcode	
		JM18I	2	1	66750011	8717472818119	
	± 2-5 mm	 18 TPI 1.4 mm	82,6 / 56,0 x 9,3 x 1,0 mm				 
							












































METAL		Type number	PQ	MOQ	Item number	Barcode	
		JM12B	5	1	66750090	8717574050707	
	± 0.5-1.5mm	 32 TPI 0.8 mm	91,5 / 68,0 x 9,7 x 0,9 mm				  
							
		JM13B	5	1	66750091	8717574050714	
	± 1-3mm	 24 TPI 1.1 mm	91,5 / 68,0 x 9,7 x 0,9 mm				  
							
		JM10	5	1	66750038	8717472816047	
			25	1	66750181	8717574051032	
	± 1-3 mm	 17-24 TPI progressive	91,5 / 65,0 x 7,5 x 1,0 mm				 
							
		JM10B	5	1	66750039	8717472816061	
	± 1-3 mm	 17-24 TPI progressive	91,5 / 65,0 x 7,5 x 1,0 mm				 
							
		JM40B	5	1	66750089	8717574050691	
	± 1-3 mm	 24 TPI 1.1 mm	132,0 / 105,0 x 7,5 x 1,0 mm				 
	< 65 mm						
							
		JPM20	5	1	66750033	8717154654028	
	± 1.5-10 mm	 10-20 TPI progressive	100,4 / 75,0 x 8,6 x 1,0 mm				   
	< 30 mm						
							

JIGSAW BLADES
























METAL		Type number	PQ	MOQ	Item number	Barcode	
		JM11	5	1	66750040	8717472816085	
		91,5 / 65,0 x 7,5 x 1,0 mm					
							
		JM11B	5	1	66750041	8717472816108	
		91,5 / 65,0 x 7,5 x 1,0 mm					
							
		JM41B	5	1	66750032	8717154654011	
		132,0 / 105,0 x 7,5 x 1,0 mm					
							
							
		JM80B	3	1	66750088	8717574050684	
		250,0 / 220,0 x 16,0 x 1,6 mm					
							
		JM20	5	1	66750012	8717154654004	
		100,4 / 75,0 x 7,5 x 1,0 mm					
							
							











METAL		Type number	PQ	MOQ	Item number	Barcode	
		JUM10	5	1	66750026	8717154654073	
		70,0 / 50,0 x 7,5 x 0,8 mm					
							
		JUM11	5	1	66750025	8717154654080	
		70,0 / 50,0 x 7,5 x 1,0 mm					
							






















WOOD + METAL		Type number	PQ	MOQ	Item number	Barcode	
		JPU10	5	1	66750031	8717154653939	
		132,0 / 105,0 x 10,0 x 1,25 mm					
							
							





WOOD		Type number	PQ	MOQ	Item number	Barcode		
		JW10C	5	1	66750036	8717154659153		
  		 76,6 / 54,0 x 4,7 x 1,25 mm						 HCS
								
		JW30	5	1	66750042	8717472816122		
 		 91,5 / 65,0 x 7,5 x 1,0 mm						 HCS
								
		JPW30	5	1	66750029	8717154653915		
		 116,5 / 90,0 x 9,2 x 1,5 mm					   HCS	
								
		JW10R	5	1	66750019	8717154653885		
			25	1	66750182	8717574051049		
 		 100,4 / 75,0 x 7,2 x 1,5 mm						 HCS
								
		JW10	5	1	66750044	8717472816160		
			25	1	66750183	8717574051056		
 		 100,4 / 75,0 x 7,2 x 1,5 mm						 HCS
								
		JW20	5	1	66750021	8717154653830		
			25	1	66750184	8717574051063		
		 100,4 / 75,0 x 7,5 x 1,25 mm					  HCS	
								
		JW40	5	1	66750043	8717472816146		
			25	1	66750185	8717574051070		
		 100,4 / 75,0 x 7,2 x 1,25 mm					  HCS	
								
		JW50	5	1	66750046	8717472816207		
		 100,4 / 75,0 x 6,0 x 1,25 mm					  HCS	
								

JIGSAW BLADES

WOOD		Type number	PQ	MOQ	Item number	Barcode				
		JW40L	5	1	66750028	8717154653861				
 ±5-100 mm	 <100 mm	 6 TPI 4 mm	132,0 / 107,0 x 7,2 x 1,7 mm				 HCS			
										
 ±5-150 mm	 <150 mm	 6 TPI 4 mm	JW80	3	1	66750087	8717574050677			
										
 ±10-45 mm		 5-8 TPI progressive	JW11	5	1	66750045	8717472816184			
										
 ±10-65 mm		 8 TPI 3.0 mm	JW60	5	1	66750027	8717154653908			
										
 <30 mm	 2-30 mm	 ±2-30 mm	 ±2-30 mm		 15 TPI 1.7 mm	JW10F	5	1	66750037	8717154659160
										

WOOD		Type number	PQ	MOQ	Item number	Barcode	
		JUW10	5	1	66750024	8717154654066	
 ±3-30 mm	 <30 mm	 10 TPI 2.5 mm	91,5 / 70,0 x 7,2 x 1,25 mm				 HCS
							
 ±4-50 mm		 8 TPI 3.0 mm	JUW20	5	1	66750023	8717154654059
							

ABRASIVES		Type number	PQ	MOQ	Item number	Barcode	
		JC10	2	1	66750047	8717472817938	
		82,6 / 56,0 x 8,0 x 0,8 mm					 
							
		JA10	2	1	66750030	8717154653922	
				100,4 / 75,0 x 7,4 x 1,25 mm			 
							
		JA20	3	1	66750085	8717574014242	
				132,0 / 107,0 x 7,4 x 1,25 mm			 
							

METAL		Description	PQ	MOQ	Item number	Barcode
						
		10-Pcs assorted blades cassette, consisting of: 2 x JW20 2 x JW40 1 x JW10C 2 x JW10 1 x JW10R 2 x JM10	10	1	66750049	8717154659177

JIGSAW BLADES



PROLINE RECIPROCATING SAW BLADES

A comprehensive range

Complementing its professional electrical tools Hikoki offers a full range of blades for reciprocating saws.

Optimal results through optimal quality

No concessions have been made concerning quality; Hikoki reciprocating saw blades are fit for a huge range of applications. Whether it's cutting through thick surfaces or cutting off a piece of pipe, Hikoki has developed specific types of blade for any kind of shape and any object material.

The materials

This focus on quality shows in the selection of blade materials.

- HCS Saw blades manufactured high carbon steel. Specifically developed for cutting softer materials, like wood, laminate boards, and plastics.
- HAS Saw blades manufactured with quality steel, suited for processing of non-ferrous metal, light stone types, and wood with nails.
- BiM Extremely flexible bimetal saw blades. Features a "Matrix II" teeth setting for high speed cutting. Suitable for pipes, profiles and corrugated materials.
- HM/TC Saw blades with an extended life span. For cutting stainless steel, fiberglass materials, construction materials and other hard materials.
- INOX Non-lacquered inox blade for cutting ice, frozen meat and game.

Curved blades

Hikoki offers already for many years the highly appreciated curved blades. An aggressive blade design with special radius optimizes the blade's angle of attack for faster cutting in a variety of metals. Especially well-suited for heavy-duty applications in steel and stainless steel.

Highly specialized application

Hikoki Power Tools has developed a number of unique reciprocating saw blades for specific applications. You can find these specific details on the packaging.

Flexible

Types 752012 and 752022 provide the desired flexibility for use in confined spaces.

Progressor

The special cutting teeth setting of types 752018, 752024 and 752033 enable extremely fast and 'shatter proof' cutting.

Gritted

Type 752039 offers a grinding type of saw blade, specifically suited for working glass and sewer pipes.

Suited for the more common brands of electrical reciprocating saws

Hikoki saw blades are made for operating with the universal 1/2" fixing mechanism. This makes them suitable for use with a wide range of brands of saw. Suitability for different brands is shown on the packaging.

NAVIGATING INSTRUCTIONS

In the chart on the first pages of this section, the entire range of Hikoki reciprocating saw blades and their applications is depicted. When navigating based on your specific application demand, you can easily find which product suits your demands best, accompanied by its technical specifications.






The subsequent pages show you detailed product specifications of all Hikoki reciprocating saw blades, classified by application type.

In the subsequent blade descriptions, the first number in size markings expresses total length, followed by toothed length. The actual useful length is dependent on brand and type of the machine employing the blade.

INOX	The special teeth configuration allows the curved blades to cut stainless steel without a problem. The blade with TC strip is well suited for thin stainless profiles and sheets.
METAL	Bi-Metal saw blades for cutting normal steel- and non-ferrous metals. The 2x2 teeth setting is optimized for heavy-duty applications and thick work pieces.
WOOD + METAL	Saw blades with bigger Bi-Metal teeth enable fast cutting of wood containing non-hardened screws and nails. Use specifically for wood with steel elements or hardened nails the (HM) carbide tipped blades.
WOOD	For wood cutting applications, the coarse pitch and ground teeth give optimal results.
MASONRY	Carbide tipped blades for cutting red brick, porous concrete and fiber cement boards.
SPECIAL	To encounter specific saw applications, this range offers blades varying from cutting cast iron, ice/ frozen meat and plaster through isolation materials, cardboard and carpets.

Technical specifications:






- Pre-eminently suitable for
- Also suitable for



















	Type	Item no.	Bosch equivalent	Dimensions				Pitch	Material	Stainless steel	Metals	Sheet metals	Perf. sheet metal	
				Total length	Toothed length	Height	Thickness							
				mm	mm	mm	mm	mm	TPI					
INOX	RCM30B	66752043	---	150,0	128,5	19,0	0,90	1,8	14	BiM	●	●		
	RCM40B	66752044	---	200,0	178,5	19,0	0,90	1,8	14	BiM	●	●		
	RCM50B	66752045	---	250,0	228,5	19,0	0,90	1,8	14	BiM	●	●		
	RS10	66752035	S518EHM	115,0	93,5	19,0	1,25	1,4	18	HM/TC	●	○		
METAL	RCM31B	66752676	---	150,0	128,5	19,0	0,90	1,8	14	BiM		●	○	
	RCM41B	66752677	---	225,0	203,5	19,0	0,90	1,8	14	BiM		●	○	
	RCM32B	66752678	---	150,0	128,5	19,0	0,90	1,8-2,6	10-14	BiM		●	○	
	RCM42B	66752679	---	225,0	203,5	19,0	0,90	1,8-2,6	10-14	BiM		●	○	
	RM39B	66752681	S921CHF	150,0	128,5	25,0	1,10	2,5-3,0	8-10	BiM		●		●
	RM49B	66752682	S1121CHF	225,0	203,5	25,0	1,10	2,5-3,0	8-10	BiM		●		●
	RM38B	66752683	S921BEF	150,0	128,5	25,0	1,10	1,4-1,8	14-18	BiM		●	○	●
	RM48B	66752684	S1121BEF	225,0	203,5	25,0	1,10	1,4-1,8	14-18	BiM		●	○	●
	RM44B	66752021	S1120CF	225,0	203,5	22,0	1,60	2,5-3,0	8-10	BiM		●		
	RM37B	66752020	S920CF	150,0	128,5	22,0	1,60	2,5-3,0	8-10	BiM		○		
	RM50B	66752019	S1025VF	200,0	178,5	19,0	1,25	1,8-2,6	10-14	BiM		●	○	
	RPM30B	66752018	S123XF	150,0	128,5	19,0	0,90	Progress.	8-14	BiM		●	○	
	RM43B	66752017	S1122BF	225,0	203,5	19,0	0,90	1,8	14	BiM		●	○	
	RM36B	66752016	S922BF	150,0	128,5	19,0	0,90	1,8	14	BiM		●	●	
	RM42B	66752014	S1122EF	225,0	203,5	19,0	0,90	1,4	18	BiM		●	●	
	RM35B	66752013	S922EF	150,0	128,5	19,0	0,90	1,4	18	BiM		●	○	
	RM34B	66752012	S922AF	150,0	128,5	19,0	0,90	1,0	24	BiM		●	●	
RM11B	66752015	S422BF	100,0	78,5	8,0	0,90	1,8	14	BiM		●			
WOOD + METAL	RPD33B	66752685	S956XHM	150,0	128,5	25,0	1,25	Progress.	6-8	HM/TC				
	RPD43B	66752686	S1156XHM	225,0	203,5	25,0	1,25	Progress.	6-8	HM/TC				
	RW50B	66752027	S1411DF	305,0	283,5	19,0	1,25	4,0	6	BiM				
	RD50B	66752028	S1110DF	225,0	203,5	22,0	1,60	4,0	6	BiM		○		
	RD31B	66752025	S611DF	150,0	128,5	19,0	1,25	4,0	6	BiM				
	RD32B	66752026	S711DF	150,0	128,5	12,0	1,25	4,0	6	BiM				
	RPD40B	66752024	S3456XF	200,0	178,5	19,0	1,25	Progress.	6-12	BiM		●		
	RD70B	66752023	S1222VF	305,0	283,5	19,0	0,90	1,8-2,6	10-14	BiM		●		
	RD30B	66752022	S922VF	150,0	128,5	19,0	0,90	1,8-2,6	10-14	BiM		●	○	
RD40B	66752048	S1122HF	225,0	203,5	19,0	0,90	2,5	10	BiM					






























RECIPROCATING SAW BLADES





























Technical specifications:

- Pre-eminently suitable for
- Also suitable for















































































			Bosch equivalent	Dimensions				Pitch	Material	Steel pipes, cast pipes	Fibre materials	PVC / plastic materials	Solid wood	
				Total length	Toothed length	Height	Thickness							
Type	Item no.			mm	mm	mm	mm	mm	TPI					
WOOD	RPW80	66752033	S2345X	200,0	178,5	19,0	1,25	Progress.	6-10	HCS			○	●
	RW30	66752032	S1531L	240,0	218,5	19,0	1,50	5,0	5	HCS				○
	RW70	66752031	S1344D	305,0	283,5	19,0	1,25	4,0	6	HCS			●	●
	RW10	66752030	S644D	150,0	128,5	19,0	1,25	4,0	6	HCS			●	●
	RW60	66752029	S1111K	225,0	203,5	19,0	1,25	8,5	3	HCS				○
MASON- RY	RB50	66752040	S1543HM	240,0	193,5	22,0	1,50	12,7	2	HM/TC				
	RB70	66752041	S1243HM	305,0	283,5	50,0	1,50	12,7	2	HM/TC				
	RB90	66752042	S2243HM	457,0	432,2	50,0	1,50	12,7	2	HM/TC				
SPECIAL	RC10	66752039	S1130RIFF	225,0	203,5	19,0	1,25	Gritted Grain 30		HM/TC	●	○		
	RW20	66752034	S828D	150,0	128,5	19,0	1,00	4,0	6	HAS				
	RS72	66752687	S1211K	305,0	283,5	19,0	1,25	8,5	3	INOX				○
	RS70	66752037	S1241HM	305,0	283,5	22,0	1,50	8,5	3	HM/TC		●	●	
	RS80	66752038	S2041HM	400,0	378,5	22,0	1,50	12,7	2	HM/TC		●	●	
	RS74	66752688	S1213AWP	305,0	283,5	22,0	1,5	Serrated Knife		HCS				
	RS84	66752689	S2013AWP	400,0	378,5	45,0	1,5	Serrated Knife		HCS				



























	Chipboard	Plywood / wood combinations	Green wood	Lime-stone	Poroton	Sandwich materials / cement bonded chip-board	Plaster board	Aerated	Bricks	Tiles	Drywall	Ceramic wall tiles	Karpet	Isolation	Cardboard	Leather	Ice	Meat
																		
	•		•															
	○	○																
	○		•															
				•	•													
				•	•				○	○	○	○						
								•			•						•	•
						○	○	•	○	○	○							
						○	○	•	○	○	○		•	•	○	○		
													•	•	○	○		

















INOX		Type number	PQ	MOQ	Item number	Barcode
		RCM30B	3	1	66752043	8717574003505
		 150,0 / 128,5 x 19,0 x 0,9 mm				
						
		RCM40B	3	1	66752044	8717574003512
		 200,0 / 178,5 x 19,0 x 0,9 mm				
						
		RCM50B	3	1	66752045	8717574003529
		 250,0 / 228,5 x 19,0 x 0,9 mm				
						
		 115,0 / 93,5 x 19,0 x 1,25 mm				  
						

METAL		Type number	PQ	MOQ	Item number	Barcode
		RCM31B	5	1	66752676	8717574053661
	 	 150,0 / 128,5 x 19,0 x 0,9 mm				
						
		RCM41B	5	1	66752677	8717574053678
	 	 225,0 / 203,5 x 19,0 x 0,9 mm				
						
		RCM32B	5	1	66752678	8717574053685
	 	 150,0 / 128,5 x 19,0 x 0,9 mm				
						
		RCM42B	5	1	66752679	8717574053692
	 	 225,0 / 203,5 x 19,0 x 0,9 mm				
						





































RECIPROCATING SAW BLADES















































METAL			Type number	PQ	MOQ	Item number	Barcode	
			RM39B	5	1	66752681	8717574051155	
			 8/10TPI 3/25 mm	150,0 / 128,5 x 25,0 x 1,1 mm				
								
			RM49B	5	1	66752682	8717574051162	
			 8/10TPI 3/25 mm	225,0 / 203,5 x 25,0 x 1,1 mm				
								
			RM38B	5	1	66752683	8717574051179	
			 14/18TPI 18/14 mm	150,0 / 128,5 x 25,0 x 1,1 mm				
								
			RM48B	5	1	66752684	8717574051186	
			 14/18TPI 18/14 mm	225,0 / 203,5 x 25,0 x 1,1 mm				
								
			RM44B	3	1	66752021	5017658057558	
			 8-10TPI progressive	225,0 / 203,5 x 22,0 x 1,6 mm				
								
			RM37B	3	1	66752020	5017658057541	
			 8-10TPI progressive	150,0 / 128,5 x 22,0 x 1,6 mm				
								
			RM50B	5	1	66752019	5017658057534	
			 10/14TPI 18/26 mm	200,0 / 178,5 x 19,0 x 1,25 mm				
								
			RPM30B	5	1	66752018	5017658057527	
			 8-14TPI progressive	150,0 / 128,5 x 19,0 x 0,9 mm				
								
			RM43B	5	1	66752017	5017658057510	
				25	1	66752691	8717574052404	
			 14 TPI 1,8 mm	225,0 / 203,5 x 19,0 x 0,9 mm				
								






















 METAL	Type number	PQ	MOQ	Item number	Barcode	
	RM36B	5	1	66752016	5017658057503	
		25	1	66752692	8717574052411	
	 150,0 / 128,5 x 19,0 x 0,9 mm					
						
	RM42B	5	1	66752014	5017658057480	
		25	1	66752693	8717574052428	
	 225,0 / 203,5 x 19,0 x 0,9 mm					
						
	RM35B	5	1	66752013	5017658057473	
		25	1	66752694	8717574052435	
	 150,0 / 128,5 x 19,0 x 0,9 mm					
						
	RM34B	5	1	66752012	5017658057466	
	 150,0 / 128,5 x 19,0 x 0,9 mm					
						
	RM11B	5	1	66752015	5017658057497	
	 100,0 / 78,5 x 8,0 x 0,9 mm					
						

 WOOD + METAL	Type number	PQ	MOQ	Item number	Barcode	
	RPD33B	1	1	66752685	8717574051193	
	 150,0 / 128,5 x 25,0 x 1,25 mm					
						
	RPD43B	1	1	66752686	8717574051209	
	 225,0 / 203,5 x 25,0 x 1,25 mm					
						
	RW50B	5	1	66752027	5017658054076	
	 305,0 / 283,5 x 19,0 x 1,25 mm					
						

RECIPROCATING SAW BLADES

 METAL + WOOD		Type number	PQ	MOQ	Item number	Barcode	
		RD50B	3	1	66752028	5017658057619	
		 225,0 / 203,5 x 22,0 x 1,6 mm					
							
		RD31B	5	1	66752025	5017658057596	
		 150,0 / 128,5 x 19,0 x 1,25 mm					
							
		RD32B	5	1	66752026	5017658057602	
		 150,0 / 128,5 x 12,0 x 1,25 mm					
							
		RPD40B	5	1	66752024	5017658057589	
			200	1	66752006	8717574035063	
		 200,0 / 178,5 x 19,0 x 1,25 mm					
							
		RD70B	5	1	66752023	5017658057572	
		 305,0 / 283,5 x 19,0 x 0,9 mm					
							
		RD30B	5	1	66752022	5017658057565	
			25	1	66752695	8717574052442	
		 150,0 / 128,5 x 19,0 x 0,9 mm					
							
		RD40B	5	1	66752048	8717574017670	
			200	1	66752005	8717574000443	
		 225,0 / 203,5 x 19,0 x 0,9 mm					
							

WOOD		Type number	PQ	MOQ	Item number	Barcode						
		RPW80	5	1	66752033	5017658057626						
		 200,0 / 178,5 x 19,0 x 1,25 mm										
		RW30	5	1	66752032	5017658054052						
		 240,0 / 218,5 x 19 x 1,5 mm										
		RW70	5	1	66752031	5017658054182						
		 305,0 / 283,5 x 19,0 x 1,25 mm										
		RW10	5	1	66752030	5017658054038						
		 150,0 / 128,5 x 19,0 x 1,25 mm										
		RW60	5	1	66752029	5017658054175						
		 225,0 / 203,5 x 19,0 x 1,25 mm										
												

MASONRY		Type number	PQ	MOQ	Item number	Barcode						
		RB50	1	1	66752040	8717574000122						
		 240,0 / 193,5 x 22,0 x 1,5 mm										
		RB70	1	1	66752041	8717574000146						
		 305,0 / 283,5 x 50,0 x 1,5 mm										
		RB90	1	1	66752042	8717574000160						
		 457,0 / 432,2 x 50,0 x 1,5 mm										

RECIPROCATING SAW BLADES

SPECIAL		Type number	PQ	MOQ	Item number	Barcode	
		RC10	2	1	66752039	5017658057671	
		225,0 / 203,5 x 19,0 x 1,25 mm					
		RW20	5	1	66752034	5017658054045	
		150,0 / 128,5 x 19,0 x 1,0 mm					
		RS72	2	1	66752687	8717574051216	
		305,0 / 283,5 x 19,0 x 1,25 mm					
		RS70	2	1	66752037	5017658057657	
		305,0 / 283,5 x 22,0 x 1,5 mm					
		RS80	2	1	66752038	5017658057664	
		400,0 / 378,5 x 22,0 x 1,5 mm					
		RS74	2	1	66752688	8717574051223	
		305,0 / 283,5 x 22,0 x 1,5 mm					
		RS84	1	1	66752689	8717574051230	
		400,0 / 378,5 x 45,0 x 1,5 mm					

	Description	PQ	MOQ	Item number	Barcode
	12-Pcs assorted set, consisting of: 1 x RM42B 1 x RM36B 1 x RM50B 2 x RM43B 2 x RPM30B 1 x RW10 2 x RPW80 2 x RPD40B	12	1	66752049	8717574004557

PROLINE BAND SAW BLADES

Hikoki portable band saws


Small, portable, hand held band saw machines unavoidably possess very small pulley wheels which impose very high bend stresses in the blade as it tracks around them during use. These high stresses which exceed the "Fatigue Limit" stress of the blade material, inevitably mean that fatigue failure (premature blade fracture) will be a common failure mode in these small machines.

Hikoki offers now a range of unique thin band saws with only a thickness of 0.35 mm with hitherto unattainable Fatigue endurance for small types of band saw machines.


Bi-Metal Sandwich

Hikoki is using the unique Bi-Metal sandwich technology on its band saw blades, creating an outstanding durability and cutting performance.

In the conventional production of Bi-Metal band saws, the HSS steel is welded on the body as a strip. Using the Bi-Metal Sandwich technology, two strips of HSS are joined to a backing steel, using the principle of solid state diffusion bonding. With this technique, the contact area of the weld is increased with 170% ensuring exceptionally strong teeth.



As the material in the centre of the blade is softer than the high speed steel material used for the teeth, this softer material will wear away and form a recess in between the two pieces of high speed steel. This creates multiple cutting edges for the teeth on the blade and generates thinner chips, which are more quickly and easily removed from the saw cut, increasing the cutting performance significantly.




Product Selection:


When cutting thinner sections a finer tooth pitch is required, where thick sections require coarser pitches. The chart is a good guideline, but since the limits values in the chart are broad and overlap, choose a coarser pitch if the speed of cut is most important. Choose a finer pitch if quality of finish prevails:

Thickness section	Vari Pitch
4 – 10	14 - 18
6 - 13	10 - 14

Vari pitch: Offers smoother cutting with the chance of less snagging, being ideal for thin section or sheet. The variable gullet depth and variable tooth pitch mean that there can be a sizable reduction in noise levels and vibration.

METAL	Dimension	Pitch TPI	PQ	MOQ	Item number	Barcode
	900 x 13 x 0,35	14	1	1	66750523	8717574052473
			3	1	66750524	8717574052480
		18	1	1	66750525	8717574052497
			3	1	66750526	8717574052503

PROLINE OSCILLATING MULTI TOOLS



More than Multiple

With having tools available to saw, scrape, cut, sand, rasp, grind, and polish, Hikoki makes it possible to use your Oscillating Multi Tool to its full extend. Hence, the name “multi-tool” refers to the many functions that this tool can perform with the range of attachments available.

Flat or depressed

Use of an offset/ depressed center, in a blade allows the tool to cut flush with a surface. This is particularly useful when fitting flooring along a skirting board, cutting the skirting to allow the board to slide under for a neat finish. Also in case of HVAC applications, flush cutting pipe or tube in a wall or construction is done effortlessly.

Plunge cuts made easy

The small form of these tools and the ability to mount the blade in any orientation allows cutting in areas that previously seemed unreachable. To cut a precise or complex cut-out without the need to remove the work piece from where is, greatly increases the productivity. Small and precise cuts are possible, without the risk of wood splitting unwantedly, even on end grain.

Specific applications

Tile, joint and masonry attachments are either diamond or carbide coated. By means of the narrow angle of oscillation the user is able to clear grout between tiles or do light masonry work. The small and rapid rotation allows for precise control, creating friction and thus removing material.

Variety of sizes

For the smallest cut, select a blade with toothed width of 10 mm. Cutting bigger pieces of material can be done with a blade of 65 mm width. In between, a variety of sizes is available offering the optimal blade for each application.

The tooth selection should always be based upon the material to cut and the finish desired. For Hard wood cutting for example, take the BiM blade with Japanese toothing for burr free cutting and an optimal accessory service life. When cutting wood with hardened nails, the TC-strip blade with 24TPI will perform best.

Every application has its own optimal blade, Hikoki offers a blade for all applications.

You can easily select the correct blade by using the color coding system and pictograms mentioning the specific application.

Starlock

Hikoki offers the latest innovation in OMT, the Starlock mounting system. The 3D connector enables maximum power transfer thanks to tight-fitting connection of machine and accessory.

- Backwards compatible with all OIS and OIS-compatible power tools
- Wide accessories range with expanded application range
- Optimum work result because power tool and accessory are perfectly fit



INOX	The TC-strip configuration allows these blades to be used in Inox sheet metal, hardened screws and nails up to maximum 50HRC.
METAL	Bi-Metal saw blades for cutting softer- and non-ferrous metals.
WOOD + METAL	Saw blades with larger Bi-Metal teeth enable fast wood cutting and sawing of non-hardened screws and nails
WOOD	For wood cutting applications the coarse and sharpened teeth give optimal results. Use a BiM blade for cutting hard wood.
ABRASIVES	Carbide grit in various levels of coarseness, for routing joints on wall or floor tiles and removing mortar or tile adhesive.
MULTI MATERIAL	Ground and serrated knives are excellent for various kinds of insulation materials. Blades with additional Titanium Nitride coating are long lasting products, made for cutting abrasive materials as cement bonded fibre boards and plaster board.

NAVIGATING INSTRUCTIONS

In the chart on the first pages the entire range of Hikoki OMT accessories and their application material is depicted. When navigating based on your specific application demand, you can easily find which product suits your demands best, accompanied by its technical specifications.

The subsequent pages show you detailed product specifications of all Hikoki OMT blades, classified by application type.

In the subsequent blade descriptions, the first number in size expresses the toothed width, followed by the cutting depth and blade thickness.





















Technical specifications:







● Pre-eminently suitable for

○ Also suitable for












	Type	Item no.	Dimensions			Tooth pitch	Material	Inox	Hardened steel	Metal	Non Ferrous metals	Metal stud	Wood with nails	Wood	Soft wood boards
			Width	Cutting depth	Thickness										
			mm	mm	mm	mm	TPI								
INOX	MSI20PH	66782701	20	40	1,0	1,1	24	HM/TC	●	●	●	●	○		
	MSI32PH	66782702	32	40	1,0	1,1	24	HM/TC	●	●	●	●	○		
METAL	MSM10PB	66782711	10	20	0,7	1,3	20	BiM			●	●	●		
	MSM20PB	66782712	20	30	0,7	1,3	20	BiM			●	●	●		
	MSM32PB	66782714	32	50	0,7	1,3	20	BiM			●	●	●		
WOOD / METAL	MSD10PB	66782719	10	42	0,6	1,4	18	BiM					●	●	
	MSD20PB	66782720	20	42	0,6	1,4	18	BIM					●	●	
	MSD32PBC	66782721	32	50	0,6	1,3	20	BiM			○	○	●	●	○
	MSD65PBC	66782723	65	40	0,6	1,3	20	BiM					●	●	○
	MSD85SB	66782724	Ø 85	21	0,9	1,4	18	BiM			○	○	●	○	○
	MSD100SB	66782725	Ø 100	27	0,9	1,7	15	BiM					○	●	○
WOOD	MSW32PC	66782733	32	50	0,6	1,4	18	HCS						●	●
	MSW32PCJ	66782735	32	50	0,6	1,8	14	HCS							●
	MSW32PBCJ	66782737	32	50	0,6	1,8	14	BiM							●
	MSW65PC	66782738	65	40	0,6	1,3	20	HCS							●
	MSW65PCJ	66782739	65	40	0,6	1,8	14	HCS							●
	MSW65PBCJ	66782740	65	40	0,6	1,8	14	BiM							●
	MSW85S	66782741	Ø 85	21	0,6	1,4	18	HCS						●	●
ABRASIVES	MSA32PH	66782756	32	30	2,0	hm riff 50	HM/TC								
	MSA32FHT	66782757	32	53	1,0	hm riff 40	HM/TC								
	MSA32FH	66782758	32	53	0,9	hm riff 100	HM/TC								
	MSA70SH	66782760	70	13	1,5	hm riff 50	HM/TC								
	MSA85SH	66782761	Ø 85	21	2,0	hm riff 30	HM/TC								
	MSA85SD	66782762	Ø 85	13	1,8	Diamond riff 40	Diamond								
	MSA78DH	66782763	78 x 78	-	-	hm riff 20	HM/TC								
	MSA70DHX	66782764	Ø 70	13	2,0	hm riff 40	HM/TC								
MULTI MATERIAL	MSU52PKR	66782781	52	26	0,8	ground knife	HCS								
	MSU52PK	66782782	52	45	0,4	ground knife	HCS								
	MSU28PK	66782783	28	50	1,0	ground knife	HCS								
	MSU32PKX	66782784	24	11	1,2	ground knife	HCS								
	MSU85C	66782788	Ø 85	20	0,5	1,4	18	BIM		●	●				
	MSU85SBF	66782785	Ø 85	21	0,9	1,5	17	BiM TIN		●	●				
	MSU100SKS	66782786	Ø 100	27	0,7	serrated knife	BiM								
	MSU93D	66782791	93 x 93	-	10,0	Velcro sanding pad									

	Sandwich materials	Laminate	Hard wood	Tile cutting	Grinding	Joints cutting	Poroton	Filling	Epoxy	Fibreglass	Wood profiles	Sanding tight spots	Paint preparation	Carpets	Isolation material	Leather	Rubber	Seals/putty	Soft residues	Hard residues	
																					
									○	●											
									○	●											
									○	○											
									○	○											
									○	○											
	●								●												
	●								●												
	●	○	○						●												
	●	○	○						●												
	●	●	○						●												
	●	●	○						●												
	●	●																			
	●	●	●																		
	●	●	●																		
	○	●	●																		
	●	●	●																		
						>2,0	●	●		●											
									●		●	●	●								
				●		>2,0	●		●		●	●	●								
					●				●	●											
							●		●		●										
							●		●												
																					●
															●			●			
	●	●								●				●							
	●	●												●							
														●	●		●				

INOX		STARLOCK	Type number	PQ	MOQ	Item number	Barcode
	MSI20PH	1	1	66782701	8717574051339		
	 20 x 40 x 1 mm						
							
	MSI32PH	1	1	66782702	8717574051346		
	 32 x 40 x 1 mm						
							







































METAL		STARLOCK	Type number	PQ	MOQ	Item number	Barcode
	MSM10PB	1	1	66782711	8717574051377		
	 10 x 20 x 0,7 mm						
							
	MSM20PB	1	1	66782712	8717574051384		
		5	1	66782713	8717574051391		
	 20 x 30 x 0,7 mm						
							
	MSM32PB	1	1	66782714	8717574051407		
		5	1	66782715	8717574051414		
	 32 x 50 x 0,7 mm						
							






OSCILLATING MULTI TOOLS

WOOD + METAL		STARLOCK		Type number	PQ	MOQ	Item number	Barcode
	MSD10PB	1	1	66782719	8717574055085			
	 18 TPI 1.4 mm 10 x 30 x 0,6 mm							
								
	MSD20PB	1	1	66782720	8717574055092			
	 18 TPI 1.4 mm 20 x 34 x 0,6 mm							
								
	MSD32PBC	1	1	66782721	8717574051421			
		5	1	66782722	8717574051438			
	 20 TPI 1.3 mm 32 x 50 x 0,6 mm							
								
	MSD65PBC	1	1	66782723	8717574051445			
	 20 TPI 1.3 mm 65 x 40 x 0,6 mm							
								
	MSD85SB	1	1	66782724	8717574051452			
	 18 TPI 1.4 mm Ø 85 x 0,9 mm							
								
	MSD100SB	1	1	66782725	8717574051469			
	 15 TPI 1.7 mm Ø 100 x 0,9 mm							
								



	WOOD		Type number		PQ	MOQ	Item number	Barcode	
	MSW32PC		1	1	1	1	66782733	8717574051513	 
			5	1	1	1	66782734	8717574051520	
					32 x 50 x 0,6 mm				
	MSW32PCJ		1	1	1	1	66782735	8717574051537	 
			5	1	1	1	66782736	8717574051544	
			32 x 50 x 0,6 mm						
	MSW32PBCJ		1	1	1	1	66782737	8717574051551	 
			32 x 50 x 0,6 mm						
	MSW65PC		1	1	1	1	66782738	8717574051568	 
			65 x 40 x 0,6 mm						
	MSW65PCJ		1	1	1	1	66782739	8717574051575	 
			65 x 40 x 0,6 mm						
	MSW65PBCJ		1	1	1	1	66782740	8717574051582	 
			65 x 40 x 0,6 mm						
	MSW85S		1	1	1	1	66782741	8717574051599	
			Ø 85 x 0,6 mm						







	SANDING		Type number		PQ	MOQ	Item number	Barcode
	MSU93D		1	1	1	1	66782791	8717574051834
			93 x 93 mm					

For the complete range of Proline sanding paper please refer to page 188/189

OSCILLATING MULTI TOOLS

 ABRASIVES				Type number	PQ	MOQ	Item number	Barcode
	MSA32PH	1	1	66782756	8717574051629			
	 32 x 30 x 2 mm							
								
	MSA32FHT	1	1	66782757	8717574051636			
	 32 x 53 x 1 mm							
								
	MSA32FH	1	1	66782758	8717574051643			
	 32 x 53 x 0,9 mm							
								
	MSA70SH	1	1	66782760	8717574051650			
	 Ø 70 x 1,5 mm							
								
	MSA85SH	1	1	66782761	8717574051667			
	 Ø 85 x 2,0 mm							
								
	MSA85SD	1	1	66782762	8717574051674			
	 Ø 85 x 1,8 mm							
								
	MSA78DH	1	1	66782763	8717574051681			
	 78 x 78 mm							
								
	MSA70DHX	1	1	66782764	8717574051698			
	 Ø 70 x 2 mm							
								



MULTI MATERIAL		STARLOCK	Type number	PQ	MOQ	Item number	Barcode
	MSU52PKR	1	1	66782781	8717574051742		
	 52 x 26 x 0,8 mm						
	MSU52PK	1	1	66782782	8717574051759		
	 52 x 45 x 0,4 mm						
	MSU28PK	1	1	66782783	8717574051766		
	 28 x 50 x 1 mm						
	MSU32PKX	1	1	66782784	8717574051773		
	 24 x 11 x 1,2 mm						
	MSU85C	1	1	66782788	8717574051810		
	 18 TPI 14mm Ø 85 x 0,5 mm						
	MSU85SBF	1	1	66782785	8717574051780		
	 17 TPI 1,5mm Ø 85 x 0,9 mm						
	MSU100SKS	1	1	66782786	8717574051797		
	 Ø 100 x 0,7 mm						

SET	STARLOCK	Description	PQ	MOQ	Item number	Barcode
		3-Pcs set, consisting of: 1 x MSD32PBC 1 x MSW32PC 1 x MSM32PB	3	1	66782793	8717574064445

OSCILLATING MULTI TOOLS

PROLINE ROUTER BITS



A well balanced assortment router bits

The Hikoki product range of router bits consists of the most common used routers, available in shaft diameter 6, 8 and 12 mm. In the schedule down below, you will find a quick review of all available shapes and connections.
















The router bits are produced in the most modern production facilities, on CNC machines according to the highest quality production

processes with the least human interference. Herewith the highest quality is assured.
















Many years of research and development resolved in a special cutting edge geometry which makes the field of application of the Hikoki router bits very wide and ensures the best quality of cutting surface.















The products apply to the highest quality standards stated in the EN-847 standard and are produced within an ISO 9001:2000 production facility.













				
6 8 12	6 8	6 8	8	6 8
				
6 8	8	6 8	6 8 12	6 8
				
8	6 8	6 8	8	6 8

★★★		D		B		L		R		PQ	MOQ	Item number	Barcode
d (mm)		D (mm)		B (mm)		L (mm)		R (mm)		PQ	MOQ	Item number	Barcode
STRAIGHT BIT WITH DOUBLE FLUTE													
	6	3	11	51		1	1	66754001	8717574013238				
	6	4	11	51		1	1	66754002	8717574013245				
	6	5	11	51		1	1	66754003	8717574013252				
	6	6	19	57		1	1	66754004	8717574013269				
	6	8	19	57		1	1	66754005	8717574013276				
	6	8	25	63		1	1	66754006	8717574013283				
	6	10	19	51		1	1	66754007	8717574013290				
	6	10	32	64		1	1	66754008	8717574013306				
	6	12	19	51		1	1	66754009	8717574013313				
	6	12	32	63		1	1	66754010	8717574013320				
	8	3	11	51		1	1	66754051	8717574013504				
	8	4	11	51		1	1	66754052	8717574013511				
	8	5	11	51		1	1	66754053	8717574013528				
	8	6	19	57		1	1	66754054	8717574013535				
	8	6	25	63		1	1	66754055	8717574013542				
	8	8	19	57		1	1	66754056	8717574013559				
	8	8	25	63		1	1	66754057	8717574013566				
	8	8	25	80		1	1	66754058	8717574013573				
	8	10	19	51		1	1	66754059	8717574013580				
	8	10	32	64		1	1	66754060	8717574013597				
	8	10	32	80		1	1	66754061	8717574013603				
	8	12	19	51		1	1	66754062	8717574013610				
	8	12	32	63		1	1	66754063	8717574013627				
	8	12	32	80		1	1	66754064	8717574013634				
	8	14	19	51		1	1	66754065	8717574013641				
	8	14	19	70		1	1	66754066	8717574013658				
	8	15	19	51		1	1	66754067	8717574013665				
	8	16	25	57		1	1	66754068	8717574013672				
	8	16	25	85		1	1	66754069	8717574013689				
	8	18	19	51		1	1	66754070	8717574013696				
	8	18	19	70		1	1	66754071	8717574013702				
	8	20	19	51		1	1	66754072	8717574013719				
	8	20	19	71		1	1	66754073	8717574013726				
	8	22	19	51		1	1	66754074	8717574013733				
	8	25	19	51		1	1	66754075	8717574013740				
	12	6	19	64		1	1	66754131	8717574014082				
	12	8	19	63		1	1	66754132	8717574014099				
	12	10	25	69		1	1	66754133	8717574014105				
	12	10	32	76		1	1	66754134	8717574014112				
	12	12	25	66		1	1	66754135	8717574014129				
	12	12	32	73		1	1	66754136	8717574014136				
	12	12	38	79		1	1	66754137	8717574014143				
	12	12	51	108		1	1	66754138	8717574014150				
	12	14	25	66		1	1	66754139	8717574014167				
	12	16	32	73		1	1	66754140	8717574014174				
12	16	38	79		1	1	66754141	8717574014181					
12	16	50	96		1	1	66754142	8717574014198					
12	18	32	73		1	1	66754143	8717574014204					
12	18	51	92		1	1	66754144	8717574014211					
12	20	32	73		1	1	66754145	8717574014228					





 		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item number	Barcode
FLUSH TRIMMING BIT WITH BALL BEARING										
		6	12,7	25,4	63		1	1	66754035	8717574013474
		6	16,0	15,9	50		1	1	66754036	8717574013481
		8	12,7	25,4	63		1	1	66754109	8717574014020
		8	16,0	15,9	50		1	1	66754110	8717574014037
REBATING BIT WITH BALL BEARING										
		6	31,7	12,7	50		1	1	66754025	8717574013429
		8	31,7	12,7	50		1	1	66754098	8717574013924
		8	35,0	12,7	55		1	1	66754099	8717574013931
DISC ROUTER BIT										
		8	40	3	58		1	1	66754118	8717574042030
		8	40	4	58		1	1	66754119	8717574035865
		8	40	6	58		1	1	66754121	8717574042047





 		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item number	Barcode
CORE BOX BIT										
		6	6,3	4,8	44	3,2	1	1	66754016	8717574013337
		8	6,3	4,8	44	3,2	1	1	66754081	8717574013757
		8	9,5	6,3	38	4,8	1	1	66754082	8717574013764
		8	12,7	7,9	38	6,3	1	1	66754083	8717574013771
COVE BIT WITH BALL BEARING										
		6	22,2	14,3	52	6,3	1	1	66754017	8717574013344
		8	22,2	14,3	52	6,3	1	1	66754084	8717574013788
		8	25,4	14,3	52	7,9	1	1	66754085	8717574013795
		8	28,6	14,3	52	9,5	1	1	66754086	8717574013801
OGEE BIT FLAT BOTTOM										
		8	12,7	9,5	50	2,0	1	1	66754090	8717574013849

 		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item number	Barcode
OVOLO BIT WITH BALL BEARING										
	6	22,2	12,7	49	4,8	1	1	66754021	8717574013382	
	6	25,4	12,7	49	6,3	1	1	66754022	8717574013399	
	6	28,6	12,7	49	7,9	1	1	66754023	8717574013405	
	8	22,2	12,7	49	4,8	1	1	66754091	8717574013856	
	8	25,4	12,7	49	6,3	1	1	66754092	8717574013863	
	8	28,6	12,7	49	7,9	1	1	66754093	8717574013870	
	8	31,8	15,9	52	9,5	1	1	66754094	8717574013887	
	8	38,1	19,1	55	12,7	1	1	66754095	8717574013894	
ROUNDING OVER BIT WITH BALL BEARING										
	6	19,1	9,5	49	3,2	1	1	66754031	8717574013436	
	6	22,2	12,7	49	4,8	1	1	66754032	8717574013443	
	6	25,4	12,7	49	6,3	1	1	66754033	8717574013450	
	6	28,6	12,7	49	7,9	1	1	66754034	8717574013467	
	8	15,9	7,9	46	1,6	1	1	66754101	8717574013948	
	8	19,1	9,5	49	3,2	1	1	66754102	8717574013955	
	8	22,2	12,7	49	4,8	1	1	66754103	8717574013962	
	8	25,4	12,7	49	6,3	1	1	66754104	8717574013979	
	8	28,6	12,7	49	7,9	1	1	66754105	8717574013986	
	8	31,8	15,9	52	9,5	1	1	66754106	8717574013993	
	8	38,1	19,1	55	12,7	1	1	66754107	8717574014006	
	8	44,5	22,2	61	15,9	1	1	66754108	8717574014013	
	12	50,8	25,4	75	19,1	1	1	66754149	8717574014235	
	ROMAN OGEE BIT WITH BALL BEARING									
	6	25,4	15,9	52	4,0	1	1	66754024	8717574013412	
	8	25,4	15,9	52	4,0	1	1	66754096	8717574013900	
	8	34,9	22,2	57	6,3	1	1	66754097	8717574013917	
OGEE FILLET BIT WITH BALL BEARING										
	8	34,9	13,5	52	4,8	1	1	66754114	8717574014075	

 		d (mm)	D (mm)	B (mm)	L (mm)	α (°)	PQ	MOQ	Item number	Barcode
V-GROOVE BIT										
	6	12,7	16,0	45	60	1	1	66754018	8717574013351	
	6	12,7	12,7	42	90	1	1	66754019	8717574013368	
	8	12,7	16,0	47	60	1	1	66754087	8717574013818	
	8	12,7	12,7	44	90	1	1	66754088	8717574013825	
DOVETAIL BIT										
	6	12,7	12,7	45	14	1	1	66754020	8717574013375	
	8	12,7	12,7	49	14	1	1	66754089	8717574013832	

ROUTER BITS

 	d (mm)	D (mm)	B (mm)	L (mm)	α (°)	PQ	MOQ	Item number	Barcode
BEVEL TRIM BIT WITH BALL BEARING THREE FLUTED									
	8	23,8	9,5	47	22	1	1	66754111	8717574014044
	8	30,0	9,5	47	45	1	1	66754112	8717574014051
BEVEL TRIM BIT WITH BALL BEARING									
	6	31,8	12,7	50	45	1	1	66754037	8717574013498
	8	31,8	12,7	50	45	1	1	66754113	8717574014068

CASSETTES ROUTER BITS									
 	Contents		d (mm)	PQ	MOQ	Item number	Barcode		
	5-Pcs router bit set consisting of: Straight bit D = 6 B = 20 and L = 48 Straight bit D = 12 B = 20 and L = 48 V-Groove bit D = 12,7 B = 8 L = 40 and $\alpha = 90^\circ$ Rounding over bit with ball bearing D = 22 B = 13,5 L = 46 and R = 6,3 Flush trimmer bit with ball bearing D = 12,7 B = 12,7 and L = 54		8	5	1	66754192	8717574054163		
	10-Pcs router bit set consisting of: Straight bit D = 6 B = 20 and L = 48 Straight bit D = 8 B = 20 and L = 48 Straight bit D = 12 B = 20 and L = 48 Straight bit D = 16 B = 20 and L = 48 Dovetail bit D = 12,7 B = 12,7 L = 45 and $\alpha = 45^\circ$ V-Groove bit D = 12,7 B = 8 L = 40 and $\alpha = 90^\circ$ Core box bit D = 12,7 B = 8 L = 40 and R = 6,3 Flush trimmer bit with ball bearing D = 12,7 B = 12,7 and L = 54 Rounding over bit with ball bearing D = 22 B = 13,5 L = 46 and R = 6,3 Rounding over bit with ball bearing D = 28,6 B = 17 L = 50 and R = 9,3		8	10	1	66754193	8717574054170		

CASSETTES ROUTER BITS






★		Contents	d (mm)	PQ	MOQ	Item number	Barcode
	<p>12-Pcs router bits set in wooden case Straight bit D = 6 B = 19,4 Straight bit D = 12 B = 19,4 Straight bit D = 16 B = 19,4 Flush trimming bit with ball bearing D = 12,7 and B = 12,7 Core box bit D = 12,7 and R= 6,35 Core box bit with ball bearing D = 22 and R = 6,35 Rounding over bit D = 22 and R = 6,35 Rounding over bit D = 28,6 and R =9,5 Roman ogee bit with ball bearing D = 25,4 and R = 4 V-Groove bit D = 12,7 and $\alpha= 45^\circ$ Dovetail bit D = 12,7 and $\alpha= 14^\circ$ Bevel trimmer with ball bearing D = 32 and $\alpha = 45^\circ$</p>	6	12	1	66711016	8717574023633	
	<p>12-Pcs router bits set in wooden case Straight bit D = 6 B = 19,4 Straight bit D = 12 B = 19,4 Straight bit D = 16 B = 19,4 Flush trimming bit with ball bearing D = 12,7 and B = 12,7 Core box bit D = 12,7 and R= 6,35 Core box bit with ball bearing D = 22 and R = 6,35 Rounding over bit D = 22 and R = 6,35 Rounding over bit D = 28,6 and R =9,5 Roman ogee bit with ball bearing D = 25,4 and R = 4 V-Groove bit D = 12,7 and $\alpha = 45^\circ$ Dovetail bit D = 12,7 and $\alpha = 14^\circ$ Bevel trimmer with ball bearing D = 32 and $\alpha = 45^\circ$</p>	8	12	1	66500507	8717574003154	
	<p>4-Pcs router bits set in wooden case Straight bit D=12 B=50 and L=80 Straight bit D=18 B=50 and L=90 Straight bit D=20 B=50 and L=100 Flush trimming bit D=12 B=30 and L=80</p>	12	4	1	66711012	8717574020182	

ROUTER BITS

PROLINE PLANER BLADES








PLANER BLADES 82 MM LONG

	Length (mm)	Description	PQ	MOQ	Item number	Barcode
	82	2-Pcs reversible TCT blades	2	1	66750470	8717472818812
	82	10-Pcs reversible TCT blades	10	1	66750471	8717472818829
	82	Set of 2 adapter plates with 2-Pcs reversible TCT blades	4	1	66750472	8717472818836
	82	2-Pcs planer blades	2	1	66750473	8717472818843


Suitable for Hikoki / Hitachi P14DSL, P18DSL, P20SA2, P20SF, and other brands like B&D, Bosch, DeWalt, Fein, Holz-her, Mafell, Ryobi and Skill

PLANER BLADES 92 MM LONG

	Length (mm)	Description	PQ	MOQ	Item number	Barcode
	92	2-Pcs reversible TCT blades	2	1	66750475	8717472818850
	92	10-Pcs reversible TCT blades	10	1	66750476	8717472818867
	92	Set of 2 adapter plates with 2-Pcs reversible TCT blades	4	1	66750477	8717472818874
	92	2-Pcs planer blades	2	1	66750478	8717472818881

Suitable for Hitachi F30A and other brands like AEG and Ryobi

PROLINE SANDING PAPER



A professional range

Our flexible abrasives are developed and produced with Hikoki professional users in mind, the customers who are demanding continuous search for the most suitable abrasives.

Whether it comes to sanding wood, metal, painted and lacquered surfaces, plastic, plaster or fillers, Hikoki has a suitable product. A series of abrasives is available for each of these applications with each product having its own characteristics and benefits.

Hikoki abrasives have the following specific technical benefits:

- strong and durable surface
- aggressive grit for rapid reduction of material
- all sizes available with velcro backside for quick and simply changing the sheets
- ideal for use on wood and metal

Red sanding paper for wood



For sanding all types of wood, construction board, hardwood, chipboard and metal, Hikoki offers a wide range of red sanding paper.

Hikoki red sanding paper is made out of heavy-duty paper, coated with high quality resin bonded aluminium oxide grit.

The grit is closed coated style, with a phenolic resin binder, with very good heat resistance properties that gives enhanced grain retention and abrasive wear, flexibility, tensile strength and stability.

This coating-style helps reducing the possibility of dust clogging on the abrasive, and therefore maintains high material removal rate. The evenly spread grit ensures a consistent depth of roughness across the abrasive. Result is a clean sanding finish, less reworking and, therefore, a considerable time-saving. Good results are especially achieved on untreated wood and metal. For soft materials including paint and varnish, we recommend the white sanding paper.

White sanding paper for paint



Especially for removing paints, lacquers, varnish or roughcast, Hikoki offers a professional range of white sanding paper.

Constructed with white aluminium oxide abrasive grain plus calcium stearate anti-clogging coating on latex paper backing bonded together using double urea resin.

The use of white aluminium oxide provides a good sharp cutting performance and, when coated with calcium stearate, achieves a good life of this product coupled with a good surface finish. The calcium stearate coating is used as a lubricant to provide good gloss, reduces premature clogging and has a cooling effect when sanding varnish.

The use of punched holes in the product, when used with a dust extraction system, enables an efficient removal of dust, paint or varnish particles from the work surface.

The use of urea resin contributes to the longer life of this product due to its good stability when exposed to heat generated through the abrasion process and provides the opportunity to maintain the white abrasive finish. Ideal for automotive applications.

- for sanding of paints and lacquers of all types, and filler compounds
- a wide range of sizes available with Velcro or glued backing
- high-quality sanding paper
- long life time
- high material removal rate thanks to the special calcium stearate coating.

Black sanding paper for stone







For sanding applications on glass and stone Hikoki offers delta 94 sheets with silicon carbide abrasive grain. This grain has the highest hardness among conventional abrasive material. For this reason, it is suitable to be used on non-ferrous metals, marble, glass and plastics. It is next to that very widely used by Corian® kitchen top producers to grind and finish the internal edge.





Non-woven delta sheets












So-called Tex materials are nylon fibres which are combined into a 3D web structure. Using a thermo-setting synthetic resin the grit is anchored. This type of sanding material does not affect the geometrical shape of a particular work piece.





- Adapt extremely easy to the work piece's shape
- For a wide variety of applications such as cleaning, matting, remove rust, light deburring on non-ferrous metals


  	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
ABRASIVE DISCS FOR RANDOM ORBITAL SANDERS							
	Starters set	60/80/120	Velcro	15	1	66753100	8717574004595
	D.125	40	Velcro	10	1	66753101	8717154659931
	D.125	60	Velcro	10	1	66753102	8717154659948
	D.125	80	Velcro	10	1	66753103	8717154659955
	D.125	100	Velcro	10	1	66753104	8717154659962
	D.125	120	Velcro	10	1	66753105	8717154659979
	D.125	150	Velcro	10	1	66753106	8717154659986
	D.125	180	Velcro	10	1	66753107	8717154659993
	D.125	240	Velcro	10	1	66753108	8717472811172
	D.125	320	Velcro	10	1	66753109	8717472811189
D.125	400	Velcro	10	1	66753110	8717472811196	
Suitable for Hikoki / Hitachi sanding machines FS13Y, FSV12YA, SV13YA en SV13YB and other brands like AEG, B&D, Bosch, DeWalt, Festool, Kresss, Makita, Metabo, Milwaukee, Skil.							

  	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
ABRASIVE DISCS FOR RANDOM ORBITAL SANDERS							
	D.125	40	Velcro	10	1	66753131	8717574033458
	D.125	60	Velcro	10	1	66753132	8717574033465
	D.125	80	Velcro	10	1	66753133	8717574033472
	D.125	100	Velcro	10	1	66753134	8717574033489
	D.125	120	Velcro	10	1	66753135	8717574033496
	D.125	150	Velcro	10	1	66753136	8717574033502
	D.125	180	Velcro	10	1	66753137	8717574033519
	D.125	240	Velcro	10	1	66753138	8717574033526
	D.125	320	Velcro	10	1	66753139	8717574033533
	D.125	400	Velcro	10	1	66753140	8717574033540
Suitable for Hikoki / Hitachi sanding machines FS13Y, FSV12YA, SV13YA en SV13YB and other brands like AEG, B&D, Bosch, DeWalt, Festool, Kresss, Makita, Metabo, Milwaukee, Skil.							






  	Description	Connection	PQ	MOQ	Item number	Barcode
SANDING PADS D.125 FOR VELCRO SANDING DISCS						
	<ul style="list-style-type: none"> Reinforced fibre glass backing with medium density foam. Suitable for Hikoki / Hitachi SV13YA and SV13YB 	3 holes	1	1	66753811	8717574033403
	<ul style="list-style-type: none"> Soft interface cushion to give a very soft sanding surface. Ideal for use with fine and ultra-fine grade abrasives. Ideal for sanding or polishing contours and curved surfaces 	Velcro	1	1	66753812	8717574033410








  	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
ABRASIVE DISCS FOR RANDOM ORBITAL SANDERS							
	D.150	40	Velcro	10	1	66753111	8717472811202
	D.150	60	Velcro	10	1	66753112	8717472811219
	D.150	80	Velcro	10	1	66753113	8717472811226
	D.150	100	Velcro	10	1	66753114	8717472811233
	D.150	120	Velcro	10	1	66753115	8717472811240
	D.150	150	Velcro	10	1	66753116	8717472811257
	D.150	180	Velcro	10	1	66753117	8717472811264
	D.150	240	Velcro	10	1	66753118	8717472811271
	D.150	320	Velcro	10	1	66753119	8717472811288
Suitable for Hikoki / Hitachi sanding machines SAY-150A, SV15YC and other brands like B&D, Bosch, DeWalt, Felisatti, Hilti, Kress, Makita, Metabo, Milwaukee.							













  	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
ABRASIVE DISCS FOR RANDOM ORBITAL SANDERS							
	D.150	40	Velcro	10	1	66753141	8717574033557
	D.150	60	Velcro	10	1	66753142	8717574033564
	D.150	80	Velcro	10	1	66753143	8717574033571
	D.150	100	Velcro	10	1	66753144	8717574033588
	D.150	120	Velcro	10	1	66753145	8717574033595
	D.150	150	Velcro	10	1	66753146	8717574033601
	D.150	180	Velcro	10	1	66753147	8717574033618
	D.150	240	Velcro	10	1	66753148	8717574033625
	D.150	320	Velcro	10	1	66753149	8717574033632
	D.150	400	Velcro	10	1	66753150	8717574033649
	Suitable for Hikoki / Hitachi sanding machines SAY-150A, SV15YC and other brands like B&D, Bosch, DeWalt, Felisatti, Hilti, Kress, Makita, Metabo, Milwaukee.						

	Description	Connection	PQ	MOQ	Item number	Barcode
SOFT INTERFACE CUSHION D. 150 FOR VELCRO SANDING DISCS						
	<ul style="list-style-type: none"> • Soft interface cushion D.150 to give a very soft sanding surface. • Ideal for use with fine and ultra-fine grade abrasives. • Ideal for sanding or polishing contours and curved surfaces 	Velcro	1	1	66753819	8717574033441



SANDING PAPER



	Description	Connection	PQ	MOQ	Item number	Barcode
SANDING PAD D.150 SANDING DISCS						
	<ul style="list-style-type: none"> • Pad with holes for dust extraction for Random Orbit (Excenter) Sanders • Vinyl surface • Suitable for sanding paper with glue backing 	5/16" UNF	1	1	66753815	8717574033809
	<ul style="list-style-type: none"> • Pad without holes for dust extraction for Random Orbit (Excenter) Sanders. • Velcro 	5/16" UNF	1	1	66753816	8717574033816
	<ul style="list-style-type: none"> • Pad with holes for dust extraction for Random Orbit (Excenter) Sanders. • Velcro 	5/16" UNF	1	1	66753817	8717574033823
	<ul style="list-style-type: none"> • Pad with holes for dust extraction for Random Orbit (Excenter) Sanders. • Velcro • Suitable for SV15YC 	Hole 8 mm	1	1	66753852	8717574058239
	<ul style="list-style-type: none"> • Pad with 15 holes for dust extraction for Random Orbit (Excenter) Sanders. • 8 holes on pitch circle 100 mm • 6 holes on pitch circle 65 mm • 1 centre hole • Velcro • Suitable for SV15YC 	Hole 8 mm	1	1	66753853	8717574062144



  	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR ORBITAL SANDERS							
	83 x 133	40	Velcro	10	1	66753001	8717154659221
	83 x 133	60	Velcro	10	1	66753002	8717154659238
	83 x 133	80	Velcro	10	1	66753003	8717154659245
	83 x 133	100	Velcro	10	1	66753004	8717154659252
	83 x 133	120	Velcro	10	1	66753005	8717154659269
	83 x 133	150	Velcro	10	1	66753006	8717154659276
	83 x 133	180	Velcro	10	1	66753007	8717154659283
	83 x 133	240	Velcro	10	1	66753008	8717154659290
	83 x 133	320	Velcro	10	1	66753009	8717154659306
Suitable for Hitachi sanders SV8SA and other brands like AEG, Atlas Copco, B&D, Bosch, DeWalt, Felisatti, Festool, Milwaukee.							
	83 x 166	40	Clip-on	10	1	66753011	8717154659313
	83 x 166	60	Clip-on	10	1	66753012	8717154659320
	83 x 166	80	Clip-on	10	1	66753013	8717154659337
	83 x 166	100	Clip-on	10	1	66753014	8717154659344
	83 x 166	120	Clip-on	10	1	66753015	8717154659351
	83 x 166	150	Clip-on	10	1	66753016	8717154659368
	83 x 166	180	Clip-on	10	1	66753017	8717154659375
	83 x 166	240	Clip-on	10	1	66753018	8717154659382
	83 x 166	320	Clip-on	10	1	66753019	8717154659399
Suitable for Hitachi sanders SV8SA and other brands like B&D, Bosch, DeWalt, Festool, Wegoma.							
	93 x 185	40	Velcro	10	1	66753021	8717154659405
	93 x 185	60	Velcro	10	1	66753022	8717154659412
	93 x 185	80	Velcro	10	1	66753023	8717154659429
	93 x 185	100	Velcro	10	1	66753024	8717154659436
	93 x 185	120	Velcro	10	1	66753025	8717154659443
	93 x 185	150	Velcro	10	1	66753026	8717154659450
	93 x 185	180	Velcro	10	1	66753027	8717154659467
	93 x 185	240	Velcro	10	1	66753028	8717154659474
Suitable for Hikoki / Hitachi sanders FSV10SA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi.							
	93 x 230	40	Clip-on	10	1	66753031	8717154659498
	93 x 230	60	Clip-on	10	1	66753032	8717154659504
	93 x 230	80	Clip-on	10	1	66753033	8717154659511
	93 x 230	100	Clip-on	10	1	66753034	8717154659528
	93 x 230	120	Clip-on	10	1	66753035	8717154659535
	93 x 230	150	Clip-on	10	1	66753036	8717154659542
	93 x 230	180	Clip-on	10	1	66753037	8717154659559
	93 x 230	240	Clip-on	10	1	66753038	8717154659566
Suitable for Hitachi sanders FS10SA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi.							



			Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR ORBITAL SANDERS									
	Starters set	60/80/120	Velcro	15	1	66753040	8717472813732		
	114 x 104	40	Velcro	10	1	66753041	8717154659573		
	114 x 104	60	Velcro	10	1	66753042	8717154659580		
	114 x 104	80	Velcro	10	1	66753043	8717154659597		
	114 x 104	100	Velcro	10	1	66753044	8717154659603		
	114 x 104	120	Velcro	10	1	66753045	8717154659610		
	114 x 104	150	Velcro	10	1	66753046	8717154659627		
	114 x 104	180	Velcro	10	1	66753047	8717154659634		
	114 x 104	240	Velcro	10	1	66753048	8717154659641		
114 x 104	320	Velcro	10	1	66753049	8717154659658			
Suitable for Hikoki / Hitachi sanders SV12SF / SV12SG / SV12SH and other brands like Makita.									
	Starters set	60/80/120	Clip-on	15	1	66753050	8717472816023		
	114 x 140	40	Clip-on	10	1	66753051	8717154659665		
	114 x 140	60	Clip-on	10	1	66753052	8717154659672		
	114 x 140	80	Clip-on	10	1	66753053	8717154659689		
	114 x 140	100	Clip-on	10	1	66753054	8717154659696		
	114 x 140	120	Clip-on	10	1	66753055	8717154659702		
	114 x 140	150	Clip-on	10	1	66753056	8717154659719		
	114 x 140	180	Clip-on	10	1	66753057	8717154659726		
	114 x 140	240	Clip-on	10	1	66753058	8717154659733		
114 x 140	320	Clip-on	10	1	66753059	8717154659740			
Suitable for Hikoki / Hitachi sanders SV12SF / SV12SG and other brands like B&D, Bosch, DeWalt, Makita, Ryobi, Skil.									
	115 x 230	40	Velcro	10	1	66753061	8717154659757		
	115 x 230	60	Velcro	10	1	66753062	8717154659764		
	115 x 230	80	Velcro	10	1	66753063	8717154659771		
	115 x 230	100	Velcro	10	1	66753064	8717154659788		
	115 x 230	120	Velcro	10	1	66753065	8717154659795		
	115 x 230	150	Velcro	10	1	66753066	8717154659801		
	115 x 230	180	Velcro	10	1	66753067	8717154659818		
	115 x 230	240	Velcro	10	1	66753068	8717154659825		
	115 x 230	320	Velcro	10	1	66753069	8717154659832		
Suitable for Hikoki / Hitachi sanders SV12SD / SV12V and other brands like Makita.									
	115 x 280	40	Clip-on	10	1	66753071	8717154659849		
	115 x 280	60	Clip-on	10	1	66753072	8717154659856		
	115 x 280	80	Clip-on	10	1	66753073	8717154659863		
	115 x 280	100	Clip-on	10	1	66753074	8717154659870		
	115 x 280	120	Clip-on	10	1	66753075	8717154659887		
	115 x 280	150	Clip-on	10	1	66753076	8717154659894		
	115 x 280	180	Clip-on	10	1	66753077	8717154659900		
	115 x 280	240	Clip-on	10	1	66753078	8717154659917		
	115 x 280	320	Clip-on	10	1	66753079	8717154659924		
Suitable for Hikoki / Hitachi sanders SV12SD / SV12V and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi.									
			Description	Type	PQ	MOQ	Item number	Barcode	
SANDING SHEET FOR ORBITAL SANDERS									
	45-Pcs set consisting of:			Velcro	45	1	66753450	8717472818133	
		5-Pcs 114 x 104 Grit 60							
10-Pcs Delta 94 Grit 60									
5-Pcs 114 x 104 Grit 80									
10-Pcs Delta 94 Grit 80									
5-Pcs 114 x 104 Grit 120									
10-Pcs Delta 94 Grit 120									
Suitable for Hikoki / Hitachi SV12SH sander.									

For use on the Hikoki / Hitachi SV12SH take the following delta 94 sheets in combination with the previous sheets 114 x 104 mm.
 For use on the Hikoki / Hitachi CV14DBL, CV18DBL, CV350V and other brands like Bosch, Makita, Metabo.



	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR DELTA SANDERS							
	94	40	Velcro	10	1	66753401	8717472811509
	94	60	Velcro	10	1	66753402	8717472811516
	94	80	Velcro	10	1	66753403	8717472811523
	94	100	Velcro	10	1	66753404	8717472811530
	94	120	Velcro	10	1	66753405	8717472811547
	94	150	Velcro	10	1	66753406	8717472811554
	94	180	Velcro	10	1	66753407	8717472811561
	94	240	Velcro	10	1	66753408	8717472811578
	94	320	Velcro	10	1	66753409	8717472811585


	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR DELTA SANDERS							
	94	40	Velcro	10	1	66753411	8717472811592
	94	60	Velcro	10	1	66753412	8717472811608
	94	80	Velcro	10	1	66753413	8717472811615
	94	100	Velcro	10	1	66753414	8717472811622
	94	120	Velcro	10	1	66753415	8717472811639
	94	150	Velcro	10	1	66753416	8717472811646
	94	180	Velcro	10	1	66753417	8717472811653
	94	240	Velcro	10	1	66753418	8717472811660
	94	320	Velcro	10	1	66753419	8717472811677


	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR DELTA SANDERS							
	94	120/240/400/ 600/1200	Velcro	15	1	66753430	8717574049695
	94	80	Velcro	10	1	66753431	8717574049701
	94	100	Velcro	10	1	66753432	8717574049718
	94	120	Velcro	10	1	66753433	8717574049725
	94	180	Velcro	10	1	66753434	8717574049732
	94	240	Velcro	10	1	66753435	8717574049749
	94	320	Velcro	10	1	66753436	8717574049756
	94	400	Velcro	10	1	66753437	8717574049763
	94	600	Velcro	10	1	66753438	8717574049770
94	1200	Velcro	10	1	66753439	8717574049787	



	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
FLEECE DELTA							
	94	Coarse (100)	Velcro	1	1	66753441	8717574049794
	94	Medium (280)	Velcro	1	1	66753442	8717574049800

SANDING PAPER

	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
POLISHING FELT DELTA							
	94	Soft	Velcro	1	1	66753443	8717574049817
	94	Hard	Velcro	1	1	66753444	8717574049824

	Description	Connection	PQ	MOQ	Item number	Barcode
SOFT INTERFACE CUSHION DELTA 94 FOR VELCRO SANDING MACHINES AND MULTITOOLS						
	<ul style="list-style-type: none"> • Soft interface cushion Delta 94 to give a very soft sanding surface • Ideal for use with fine and ultra-fine grade abrasives • Ideal for sanding or polishing contours and curved surfaces 	Velcro	1	1	66753445	8717574049831








	Description	Connection	PQ	MOQ	Item number	Barcode
SANDING PAD FOR MULTI MACHINES						
	<ul style="list-style-type: none"> • Pad with holes for dust extraction • Velcro surface • For use with Multi Machines 	Starlock	1	1	66782791	8717574051834
For use on Hikoki / Hitachi CV14DBL, CV18DBL, CV350V and other brands like Bosch, Fein, Makita, Milwaukee.						

	Dimensions (mm)	Grit	Type	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR DELTA SANDERS							
	100 x 150	40	Velcro	10	1	66753421	8717472811684
	100 x 150	60	Velcro	10	1	66753422	8717472811691
	100 x 150	80	Velcro	10	1	66753423	8717472811707
	100 x 150	100	Velcro	10	1	66753424	8717472811714
	100 x 150	120	Velcro	10	1	66753425	8717472811721
	100 x 150	150	Velcro	10	1	66753426	8717472811738
	100 x 150	180	Velcro	10	1	66753427	8717472811745
	100 x 150	240	Velcro	10	1	66753428	8717472811752
	100 x 150	320	Velcro	10	1	66753429	8717472811769
Suitable for other brands like AEG, Atlas Copco, Festool, Milwaukee, Rupes.							

Sanding paper for belt sanders

Especially for sanding of large areas and high material removal rate on wooden materials, Hikoki offers a professional range of sanding belts. Whether for coarse, fine or linear sanding, Hikoki belt sanders are a reliable partner and offer perfect results. Working in one direction and only along the grain prevents sanding rings from developing. The high material removal rate eliminates laborious, tiresome reworking. Constructed with a superior quality of aluminium oxide abrasive grain on a strong cotton cloth bonded with phenolic resin provide an extreme aggressive and long lasting sanding belt.

- very sturdy and durable sanding belts
- high-quality sanding paper
- for veneers, solid wood, polyester, iron and steel
- specific application-oriented belt joints in consistently high quality for perfect surfaces

  	Dimensions (mm)	Grit	PQ	MOQ	Item number	Barcode
SANDING PAPER FOR BELT SANDERS						
	Starters set	60/80/120	6	1	66753240	8717574004601
	76 x 533	40	5	1	66753241	8717472811974
	76 x 533	60	5	1	66753242	8717472811981
	76 x 533	80	5	1	66753243	8717472811998
	76 x 533	100	5	1	66753244	8717472812001
	76 x 533	120	5	1	66753245	8717472812018
Suitable for Hikoki / Hitachi belt sanders SB-75, SB8V2 and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi, Skill.						
	Starters set	60/80/120	6	1	66753260	8717574004618
	100 x 610	40	5	1	66753261	8717472812070
	100 x 610	60	5	1	66753262	8717472812087
	100 x 610	80	5	1	66753263	8717472812094
	100 x 610	100	5	1	66753264	8717472812100
	100 x 610	120	5	1	66753265	8717472812117
Suitable for Hikoki / Hitachi belt sanders SB10T, SB10V, SB10V2 and other brands like Bosch, Makita, Ryobi.						
	110 x 620	40	5	1	66753281	8717472812179
	110 x 620	60	5	1	66753282	8717472812186
	110 x 620	80	5	1	66753283	8717472812193
	110 x 620	100	5	1	66753284	8717472812209
	110 x 620	120	5	1	66753285	8717472812216
Suitable for Hitachi belt sanders SB110 and other brands like AEG, Bosch, Makita, Metabo, Milwaukee.						
	100 x 915	40	5	1	66753291	8717472812223
	100 x 915	60	5	1	66753292	8717472812230
	100 x 915	80	5	1	66753293	8717472812247
	100 x 915	100	5	1	66753294	8717472812254
	100 x 915	120	5	1	66753295	8717472812261
Suitable for Hitachi belt sander BG-100.						

PROLINE WOOL BONNETS AND POLISHING FOAMS





The Hikoki Professional wool bonnets are made of the finest grade of Merino sheepskin, which has a unique double skin, making them the longest lasting pads we know.


Hikoki offers a range of wool bonnets available in the execution with Velcro to be used on special Velcro pads, or with a tie, to tie it onto a standard backing pad.

They are widely used in the market of automotive, boats, metal and wood industries, and represent the fastest way to remove scratches and marks on clear coats - when used with an appropriate compound.

The wool bonnets are outstanding as a first step in a paint rectification process and works at a lower temperature than foams (less risk to overheat the paint).


The wool bonnet can be cleaned under clear running water and is to be dried naturally (no tumble dryer).



WOOL BONNETS						
	Diameter (mm)	Connection	PQ	MOQ	Item number	Barcode
	125	Tie-on	1	1	66753821	8717574042528
	180	Tie-on	1	1	66753822	8717574042535
	125	Velcro	1	1	66753823	8717574042542
	150	Velcro	1	1	66753824	8717574058154
	180	Velcro	1	1	66753825	8717574042559


POLISHING FOAMS							
	Diameter (mm)	Size	Connection	PQ	MOQ	Item number	Barcode
	White foam hard	160 x 16	Velcro	1	1	66753841	8717574058161
	Orange foam medium/hard	160 x 16	Velcro	1	1	66753842	8717574058178
	Yellow foam medium	160 x 16	Velcro	1	1	66753843	8717574058185
	Black foam soft	160 x 16	Velcro	1	1	66753844	8717574058192


PROLINE POLISHING



	Description	Ø (mm)	Connection	PQ	MOQ	Item number	Barcode
	Pad for wool pad and compounding foam With locator	160	M14	2	1	66753831	8717574049862

	Description	Size (mm)	Connection	PQ	MOQ	Item number	Barcode
	Compounding foam white Hard	200 x 30	Velcro	1	1	66753832	8717574049879
	Compounding foam red Soft	200 x 30	Velcro	1	1	66753833	8717574049886

	Description	Ø (mm)	Connection	PQ	MOQ	Item number	Barcode
	Single sided Cupped Merino wool pad	200	Velcro	1	1	66753834	8717574049893

	Description	PQ	MOQ	Item number	Barcode
	Starterkit polishing set consisting of: Pad Ø 160 mm x M14 Locator Cupped wool pad Ø 200 mm velcro Compounding foam white Ø 200 mm velcro Compounding foam red Ø 200 mm velcro	5	1	66753830	8717574049855

PROLINE VACUUM CLEANER ACCESSORIES



A vacuum cleaner dust bag is not just a dust collecting item. It plays a substantial role in filtering all sizes of dust particles out of the air. This is a dual function: the engine is protected on the one hand, on the other hand the more important role where the user is protected. Next to that comes that disposing a full bag with closed cap is by far more convenient than emptying a kettle. A proper combination between filter bag and machine filter gives the best cleaning results.

Hikoki offers 2 types of bags with different filter characteristics.

All dust bags come with closeable cardboard collar

The material of the M-class filter paper bags are tested and certified according to EN60335-2-69:2008, for a maximum permeability of <0,01%

The latest development is bags made of synthetic fiber, in M-class. Additional advantages in comparison to paper filter bags:



Constant air flow, even when the bag fills with dust

- More efficient expansion around the engine, that allows easier and higher filling grade

- 4 synthetic filter bags have the same dust collection capacity as 5 paper filter bags, so less exchanges are needed resulting in less down time

- Higher tear resistance prevents the bag from ripping open in the kettle or when disposing



PAPER DUST BAGS

	Description	Suitable for	PQ	MOQ	Item number	Barcode
	M-class; 18,7 liter	WDE1200 WDE1200M	5	1	66750442	8717574033960
	M-class; 18,7 liter	WDE3600	5	1	66750447	8717574033991

SYNTHETIC DUST BAGS

	Description	Suitable for	PQ	MOQ	Item number	Barcode
	M-class; 15,0 liter	WDE1200 WDE1200M	4	1	66750443	8717574033977
	M-class; 15,0 liter	WDE3600	4	1	66750448	8717574034004
	M-class; 16,5 liter	RP250YDL RP300YDL RP3608DA RP3608DB	4	1	664100602	8717574061390
	M-class; 16,5 liter	RP250YDM RP350YDM	4	1	66750462	8717574050592
	M-class; 45 liter	RNT1250M RP500YDM	5	1	6640010714	4250155838140

PLASTIC DUST COLLECTION BAGS

	Description	Suitable for	PQ	MOQ	Item number	Barcode
	LDPE foil 100 microns size: 610x615 mm 25 litre	RP250YDL RP300YDL RP3608DA RP3608DB	4	1	664100603	8717574061406
	LDPE foil 100 microns size: 850x540 mm 33 litre	RP250YDM/H RP350YDM/H	4	1	66750463	8717574050608

FILTER CARTRIDGES











	Description	Suitable for	PQ	MOQ	Item number	Barcode
	Yellow filter cartridge Filter grade 15 µm		1	1	66750435	8717574043570
	White filter cartridge Washable Filter grade 7 µm	WDE1200 WDE1200M WDE3600	1	1	66750436	8717574043587
	White filter cartridge M-class Filter grade 0,3 µm		1	1	66750437	8717574043594
	White filter cartridge Washable M-Class Filter grade 7 µm	RP250YDL RP300YDL	1	1	664100601	8717574061383
	Cellulose filter cassette Dust retention: 99,8 %	RNT1225(M) RNT1250 RP250YDM	2	1	66370133	4549115123946
	Polyester filter cassettes Dust retention: 99,93 % (to 1µm 99,9 %)	RP350YDM RP500YDM	2	1	66338633	4549115100299
	Polyester filter cassettes, IFA (BIA) certified filter in accordance with dust class "H" (HEPA 14) Dust retention: 99,995%	RP350YDH	2	1	66338634	4549115100305





VACUUM CLEANER ACCESSORIES

FLOW CHART




MACHINE SERIES

 <p>WDE1200(M)/WDE3600</p>	 <p>RP3608DA/RP3608DB</p>	 <p>RP250YDL/RP300YDL</p>	 <p>NT / RNT RP250YDM/RP350YDM RP350YDH/RP500YDM</p>	<p>Vacuum cleaners</p>			
 <p>66782221</p>		 <p>6640010051</p>		<p>Kettle – Hose</p>			
 <p>Ø 32 L = 1,8 / 3,2 / 5,0 m 66782231 / 66782232 / 66782233</p>		 <p>66372168</p>	 <p>Ø 38 L = 1,8 / 3,2 / 5,0 m 66782234 / 66782235 / 66782236</p>	<p>Hoses</p>			
 <p>66782241</p>	 <p>66782242</p>	 <p>66372170</p>	 <p>6640010123</p>  <p>6640010111</p>	<p>Hose – Tool</p>			
 <p>66337527</p>		 <p>66782251</p>	 <p>66782252</p>	 <p>66782253</p>	<p>Suction tubes</p>		
 <p>66782261</p>		 <p>66782262</p>	 <p>66782265</p>	 <p>66782271</p>	 <p>66782272</p>	 <p>66782273</p>	<p>Nozzles</p>
 <p>66782263</p>  <p>66782264</p>		 <p>66782266</p>  <p>66782267</p>	<p>Exchangeables</p>				






KETTLE - HOSE CONNECTORS

	Description	PQ	MOQ	Item number	Barcode
	Connector piece kettle - hose groove for hose Ø 32 mm Suitable for Hikoki / Hitachi WDE / RP3608DA / RP3608DB	1	1	66782221	8717574044188
	Connector piece kettle - hose bajonet for hose Ø 38 mm Including click ring / screw socket Suitable for Hikoki / Hitachi (R)NT, RP250/500 YDM, RP350 YDM /YDH	1	1	6640010051	4250155821029

VACUUM HOSES




	Description	PQ	MOQ	Item number	Barcode
	Ø 32 mm 1,8 m with click ring / socket	1	1	66782231	8717574044300
	Ø 32 mm 3,2 m with click ring / socket	1	1	66782232	8717574044317
	Ø 32 mm 5,0 m with click ring / socket	1	1	66782233	8717574044324
	ø 32 mm 3,5 m vacuum hose complete for RP250YDL/RP300YDL	1	1	66372168	4549115161092
	Ø 38 mm 1,8 m without click ring / socket	1	1	66782234	8717574044331
	Ø 38 mm 3,2 m without click ring / socket	1	1	66782235	8717574044348
	Ø 38 mm 5,0 m without click ring / socket	1	1	66782236	8717574044355

HOSE - TOOL CONNECTORS








	Description	PQ	MOQ	Item number	Barcode
	Connector piece Ø 35 mm for hose Ø 32 mm	1	1	66782241	8717574044362
	Grip with air adjusting Ø 35 mm for hose Ø 32 mm	1	1	66782242	8717574044379
	Connector piece Ø 35 mm for hose Ø 38 mm Including click ring / socket	1	1	6640010123	4250155823573
	Grip with air adjusting Ø 35 mm for hose Ø 38 mm	1	1	6640010111	4011240424804
	Connector piece Ø 35 mm for hose 372168	1	1	66372170	4549115161115

VACUUM CLEANER ACCESSORIES





VACUUM CLEANER SUCTION TUBES

	Description	PQ	MOQ	Item number	Barcode
	Metal Ø 35 mm telescopic L = 50 - 87 cm	1	1	66782251	8717574044386
	Metal Ø 35 mm L = 50 cm	1	1	66782252	8717574044393
	Plastic Ø 35 mm L = 48 cm	1	1	66782253	8717574044409
	Plastic Ø 58 mm L = 48 cm	1	1	66782254	8717574044416







FLOOR NOZZLES

	Description	PQ	MOQ	Item number	Barcode
	Vacuum mouth switch 260 mm w/o wheel Ø 35 mm	1	1	66782261	8717574044423
	Vacuum mouth brush 360 mm with wheel Ø 35 mm incl. set of brush stripes and set of rubber stripes	5	1	66782262	8717574044430
	Brush strip set 360 mm for 782262	2	1	66782263	8717574044447
	Rubber strip set 360 mm for 782262	2	1	66782264	8717574044454
	Vacuum mouth brush 450 mm with wheel Ø 35 mm incl. set of brush stripes and set of rubber stripes	5	1	66782265	8717574044461
	Brush strip 450 mm for 782265	2	1	66782266	8717574044478
	Rubber strip 450 mm for 782265	2	1	66782267	8717574044485

VACUUM CLEANER ACCESSORIES

	Description	PQ	MOQ	Item number	Barcode
	Reducer rubber 38 / 34 / 31 / 27 mm	1	1	66337527	4549115082984
	Furniture brush Ø 35 mm	1	1	66782271	8717574044492
	Upholstery nozzle W = 120 mm Ø 35 mm	1	1	66782272	8717574044508
	Vacuum mouth crevice L = 200 mm Ø 35 mm	1	1	66782273	8717574044515
	Vacuum mouth crevice L = 270 mm Ø 58 mm	1	1	66782274	8717574044522

ACCESSORIES SETS




	Description	PQ	MOQ	Item number	Barcode
	1 x Furniture brush Ø 35 mm (782271) 1 x Upholstery nozzle W=120 mm Ø 35 mm (782272) 1 x Vacuum mouth crevice Ø 35 mm L = 200 mm (782273)	3	1	66782291	8717574047530
	2 x Suction tube metal Ø 35 mm L = 50cm (782252) 1 x Vacuum mouth switch 260 mm w/o wheel Ø 35 mm (782261) 1 x Furniture brush Ø 35 mm (782271) 1 x Upholstery nozzle W = 120 mm Ø 35 mm (782272) 1 x Vacuum mouth crevice Ø 35 mm (782273) L = 200 mm	6	1	66782292	8717574047547
	1 x Reducer (337527) 2 x Suction tube plastic Ø 35 mm (782253) 1 x Vacuum mouth wet/dry 360 mm with wheel Ø 35 mm (782262) 1 x Furniture brush Ø 35 mm (782271) 1 x Upholstery nozzle W = 120 mm Ø 35 mm (782272) 1 x Vacuum mouth crevice Ø 35 mm L = 200 mm (782273)	11	1	66782293	8717574047554
	1 x Reducer (337527) 2 x Suction tube metal Ø 35 mm L = 50 cm (782252) 1 x Vacuum mouth wet/dry 450 mm with wheel Ø 35 mm (782265) 1 x Vacuum mouth crevice Ø 35 mm L = 200 mm (782273)	9	1	66782294	8717574047561
Suitable for Hikoki / Hitachi WDE vacuum cleaners					
	1 x Grip with air adjusting Ø 35 mm (782242) 2 x Suction tube metal Ø 35 mm L = 50 cm (782252) 1 x Vacuum mouth switch 260 mm W/O wheel Ø 35 mm (782261) 1 x Upholstery nozzle W = 120 mm Ø 35 mm (782272) 1 x Vacuum mouth crevice Ø 35 mm L = 200 mm (782273)	6	1	66782296	8717574047578
Suitable for Hikoki / Hitachi WDE / RP3608DA / RP3608DB vacuum cleaners					
	1 x Kettle connection (782221) 1 x Hose 3,2 meter Ø 32 mm (782232) 1 x Grip with air adjusting Ø 35 mm (782242) 2 x Suction tube plastic Ø 35 mm (782253) 1 x Vacuum mouth switch 260 mm w/o wheel Ø 35 mm (782261) 1 x Upholstery nozzle W = 120 mm Ø 35 mm (782272) 1 x Vacuum mouth crevice Ø 35 mm L = 200 mm (782273)	8	1	66782297	8717574047585

VACUUM CLEANER ACCESSORIES


ACCESSORIES SETS

ACCESSORIES SETS					
	Description	PQ	MOQ	Item number	Barcode
Suitable for Hikoki / Hitachi (R)NT, RP250 / 500 YDM, RP350 YDM / YDH vacuum cleaners					
	1 x Hose 3,2 meter Ø 38 mm (782235) 2 x Suction tube plastic Ø 36 mm (782253) 1 x Vacuum mouth switch 260 mm w/o wheel Ø 36 mm (782261) 1 x Upholstery nozzle W = 120 mm Ø 36 mm (782272) 1 x Vacuum mouth crevice Ø 36 mm L = 200 mm (782273) 1 x Kettle connection (40010051) 1 x Connector (40010123)	8	1	66782298	8717574047592
	1 x Hose 3,2 meter Ø 38 mm (782235) 1 x Suction tube telescopic Ø 36 mm L = 50 cm (782251) 1 x Vacuum mouth wet/dry 360 mm with wheel Ø 36 mm (782262) 1 x Upholstery nozzle W = 120 mm Ø 36 mm (782272) 1 x Vacuum mouth crevice Ø 36 mm L = 200 mm (782273) 1 x Kettle connection (40010051) 1 x Connector (40010123)	7	1	66782299	8717574047608

UNIVERSAL DUST EXTRACTION ADAPTERS FOR DRILLING






UNIVERSAL DUST EXTRACTION ADAPTERS FOR DRILLING					
	Description	PQ	MOQ	Item number	Barcode
	Dust extraction adapter complete For maximum diameter of 14 mm With rubber cuff for connection to vacuum hose	1	1	66783116	8717574051292
	Dust extraction adapter complete For maximum diameter of 85 mm With screw coupling with rubber cuff for connection to vacuum hose	1	1	66783122	8717574058246
	Dust extraction adapter complete For maximum diameter of 175 mm With screw coupling with rubber cuff for connection to vacuum hose	1	1	66783123	8717574058253

DUST EXTRACTION FOR DEMOLITION HAMMER

DUST EXTRACTION FOR DEMOLITION HAMMER					
	Description	PQ	MOQ	Item number	Barcode
	Dust extraction adapter complete Suitable for H45MEY/H60MEY Supplied with two lengths of hose to adjust to different chisel length With screw coupling with rubber cuff for connection to vacuum hose	1	1	66783121	8717574058017

PROLINE ACCESSORIES HEAT GUN



	Description	PQ	MOQ	Item number	Barcode
Nozzle diameter machine connection: Ø 34,5 mm					
	Round nozzle	1	1	66711291	8717574050370
	Curved surface nozzle	1	1	66711292	8717574050387
	Glass protector nozzle	1	1	66711293	8717574050394
	Flat nozzle	1	1	66711294	8717574050400
	Scraper with handgrip	1	1	66711295	8717574050417
Suitable for Hikoki / Hitachi Heat Gun RH600T and RH650V and other brands					

PROLINE COLLATED SCREWS

Add quality to your job

Important for a good working system is, that the materials are optimized for each other. Especially when it comes to band screw machines, with which high productivity can be achieved, the quality of the plastic band is extremely important.

EN
14566

The plastic band makes the transportation of the screw through the front case of the machine fluent and holds the screw tight as long as it is necessary.

All Hikoki band screws are produced in an ISO 9001 certified facility. All collated drywall screws comply to the CE standard and to standard EN14566.

The grey phosphated screws are approved in accordance to the 48-hours salt spray test.

The electro galvanized screws are free of Chrome 6 and are electro galvanized CR3+ according to the CE-standard on 5µ. These screws comply to the 200 hours salt spray test.

COLLATED SCREWS FOR PLASTER BOARD

 PH 2	Ø	Length (mm)	Thread	Finishing	Stud Material	PQ	MOQ	Item number	Barcode
THERE ARE 50 SCREWS ON A BAND AND 20 BANDS IN A CARTON BOX: 1.000 SCREWS PER BOX									
	3,6	25	Fine	Grey phosphated	Metal	1000	1	66754601	8717574034646
	3,6	35	Fine	Grey phosphated	Metal	1000	1	66754605	8717574034653
	3,9	25	Coarse	Grey phosphated	Wood	1000	1	66754611	8717574034660
	3,9	35	Coarse	Grey phosphated	Wood	1000	1	66754615	8717574034677


Suitable for Hikoki / Hitachi bandscrew machines W4YD, W4YE, W4YF, WF4DSL, WF4DY, WF14DSL, WF18DSL and other brands like Hilti, Fein, Makita, Max, Powers, Poppers/Senco, Spero, Würth

COLLATED SCREWS FOR CHIPBOARD

 PZ 2	Ø	Length (mm)	Thread	Finishing	Stud Material	PQ	MOQ	Item number	Barcode
THERE ARE 50 SCREWS ON A BAND AND 20 BANDS IN A CARTON BOX: 1.000 SCREWS PER BOX									
	4,0	25	Chip-board	Yellow zinc plated	Metal	1000	1	66754631	8717574034721
	4,0	30	Chip-board	Yellow zinc plated	Metal	1000	1	66754633	8717574034738
	4,0	35	Chip-board	Yellow zinc plated	Metal	1000	1	66754635	8717574034745
	4,0	40	Chip-board	Yellow zinc plated	Metal	1000	1	66754636	8717574034752
	4,0	25	Chip-board	Zinc plated	Wood	1000	1	66754621	8717574034684
	4,0	30	Chip-board	Zinc plated	Wood	1000	1	66754623	8717574034691
	4,0	35	Chip-board	Zinc plated	Wood	1000	1	66754625	8717574034707
	4,0	40	Chip-board	Zinc plated	Wood	1000	1	66754626	8717574034714

Suitable for Hikoki / Hitachi bandscrew machines W4YD, W4YE, W4YF, WF4DSL, WF4DY, WF14DSL, WF18DSL and other brands like Hilti, Fein, Makita, Max, Powers, Poppers/Senco, Spero, Würth

PROLINE NAILS & FUEL CELLS



The Hikoki Proline galvanized nails are treated with a very special technique called Magneto Hydro Dynamics (MHD); the science which studies the dynamics of electrically conducting molten metals. Applying this special production method for galvanizing steel products has many advantages.

How it works

First of all the wire rolls are being uncoiled, straightened and the surface is blast-clean treated. Induction heating brings the wire to galvanizing temperature after which it passes a molten zinc bath. Now the actual MHD process takes place where the zinc is magnetically wiped to the final coating thickness. Finally the wire is being cooled down, cut-to

length and packed in sales units.

Cost efficient

Manufacturing costs are significantly reduced, compared to traditional hot-dipped galvanizing for continuous length products. MHD galvanizing is less energy consuming and high speed due to continuous process.

Environmentally friendly

As a company, Hikoki has described an Environmental Vision to achieve more sustainability in the value chain. By eliminating the hazardous chemicals found in a traditional galvanizing line, i.e., acid, flux, and rinse, the MHD process as used on the galvanized nails is Eco-Friendly! There are no hazardous che-



micals or by-products to worry about in an MHD system.

High quality


The Hikoki Proline nails are made out of high quality steel and offered with a Full round- or D-head, both in bright and galvanized execution. All relevant quality standards and certifications are met.


Superior galvanizing technology



- Non polluting, no acid, no flux
- Low cost process for competitive market pricing
- High quality galvanizing
- Product manufactured from this passes the Eurocode 5 norms



	Size (mm)	Shank type	Finish	PQ	MOQ	Item number	Barcode
D-CLIPPED HEAD FRAMING NAIL 34° PAPER COLLATED							
	2,8 x 50	Ring	Bright	3000	1	66753631	8717574059069
	2,8 x 50	Ring	MHD	3000	1	66753611	8717574053128
	2,8 x 50	Smooth	MHD	3000	1	664100401	8717574059595
	3,1 x 50	Ring	Hot dip galvanized	4800	1	66705453	8717472817648
	2,8 x 55	Ring	Bright	3000	1	66753632	8717574059076
	2,8 x 55	Ring	MHD	3000	1	66753612	8717574053135
	2,8 x 55	Smooth	MHD	3000	1	664100402	8717574059601
	3,1 x 63	Ring	Hot dip galvanized	4800	1	66705456	8717472817679
	2,8 x 65	Ring	Bright	3000	1	66753633	8717574059083
	2,8 x 65	Ring	MHD	3000	1	66753613	8717574053142
	2,8 x 65	Smooth	MHD	3000	1	664100403	8717574059618
	2,8 x 75	Ring	Bright	2500	1	66753634	8717574059090
	2,8 x 75	Ring	MHD	2500	1	66753614	8717574053159
	2,8 x 75	Smooth	MHD	2500	1	664100404	8717574059625
	3,1 x 75	Ring	Hot dip galvanized	2500	1	66705459	8717472817709
	3,1 x 82	Smooth	MHD	2500	1	664100405	8717574059632
	3,1 x 90	Ring	Bright	2500	1	66753636	8717574059106
3,1 x 90	Ring	MHD	2500	1	66753616	8717574053166	
3,1 x 90	Smooth	MHD	2500	1	664100406	8717574059649	
D-CLIPPED HEAD FRAMING NAIL 34° PAPER COLLATED STAINLESS STEEL							
	2,8 x 65	Ring	Inox	3000	1	664100413	8717574065176
Suitable for e.g. Hikoki / Hitachi gas nailer NR1890DBCL / NR90GC(2) and NR90AD							


	Size (mm)	Shank type	Finish	PQ	MOQ	Item number	Barcode
FULL ROUND HEAD NAIL 21° PLASTIC COLLATED							
	2,8 x 50	Ring	Bright	3000	1	66753641	8717574059014
	2,8 x 50	Ring	MHD	3000	1	66753621	8717574053173
	2,8 x 55	Ring	Bright	3000	1	66753642	8717574059021
	2,8 x 55	Ring	MHD	3000	1	66753622	8717574053180
	2,8 x 65	Ring	Bright	3000	1	66753643	8717574059038
	2,8 x 65	Ring	MHD	3000	1	66753623	8717574053197
	2,8 x 75	Ring	Bright	2500	1	66753644	8717574059045
	2,8 x 75	Ring	MHD	2500	1	66753624	8717574053203
	3,1 x 90	Ring	Bright	2500	1	66753646	8717574059052
	3,1 x 90	Ring	MHD	2500	1	66753626	8717574053210
	3,1 x 90	Smooth	Hot dip galvanized	2200	1	66705599	5017658059781
Suitable for e.g. Hikoki / Hitachi gas nailer NR1890DBRL / NR1890DCRL / NR90GR(2)							



	Description	PQ	MOQ	Item number	Barcode
CONCRETE NAIL PLASTIC COLLATED					
	Ballistic nail 15 mm	1000	1	6640014406	4250155816391
	Ballistic nail 20 mm	1000	1	6640014401	4250155810078
	Ballistic nail 25 mm	1000	1	6640014402	4250155810085
	Ballistic nail 30 mm	1000	1	6640014403	4250155810092
	Ballistic nail 35 mm	1000	1	6640014404	4250155810108
	Ballistic nail 40 mm	1000	1	6640014405	4250155810115
Supplied with 1 fuel cell 80 ml					
Suitable for concrete nailers such as the NC40G. Please check dimensions carefully before use with other makes of nailer.					

	Thickness (mm)	Width (mm)	Length (mm)	PQ	MOQ	Item number	Barcode
	0,7	12,8	6	4800	1	66750667	8717574041293
	0,7	12,8	10	4800	1	66750668	8717574041309
	0,7	12,8	13	4800	1	66750669	8717574041316
Suitable for e.g. Hikoki / Hitachi N14DSL, N18DSL, Atro, Bea, Bostitch, Duo Fast, Fasco, Haubold, Kihlberg, Omer, Prebena and Senco							


	Thickness (mm)	Length (mm)	PQ	MOQ	Item number	Barcode
DA NAILS 15 GA - 34 ° ELECTRO GALVANIZED						
	1,8	25	2000	1	66750681	8717574058048
	1,8	32	2000	1	66750682	8717574058055
	1,8	38	2000	1	66750683	8717574058062
	1,8	44	2000	1	66750684	8717574058079
	1,8	50	2000	1	66750685	8717574058086
	1,8	56	2000	1	66750686	8717574058093
	1,8	63	2000	1	66750687	8717574058109
DA NAILS 15 GA - 34° STAINLESS STEEL						
	1,8	38	2000	1	66750693	8717574058116
	1,8	50	2000	1	66750695	8717574058123
	1,8	63	2000	1	66750697	8717574058130
Suitable for e.g. Hikoki / Hitachi nailer NT1865DBAL / NT65MA3/ Bea / Bostitch / Fasco / Paslode / Prebena and Senco.						

	Thickness (mm)	Length (mm)	PQ	MOQ	Item number	Barcode
FINISH NAILS 16 GA STRAIGHT ELECTRO GALVANIZED						
	1,6	25	5000	1	66705565	5017658059385
	1,6	32	2500	1	66705566	5017658059392
	1,6	38	2500	1	66705568	5017658059415
	1,6	35	2500	1	66705567	5017658059408
	1,6	40	2500	1	66705569	5017658059422
	1,6	45	2500	1	66705570	5017658059439
	1,6	50	2500	1	66705571	5017658059446
	1,6	63	2500	1	66705572	5017658059453
FINISH NAILS 16 GA STRAIGHT STAINLESS STEEL						
	1,6	38	2500	1	66750593	8717574059137
	1,6	50	2500	1	66750595	8717574059144
	1,6	63	2500	1	66750597	8717574059151
Suitable for e.g. Hikoki / Hitachi gas nailer NT1865DBSL / NT65GS / NT65M2 / Bea / Bostitch / Fasco / Paslode / Prebena and Senco						


	Thickness (mm)	Length (mm)	PQ	MOQ	Item number	Barcode
FINISH NAILS 16 GA - 20° ELECTRO GALVANIZED						
	1,6	32	2000	1	66705573	5017658059460
	1,6	38	2000	1	66705574	5017658059477
	1,6	45	2000	1	66705575	5017658059484
	1,6	50	2000	1	66705576	5017658059491
	1,6	63	2000	1	66705577	5017658059507
Suitable for e.g. Hikoki / Hitachi gas nailer NT65GB						

	Thickness (mm)	Length (mm)	PQ	MOQ	Item number	Barcode
MINI BRADS 18 GA STRAIGHT ELECTRO GALVANIZED						
	1,2	15	5000	1	66750671	8717574050103
	1,2	20	5000	1	66750672	8717574050110
	1,2	25	5000	1	66750673	8717574050127
	1,2	30	5000	1	66750674	8717574050134
	1,2	35	5000	1	66750675	8717574050141
	1,2	40	5000	1	66750676	8717574050158
	1,2	45	5000	1	66750677	8717574050165
	1,2	50	5000	1	66750678	8717574050172
MINI BRADS 18 GA STRAIGHT STAINLESS STEEL						
	1,2	15	5000	1	66715251	8717574040968
	1,2	20	5000	1	66715252	8717574040975
	1,2	25	5000	1	66715253	8717574040982
	1,2	30	5000	1	66715254	8717574040999
	1,2	38	5000	1	66715255	8717574041002
	1,2	50	5000	1	66715258	8717574041033
Suitable for 18 gauge finish nailers such as Hikoki / Hitachi NT1850DBSL / NT50GS/AE2, Bea, Bostitch, Fasco, Paslode, Prebena and Senco						


GAS CELLS FOR GAS NAILERS

	Description	Suitable for	Content	PQ	MOQ	Item number	Barcode
	Fuel can for Gas Nailers	NT50GS NT65GB NT65GS	30 ml	2	1	66753702	8717574011838
		NC40G NR90GC(2) NR90GR(2)	80 ml	2	1	66753600	8717472813695


CLEANING KIT FOR GAS NAILERS

	Description	PQ	MOQ	Item number	Barcode
	Consisting of: Cleaner spray 300 ml Nailer oil 100 ml Hexagonal T-handle key 4x100mm Cleaning brush Soft cleaning cloth	1	1	66714800	8717574001105

NOSE CAP FOR SURFACE PROTECTION


	Description	PQ	MOQ	Item number	Barcode
	Nose cap for NR1890DBCL / NR1890DBRL Protects wood surfaces Eliminates markings	1	1	664100400	8717574059700




REPAIR AND MAINTANANCE SET FOR PNEUMATIC NAILERS

	Description	PQ	MOQ	Item number	Barcode
	Repair and maintanance set for NV90AB	17	1	6650750069	7034354711162
	Repair and maintanance set for NV90HMC	30	1	6650750075	7034354716761
	Repair and maintanance set for NV65HMC	27	1	6650750076	7034354717867

PROLINE OTHER ACCESSORIES



	Description	PQ	MOQ	Item number	Barcode
	Tape measure 3 m	1	1	66750420	8717154653786
	Tape measure 5 m	1	1	66750421	8717154653793
	Tape measure 8 m	1	1	66750422	8717154653809

	Description	PQ	MOQ	Item number	Barcode
ROTARY TOOL SETS FOR USE WITH HIGH RPM ROTATION TOOLS					
	<p>200-pcs cassette consisting of: 10 x sanding band, 1 x cloth wheel, 6 x felt wheel, 1 x felt wheel point, 6 x HSS twist drills (2x1,6 / 2x2,4 / 2x3,2), 2 x sanding shank, 9 x diamond cutter, 3 x HSS cutter, 6 x aluminium oxide grinding wheel with shank, 4x aluminium oxide grinding wheel, 4 x silicon carbide grinding wheel with shank, 4x silicon carbide grinding wheel, 3 x nylon brush, 3 x stainless steel brush, 3 x brass brush, 1 x polish compound, 66x cut off wheel, 52 x sanding disc, 4 x collet chrome plated (1,6 / 2,4 / 2x3,2mm), 4 x mandrel, 5 x cut off wheel fibre glass, 1 x wrench, 1 x flap wheel, 1 x dressing stone</p>	200	1	66753948	8717574023015
	<p>389-pcs cassette consisting of: 42 x sanding band, 2 x cloth wheel, 5 x felt wheel, 1 x felt wheel point, 1 x rubber emery wheel, 9 x HSS twist drills (3x1,6 / 3x2,4 / 3x3,2), 3 x sanding shank, 10 x diamond cutter, 3 x HSS cutter, 1 x diamond disc, 6 x aluminium oxide grinding wheel with shank, 9 x aluminium oxide grinding wheel, 4 x silicon carbide grinding wheel with shank, 10 x silicon carbide grinding wheel, 8 x brush, 1 x polish compound, 80 x cut off wheel heavy duty, 36 x cut off wheel regular, 135 x sanding disc, 3 x rubber grinding wheel with shank, 4 x collet chrome plated (1,6 / 2,4 / 2x3,2), 6 x mandrel, 5 x cut off wheel fibre glass, 2 x wrench, 2 x flap wheel, 1 x dressing</p>	389	1	66753949	8717574023039

PROLINE PERSONAL PROTECTION EQUIPMENT HAND PROTECTION




EN 381-7 1999 Class 0 (16 m/s)
EN 388 2003 3 1 4 2
EN 420 (1994)

Leather gloves with saw protection for chainsaw users. The gloves are equipped with saw protection on the left hand. The elastic knitted sleeve in combination with the soft leather offers a high wearing comfort. Suitable for intensive use in forestry.

The right size of the gloves


Measuring the hand by stretching the fingers at the periphery over the knuckles of the palm of the hand. Measure the hand that you write with. In the table below the measured number of centimeters refer to the size designation of the glove. Always choose the larger size if the value is between two numbers.

Length (mm)	203	229	254	279	304
Size	S	M	L	XL	XXL
Size	8	9	10	11	12

HAND PROTECTION						
	Description	Size	PQ (pair)	MOQ	Item number	Barcode
	Chainsaw gloves	8/S	1	1	66713651	8717574030426
		9/M	1	1	66713652	8717574030433
		10/L	1	1	66713653	8717574030440
		11/XL	1	1	66713654	8717574030457
		12/XXL	1	1	66713655	8717574030464

PROLINE HEAD PROTECTION



SAFETY GLASSES						
	Description	Color lens	PQ	MOQ	Item number	Barcode
	<ul style="list-style-type: none"> Safety glasses with modern design Permanent anti-fog on the inside Extremely scratch-resistant on the outside Complies with EN166 & EN170 UV400 protection 	Clear	1	1	664100690	8717574063455

HEAD PROTECTION		
HELMET	66713517-66713518	66713519
Norm	EN 397	EN 397
Material	ABS	ABS
Inner fitting	4 point, 180° swivel	6 point, 180° swivel
VISOR		
Norm	EN 1731	EN 1731
Material	Matt-finished steel	Matt-finished steel
Mash	1.8 x 1.8 mm	1.8 x 1.8 mm
Light reduction	35%	35%
EAR PROTECTION		
Norm	EN 352-3	EN 352-3
Noise reduction	SNR 27	SNR 29



HEAD PROTECTION							
	Description	UV-Indicator	Rain shield	PQ	MOQ	Item number	Barcode
	Forestry combination consisting of: Safety helmet Matt-finished steel visor Ear protection	No	No	1	1	66713517	8717574048940
		No	Yes	1	1	66713518	8717574048957
	Forestry combination consisting of: Safety helmet Matt-finished steel visor Ear protection	No	No	1	1	66713519	8717574050424
	Brushcutter combination consisting of: Sight and hearing guardrail Matt-finished steel visor Ear protection EN352-1 SNR28			1	1	66713520	8717574053883

PROLINE FEET PROTECTION



POLYAMIDE FIBER LINING IN UPPER

SNAG PROOF FRONT LACING

WATER REPELLENT LEATHER

CHAIN SAW PROTECTION

RUBBER NITRILE OVERCAP PROTECTION

STEEL TOECAP (200 JOULE)

OIL RESISTANT

PULL ON STRAP

HEEL PROTECTION (9-10 MM)

ANTI PERFORATION TEXTILE (-> S3)

SHOCK ABSORBENT HEEL (20 JOULE)

HIGH HEEL BREAST

SLIP RESISTANT



CLASS 2



Hikoki / Hitachi LEATHER CHAIN SAW BOOTS	
Material:	Leather
Size range:	UK 6 - 13 (EU 39 - 48)
Standard:	EN ISO 17249:2005, Class 2 (24 m/s)
Properties:	Chainsaw protection, protective toecap
Resistance:	Oils, fats, various chemicals

LEATHER CHAIN SAW BOOTS						
	Size (EUR)	Size (UK)	PQ (pair)	MOQ	Item number	Barcode
	39	6	1	1	66714039	8717574019254
	40	6½	1	1	66714040	8717574019261
	41	7	1	1	66714041	8717574019278
	42	8	1	1	66714042	8717574019285
	43	9	1	1	66714043	8717574019292
	44	10	1	1	66714044	8717574019308
	45	10½	1	1	66714045	8717574019315
	46	11	1	1	66714046	8717574019322
	47	12	1	1	66714047	8717574019339
	48	13	1	1	66714048	8717574019346

LACES FOR LEATHER CHAIN SAW BOOTS					
	Description	PQ (pair)	MOQ	Item number	Barcode
	Laces for leather chain saw boots size 39 – 43	1	1	66714049	8717574049305
	Laces for leather chain saw boots size 44 – 48	1	1	66714050	8717574049312



CLASS 2



RUBBER CHAIN SAW BOOTS	
Material:	Natural rubber
Size range:	UK 4 - 14 (EU 37 - 50)
Standard:	EN ISO 20345 .SB.E / EN ISO 17249:2005 Class 2 (24 m/s)
Properties:	Chainsaw protection, protective toecap
Resistance:	Oils, fats, various chemicals

RUBBER CHAIN SAW BOOTS						
	Size (EUR)	Size (UK)	PQ (pair)	MOQ	Item number	Barcode
	37	4	1	1	66713537	8717574018615
	38	5	1	1	66713538	8717574018639
	39	6	1	1	66713539	8717574018653
	40	6½	1	1	66713540	8717574018677
	41	7	1	1	66713541	8717574018691
	42	8	1	1	66713542	8717574018714
	43	9	1	1	66713543	8717574018738
	44	10	1	1	66713544	8717574018752
	45	10½	1	1	66713545	8717574018776
	46	11	1	1	66713546	8717574018790
	47	12	1	1	66713547	8717574018813
	48	13	1	1	66713548	8717574018837
	49	14	1	1	66713549	8717574018851
	50	14½	1	1	66713550	8717574018875

PROLINE PROTECTIVE GARMENT



Hikoki chainsaw and forestry clothing provides the optimal balance between protection and comfort, while being light, comfortable and easy to maintain.

Hikoki's well equipped testing laboratory offers the possibility to find solutions according the specific needs of chainsaw users. Professional end users are regularly called upon to test Hikoki chainsaw and

forestry clothing in practice, paying great attention to ergonomics, quality, durability and comfort.

The results of all these tests are incorporated into the clothing so that the optimal balance is achieved between protection, security and comfort.

Hikoki chainsaw clothing is made of a beaver nylon, comprising 49% cotton and 51% polyester nylon so the outside of the clo-

thing is very durable, water resistant and dirt repelling. The inside is soft and comfortable to wear.


Of course, all models meet the current European standards, because your safety is our priority. The various levels of protection are indicated on the clothing by an icon with the standard EN 381 accompanied by the class.

Size	Length	A Length	B Chest size	C Waist size
S	46 - 48	164 - 182	88 - 96	76 - 84
M	50 - 52	164 - 182	96 - 104	84 - 92
L	54 - 56	170 - 188	104 - 112	92 - 100
XL	58 - 60	170 - 188	112 - 120	100 - 108
XXL	62 - 64	176 - 194	120 - 128	108 - 116
XXXL	66 - 68	176 - 194	128 - 139	116 - 124


All Hikoki chainsaw clothing is perfectly washable up to 60 degrees but is not suitable for tumble drying.

All Hikoki chainsaw trousers are equipped with type A protection. They are suitable for professional foresters who are trained to work in forestry at ground level.

Type A offers 180 ° protection in front of each leg plus 5 cm on the inside of the right leg and 5 cm on the outside of the left leg. The protection begins no more than 5 cm from the bottom of the leg and stops at least 20 cm above the crotch.




FRONT VIEW




REAR VIEW

Safety note: There exists no protective suit that provides 100% protection and replaces proper training and work methods.





Class 1



	Hikoki / Hitachi FORESTRY TROUSERS	Hikoki / Hitachi FORESTRY BIB & BRACE
Protection	Type-A	Type-A
European standard	EN 381-5	EN 381-5
	EN 340 : 2003	EN 340 : 2003
Class	1 = 20 m/s	1 = 20 m/s
Layers	9	9
Size range	S - 3XL	M - 2XL
Colours	Pine green / Fluorescent orange / Black	Pine green / Fluorescent orange / Black

	Description	Size	PQ	MOQ	Item number	Barcode
TROUSERS TYPE A						
 Class 1 	Trousers Complies with EN-340	S	1	1	66713602	8717574022186
		M	1	1	66713603	8717574022193
		L	1	1	66713604	8717574022209
		XL	1	1	66713605	8717574022216
		2XL	1	1	66713606	8717574022223
		3XL	1	1	66713607	8717574022230
BIB & BRACE - TYPE A						
 Class 1 	Bib & Brace Complies with EN-340	M	1	1	66713613	8717574022254
		L	1	1	66713614	8717574022261
		XL	1	1	66713615	8717574022278
		2XL	1	1	66713616	8717574022285

PERSONAL PROTECTION EQUIPMENT



Hikoki / Hitachi FORESTRY JACKET WITH CHAIN SAW PROTECTION	
Protection	Type-A
European standard	EN 381-11
Class	0 = 16 m/s
Layers	9
Size range	S - 3XL
Colours	Pine green / Fluorescent orange / Black

Hikoki / Hitachi FORESTRY JACKET WITHOUT CHAIN SAW PROTECTION	
Size range	S - 3XL
Colours	Pine green / Fluorescent orange / Black




Class 0




		Description	Size	PQ	MOQ	Item number	Barcode
JACKET WITH CHAIN SAW PROTECTION							
 Class 0 	Jacket with chain saw protection	S	1	1	66713632	8717574022315	
		M	1	1	66713633	8717574022322	
		L	1	1	66713634	8717574022339	
		XL	1	1	66713635	8717574022346	
		2XL	1	1	66713636	8717574022353	
		3XL	1	1	66713637	8717574022360	
JACKET WITHOUT CHAIN SAW PROTECTION							
	Jacket without chain saw protection	S	1	1	66713642	8717574022377	
		M	1	1	66713643	8717574022384	
		L	1	1	66713644	8717574022391	
		XL	1	1	66713645	8717574022407	
		2XL	1	1	66713646	8717574022414	
		3XL	1	1	66713647	8717574022421	

PROLINE LUBRICANTS



LUBRICANTS 2-STROKE						
	Description	Content	PQ	MOQ	Item number	Barcode
	Semi-synthetic lubricant specifically designed for excellent engine protection and performance in 2-stroke motorcycle engines. It guarantees superior control against exhaust system blocking and minimizes exhaust smoke.	100 ml	1	1	66714811	8717574017854
		1 litre	1	1	66714813	8717574023640
		1 litre + 100 ml	1	1	66714819	8717574033397

LUBRICANT 4-STROKE 10W-40						
	Description	Content	PQ	MOQ	Item number	Barcode
	Hikoki 10W-40 is a modern universal fuel economy motor oil formulation, produced with high quality solvent refined and synthetic base oils and a well balanced choice of additives to obtain the best properties.	1 litre	1	1	66714818	8717574021691



Special prover on the 1 litre bottle prevents spills




Chain saw oil


Hikoki chain saw oil has been specially formulated to satisfy the demanding requirements of a chain saw. Besides lubricating the chain, it also prevents the chain from overheating and loss of strength.

Special additives are added to obtain very high grade of viscosity, preventing the oil from flying off the chain and improving lubrication.


CHAIN SAW OIL						
	Description	Content	PQ	MOQ	Item number	Barcode
	Chain saw oil based upon top grade low aromatic solvent-refined base oils	1 litre	1	1	66714814	8717574021677
		5 litre	1	1	66714815	8717574021684
	Bio-degradable chain saw oil: based upon totally biodegradable vegetable oil	1 litre	1	1	66714816	8717574017878
		5 litre	1	1	66714817	8717574017885

CUTTING OIL						
	Description	Content	PQ	MOQ	Item number	Barcode
	Cutting oil Chlorine-free, universal, non-staining cutting oil of average viscosity Minimal mist formation High cutting power Increases the lifespan of your tool Recommended application: for drilling, milling, tapping, threading, punching and sawing all mild steel types	400 ml aerosol	1	1	66712073	8717154657487
		500 ml	1	1	66714842	8717574051896
		1 litre	1	1	66712072	8717572819680


CLEANER

	Description	Content	PQ	MOQ	Item number	Barcode
	General cleaner Extremely suitable for degreasing Fast evaporating Also suitable for cleaning carburetors	300 ml aerosol	1	1	66714805	8717574001112

RESIN SOLVENT

	Description	Content	PQ	MOQ	Item number	Barcode
	Dissolves the resin and keeps the cutters clean Lubricates the metal cutters Kills possible bacteria	400 ml aerosol	1	1	66714841	8717574033755



GREASE



	Description	Content	PQ	MOQ	Item number	Barcode
	High quality gear grease Extremely suitable for high rotating machines like angle grinders, brush cutters and hedge trimmers Special twist cap enables lubrication straight into the gear case	100 gr	1	1	66714833	8717574050257

LUBRICANTS

PROLINE JERRYCANS



CANISTERS					
	Description	PQ	MOQ	Item number	Barcode
	<ul style="list-style-type: none"> • Petrol canister made of HDPE • UN/BAM and TÜV approved • Including standard spout • Volume: 5 litres 	1	1	66714821	8717574019377
	<ul style="list-style-type: none"> • Professional double canister for petrol and chainsaw oil made of HDPE • Volume of chambers: 5 and 3 litres • UN/BAM and TÜV approved • Including standard spout 	1	1	66714822	8717574019384


FILLING SYSTEM					
	Description	PQ	MOQ	Item number	Barcode
PREVENTS SPILLAGES AND OVERFILLING WHEN REFUELLING					
	For fuel	1	1	66714826	8717574019391
	For oil	1	1	66714827	8717574019407


PROLINE SAW CHAINS



All Hikoki saw chains are fabricated from special alloy steel. This specially engineered steel adds toughness and abrasion resistance. All Hikoki saw chain cutters are plated with hard industrial chrome. This process yields superior edge-holding qualities to other types of plating. In the field, Hikoki saw chains stay sharp longer.

Unlike the competition, every Hikoki saw chain is sharpened after assembly to cut fast out of the box. To reduce bearing wear during “break in”, all Hikoki chains are injected at the rivet bearing with a hypoid lubricant



	Pitch inch	Gauge mm (inch)	Length cm (inch)	Nr. of links	PQ	MOQ	Item number	Barcode
	1/4" LP	1,3 (.050")	25 (10")	60	1	1	66781110	8717574035100
	3/8" LP	1,3 (.050")	25 (10")	40	1	1	66781120	8717574021301
	3/8" LP	1,3 (.050")	30 (12")	45	1	1	66781122	8717574021318
	3/8" LP	1,3 (.050")	35 (14")	52	1	1	66781124	8717574021325
	3/8" LP	1,3 (.050")	40 (16")	57	1	1	66781126	8717574021332
	.325" NK	1,3 (.050")	33 (13")	56	1	1	66781133	8717574021349
	.325" NK	1,3 (.050")	38 (15")	64	1	1	66781135	8717574021356
	.325" NK	1,3 (.050")	40 (16")	66	1	1	66781136	8717574021363
	.325" NK	1,3 (.050")	45 (18")	72	1	1	66781138	8717574021370
	.325" NK	1,3 (.050")	50 (20")	78	1	1	66781140	8717574033236

	Pitch (inch)	Gauge mm (inch)	Length m (foot)	Nr. of links	PQ	MOQ	Item number	Barcode
	.325" NK	1,3 (.050")	30,5 (100 ft)	1848	1	1	66781193	8717574021462


Combo pack chain and chain bar

Hikoki offers a great deal: chain bar and the chain packed into one package.


All Hikoki chain bars are equipped with a sprocket.

	Pitch (inch)	Gauge mm (inch)	Length cm (inch)	Nr. of links	PQ	MOQ	Item number	Barcode
	3/8" LP	1,3 (.050")	30 (12")	45	2	1	66781232	8717574021387
	3/8" LP	1,3 (.050")	35 (14")	52	2	1	66781234	8717574021394
	3/8" LP	1,3 (.050")	40 (16")	57	2	1	66781236	8717574021400
	.325" NK	1,3 (.050")	33 (13")	56	2	1	66781243	8717574021417
	.325" NK	1,3 (.050")	38 (15")	64	2	1	66781245	8717574021424
	.325" NK	1,3 (.050")	40 (16")	66	2	1	66781246	8717574021431
	.325" NK	1,3 (.050")	45 (18")	72	2	1	66781248	8717574021448
	.325" NK	1,3 (.050")	50 (20")	78	2	1	66781250	8717574033243

CHAIN SAW BAG

	Description	PQ	MOQ	Item number	Barcode
	<ul style="list-style-type: none"> • Heavy duty chain saw bag with carrying handles and shoulder strap • Wide opening top with two zipper closure • Bottom plate made of tarpaulin: strong, flexible, water resistant and easy cleaning • Two inside elastic pockets to hold bottle of chain saw oil and 2-stroke oil • Outside pocket for storing maintenance tools • Total inner length 82cm • Suitable for all Hikoki / Hitachi chain saws including CS51 	1	1	66711008	8717574049589

PROLINE CHAIN SAW FILES



Proline Chain Saw Files

The Hikoki chain saw files are Swiss made and produced out of high quality chromium steel for a high hardness of the file. In combination with the special heat-treatment process, it ensures an extreme long life-time.


The round files are equipped with a double-cut teething on the entire file for a quick and efficient sharpening with a smooth feeling.

The regular teeth geometry ensures a precise cutting/sharpening on the chain saw and an excellent chip removal.

The Hikoki flat file is finished with round edges without teeth-cut to prevent gauge damaging when setting the depth gauge.



The conical tang makes it easy to set in the handle and to take it out after worn-out.



The Hikoki round files are available in a variety of sizes and packaging configurations to meet the needs of most chain saw users.







$$L : 2 = \text{PITCH}$$


Pitch	Ø inch	Ø mm
1/4"	5/32"	4,0
.325"	11/64" - 3/16"	4,5 - 4,8
3/8"	13/64" - 7/32"	5,2 - 5,5
.404"	7/32"	5,5

	Description	Ø mm (inch)	PQ	MOQ	Item number	Barcode
	Round file for chain saw Length = 200 mm	4,0 (5/32")	3	4	66781271	8717574047936
			12	1	66781272	8717574047943
		4,5 (11/64")	3	4	66781273	8717574047950
			12	1	66781274	8717574047967
		4,8 (3/16")	3	4	66781275	8717574047974
			12	1	66781276	8717574047981
		5,2 (13/64")	3	4	66781277	8717574047998
			12	1	66781278	8717574048001
		5,5 (7/32")	3	4	66781279	8717574048018
			12	1	66781280	8717574048025

	Description	length (mm)	PQ	MOQ	Item number	Barcode
	Flat file with aggressive teething for finishing the depth limiter of saw chains Also suitable for sharpening lawnmower and brush cutter blades	150	2	4	66781281	8717574048032
			12	1	66781282	8717574048049

	Description	Ø mm (inch)	PQ	MOQ	Item number	Barcode
	3-Pcs set consisting of: 2 pieces round file for sharpening chain saw 1 file grip with wings indicating 25° and 30° sharpening angle	4,0 (5/32")	3	1	66781285	8717574048056
		4,5 (11/64")	3	1	66781286	8717574048063
		4,8 (3/16")	3	1	66781287	8717574048070
		5,2 (13/64")	3	1	66781288	8717574048087
		5,5 (7/32")	3	1	66781289	8717574048094



	Description	length (mm)	PQ	MOQ	Item number	Barcode
	2-Pcs set consisting of: 1 flat file for finishing the depth limiter of chain saw 1 file grip	150	2	1	66781290	8717574048100



The Hikoki professional lumberjack file guide pack includes the essential parts you need to keep your saw chain sharp:

- one round file
- one innovative guide
- and one handle

The file guide holds the file at the correct height and indicates the correct sharpening angle. Please note; the guide must match the chain file size.

	Description	Ø mm (inch)	PQ	MOQ	Item number	Barcode
	3-Pcs set consisting of: 1 round file for sharpening chains saw 1 file grip with wings indicating 25° and 30° sharpening angle 1 file guide indicating 25° and 30° sharpening angle	4,0 (5/32")	3	1	66781291	8717574048254
		4,5 (11/64")	3	1	66781292	8717574048261
		4,8 (3/16")	3	1	66781293	8717574048278
		5,2 (13/64")	3	1	66781294	8717574048285
		5,5 (7/32")	3	1	66781295	8717574048292

PROLINE TRIMMER HEADS



The Semi-automatic Hikoki trimmer heads are constructed out of high quality, shock resistant nylon material. The special design withstands impact damage, which ensures long lifetime. Available in Ø 109, Ø 130 and Ø 160 mm, and standard equipped with adaptor and trimmer line.

- Double line nylon head complete with adaptor nut
- High capacity spool: 10 m. of Ø 2,4 mm line on Ø 130 mm trimmer head
- Extremely balanced at any r.p.m. range.
- Handy and sturdy
- Anti line-entangling design
- Higher flexibility spring for better line consumption control


SPOOL CAPACITY			
Ø (mm)	109 mm	130 mm	160 mm
1,6	12 m		
2,0	9 m		
2,4	5,5 m	10 m	17,6 m
2,7		8 m	14,2 m
3,0		6 m	12,8 m
3,3		5,5 m	10,6 m
3,5		4,5 m	10,2 m

	Ø mm	Connection	Suitable for	Standard line length (m)	PQ	MOQ	Item number	Barcode
	109	M8x1,25 RH F	< 33 cc	3,5	1	1	66781301	8717574034011
	109	M8x1,25 LH F	< 33 cc	3,5	1	1	66781302	8717574034028
	109	M10x1,25 LH F	< 33 cc	3,5	1	1	66781303	8717574034035
	130	M8x1,25 LH F	≥ 33 cc	4,0	1	1	66781306	8717574034042
	130	M10x1,25 LH F	≥ 33 cc	4,0	1	1	66781307	8717574034059
	160	M10x1,25 LH F	≥ 40 cc	5,0	1	1	66781309	8717574034066
	160	M12x1,75 LH F	≥ 40 cc	5,0	1	1	66781310	8717574054279

All trimmer heads come standard filled with the Hikoki / Hitachi high quality trimmer line, round ø 2,40 mm

PROLINE

TRIMMER HEADS QUICK LOAD



Quick load

Hikoki offers a Quick load trimmer head; traditional operation reliability with an outstanding and innovative line loading system. Without any difficulty, loading up a line is now only a matter of seconds. Available in Ø109 and Ø130mm, standard equipped with trimmer line and various adapters to fit to a wide range of machines.

- Extremely balanced at any rpm range
- Wide eyelet to avoid breakage of the nylon line
- Double nylon line head complete with adapter nut
- Line loading in less than a minute
- For square and round lines

SPOOL CAPACITY		
Ø (mm)	109 mm	130 mm
1,6	11,0 m	-
2,0	6,5 m	-
2,4	5,5 m	8,7 m
2,7	4,2 m	7,0 m
3,0	3,1 m	6,0 m
3,5	-	4,5 m
4,0	-	2,8 m

	Ø mm	Connection	Suitable for	Standard equipped line	PQ	MOQ	Item number	Barcode
	109	M8 x 1,25 LH M10 x 1,0 LH M10 x 1,25 LH	< 33 cc	ø 2,4 mm x 4 m	1	1	66781313	8717574034073
	130	M8 x 1,25 LH M10 x 1,0 LH M10 x 1,25 LH M12 x 1,5 LH	≥ 33cc	ø 3,0 mm x 4 m	1	1	66781317	8717574034080



PROLINE ALUMINIUM TRIMMER HEAD

Aluminium head for pre-cut line

Hikoki aluminium head is an easy-to-load fixed-line head, especially designed for use with the Hikoki Serrated line. The aluminium top section can be fitted with 2 Serrated lines in diameters from 3.0 to 4.5mm. All other types of line with round, square, or any other shape can be used in diameters from 1.6 to 5.0mm

The 104mm diameter head is reliable and lightweight, and is attached to the machine using the trimmer's blade bolt or nut, and one adaptor from the package.

No tools required for line change, in less than 5 seconds!

Hikoki Serrated line

A revolution in trimmer technology!

The extreme cutting force for cutting weeds and heavy grass comes from its serrated edges. Thanks to the sharp

teeth, a clean cut is provided and prevents the grass from turning yellow or brown. Specific mechanical characteristics enable the teeth to withstand repeated shocks and heavy use.

Air turbulence causes traditional lines to flap about causing loud hiss and requires higher engine power, thus extra noise and air pollution. Finally, the line wears faster and causes premature weakening of the eyelet. The Hikoki Serrated line remains perfectly horizontal and stable. Reduced air drag means better use of the motor energy. Hence less noise and air pollution, less hiss, less wear and tear on engine parts and a cleaner cut. Less stress on the line means increased reliability and reduced downtime.


The Hikoki Serrated line will produce a neat cut. When using square or round lines, the effects of grass slashing are clearly visible over the exposed areas of the operator's clothing. Using Serrated line considerably reduces this effect, and therefore gives the best result possible.

- Cuts fast, even in heavy conditions
- More cutting power than trimmer line
- Quieter than trimmer line due to superior aerodynamic characteristics


Important trimmer line information

Any monofilament trimmer line can lose moisture over time or become brittle, especially if subjected to direct sunlight and heat. To reduce brittleness, Hikoki strongly recommends that the line be stored in a humid atmosphere.


ALUMINIUM TRIMMER HEAD

	Description	PQ	MOQ	Item number	Barcode
	Aluminium head Ø104 mm 8 x serrated line 260 mm Ring 25,4 x 20 mm Ring 30 x 8, 10, 12, 16 mm Nut M10 x 1,25 LH	15	1	66781321	8717574035049

SERRATED NYLON LINES PRE-CUT

	Size (mm)	Length (m)	PQ	MOQ	Item number	Barcode
	3,00	0,26	35	1	66781401	8717574033670
	3,50	0,26	25	1	66781402	8717574033687
	4,00	0,26	20	1	66781403	8717574033694
	4,50	0,26	15	1	66781404	8717574033700

SERRATED NYLON LINES

	Size (mm)	Length (m)	Approx. Weight (gr.)	PQ	MOQ	Item number	Barcode
	3,00	37	330	1	1	66781411	8717574033717
	3,50	27	330	1	1	66781412	8717574033724
	4,00	21	330	1	1	66781413	8717574033731
	4,50	16	330	1	1	66781414	8717574033748

PROLINE NYLON LINES

Hikoki Trimmer lines

The high quality co-polyamide lines of Hikoki are made for agricultural and gardening applications and are known as the best in the market. The material is strong, tough and high abrasion resistance

and can be used on thick tough vegetation with weeds and brambles. The special blend of raw material overcomes two of the most common difficulties encountered with intensive line use, namely line breakage at the eyelet of the nylon head and line fusing in the head.

Helicoidal

Thanks to the aerodynamic shape of the helicoidal lines, they have an outstanding air penetration property resulting in a significant noise reduction. Depending on the size of the line and the rotation of the machine, the noise level reduction may go up to about 15%. The lines are giving less vibration, improving the life time of the trimmer machine and improved efficiency because the machine will reach its



optimal speed faster. Less air resistance means reduced engine drag. Improved efficiency. The engine reaches its optimal speed faster. Noise level reduction.

Round

Round trimmer line is the most standard type and the most commonly used. Round trimmer line is smooth and will wear down less quickly. Most cutting occurs at the very tip of the line, so when round line contacts hard surfaces, like sidewalks or trees, it will break off less. The round line is also simpler to load into the spool retainer during line replacement, which may save time in the long run if you have a lot to trim.

Square

Trimmer line shapes that have edges are sharper. The edges that square lines have allow the lines to actually slice through grass and weeds. With four sharp edges, square trimmer line

cuts faster and more efficiently. The square-edged line works well if you have tall, thick and heavy patches of weeds.


- Square edges provide a sharper cutting area
- High performance cutting action, slices through thick grass and weeds
- Lower vibrations

COLOUR CODE








In order to have a clear and quick distinction between the different sizes, Hikoki is using the following colourcode system:

Transparent	1,3 mm
Blue	1,6 mm
Green	2,0 mm
Orange	2,4 mm
Red	2,7 mm
Yellow	3,0 mm
Black	3,3 mm




The weights in the following tables are approximate weights and may vary a little depending on the tolerances.

NYLON LINES PRE-CUT						
	Size (mm)	Length (m)	PQ	MOQ	Item number	Barcode
ROUND						
	3,0	0,425	28	1	66781018	8717574033427
Suitable for the Hikoki / Hitachi / Tanaka CH-100 aluminium head.						

NYLON LINES

	Size (mm)	Length (m)	Approx. Weight (gr)	PQ	MOQ	Item number	Barcode
ROUND							
 	1,3	15	23	1	1	66781091	8717574025903
	1,6	15	34	1	1	66781092	8717574026177
	2,0	15	54	1	1	66781001	8717574018899
	2,0	62	226	1	1	66781002	8717574018905
	2,0	126	453	1	1	66781003	8717574018912
	2,4	15	77	1	1	66781004	8717574018929
	2,4	44	226	1	1	66781005	8717574018936
	2,4	88	453	1	1	66781006	8717574018943
	2,7	15	94	1	1	66781007	8717574018950
	2,7	36	226	1	1	66781008	8717574018967
	2,7	72	453	1	1	66781009	8717574018974
	3,0	15	121	1	1	66781010	8717574018981
	3,0	28	226	1	1	66781011	8717574018998
	3,0	56	453	1	1	66781012	8717574019001
	3,3	23	226	1	1	66781013	8717574021189
3,3	46	453	1	1	66781014	8717574021196	
SQUARE							
 	2,0	15	68	1	1	66781021	8717574019018
	2,0	50	226	1	1	66781022	8717574019025
	2,0	99	453	1	1	66781023	8717574019032
	2,4	15	98	1	1	66781024	8717574019049
	2,4	34	226	1	1	66781025	8717574019056
	2,4	69	453	1	1	66781026	8717574019063
	2,7	15	120	1	1	66781027	8717574019070
	2,7	28	226	1	1	66781028	8717574019087
	2,7	56	453	1	1	66781029	8717574019094
	3,0	15	154	1	1	66781030	8717574019100
	3,0	22	226	1	1	66781031	8717574019117
	3,0	44	453	1	1	66781032	8717574019124
	HELICOIDAL						
  	2,0	15	50	1	1	66781041	8717574019131
	2,0	63	185	1	1	66781042	8717574019148
	2,0	126	370	1	1	66781043	8717574019155
	2,4	15	65	1	1	66781044	8717574019162
	2,4	44	185	1	1	66781045	8717574019179
	2,4	88	370	1	1	66781046	8717574019186
	2,7	15	75	1	1	66781047	8717574019193
	2,7	36	185	1	1	66781048	8717574019209
	2,7	72	370	1	1	66781049	8717574019216
	3,0	15	96	1	1	66781050	8717574019223
	3,0	28	185	1	1	66781051	8717574019230
	3,0	56	370	1	1	66781052	8717574019247
	3,3	23	185	1	1	66781053	8717574021202
	3,3	46	320	1	1	66781054	8717574021219
	4,0	32	370	1	1	66781055	8717574049688

NYLON LINES BENEFIT PACKAGES

	Size (mm)	Length (m)	Approx. Weight (gr.)	PQ	MOQ	Item number	Barcode
ROUND							
	2,4	262	1350	1	1	66781062	8717574025910
	2,4	437	2250	1	1	66781063	8717574025927
	2,7	215	1350	1	1	66781064	8717574025934
	2,7	358	2250	1	1	66781065	8717574025941
	3,0	168	1350	1	1	66781066	8717574025958
	3,0	279	2250	1	1	66781067	8717574025965
	3,3	139	1350	1	1	66781068	8717574025972
	3,3	231	2250	1	1	66781069	8717574025989
SQUARE							
	2,4	206	1350	1	1	66781072	8717574026023
	2,4	343	2250	1	1	66781073	8717574026030
	2,7	169	1350	1	1	66781074	8717574026047
	2,7	181	2250	1	1	66781075	8717574026061
	3,0	132	1350	1	1	66781076	8717574026078
	3,0	219	2250	1	1	66781077	8717574026085
HELICOIDAL							
	2,4	262	1125	1	1	66781082	8717574026092
	2,4	437	1875	1	1	66781083	8717574026108
	2,7	215	1125	1	1	66781084	8717574026115
	2,7	358	1875	1	1	66781085	8717574026122
	3,0	168	1125	1	1	66781086	8717574026139
	3,0	279	1875	1	1	66781087	8717574026146
	3,3	139	1125	1	1	66781088	8717574026153
	3,3	231	1875	1	1	66781089	8717574026160

PROLINE DEGRADABLE LINES

Hikoki is a company engaged in the Social Innovation Business, and described an Environmental Vision to achieve a sustainable society. To realize a sustainable society Hikoki is continuously on the search for new innovations that reduce the burden of human activities on the environment.

Hikoki RBE lines

One of the inventions keeping the environment into account is the Reduced Burden to the Environment (RBE) cutting-line. The unique chemical composition of the RBE line of a polymer-additive blend using photo and thermal induces of mineral origin makes it oxo-biodegradable. The composition is developed with an almost identical performance of the classic nylon trimmer line, where this conventional lines is a chemical compound of polymers, which is not compostable nor biodegradable.

Oxo-biodegradable

The decomposition takes place due to the effects of micro-organisms and is non-toxic for the environment. Oxo-biodegradation is a process consisting of three steps:

- 1) Photo-oxidation
Under influence of UV-radiation from the sun, the line is degraded during the first 36 months in smaller particles.
- 2) Thermo-oxidation
The second stage of thermo-oxidation takes place when the smaller particles are under influence of heat and warmth on the soil and lasts about 42 months.
- 3) Bio-assimilation
Micro-organisms in the soil take care of further composition of the material



The total time of degradation takes place over a period of 5 to 20 years, depending on climatic conditions.



In comparison to traditional nylon trimmer lines which rest in nature for hundreds of years, the RBE line is a step forward in sustainability.

Packaging


Not only the RBE lines are eco-friendly, but even the packaging has especially been developed with the environment in mind. The holders for both, the small "donut-packs" as well as the bigger spools are produced from a compressed mixture of wood pulp with a polypropylene material and therefore fully recyclable.



NYLON LINES DEGRADABLE							
	Size (mm)	Length (m)	Approx. Weight (gr.)	PQ	MOQ	Item number	Barcode
ROUND							
 	1,30	15	21	1	1	66781421	8717574050899
	1,60	15	32	1	1	66781422	8717574050905
	2,00	15	51	1	1	66781423	8717574050912
	2,40	15	73	1	1	66781424	8717574050929
	2,70	12	69	1	1	66781425	8717574050936
	3,00	10	74	1	1	66781426	8717574050943

NYLON LINES DEGRADABLE							
	Size (mm)	Length (m)	Approx. Weight (gr.)	PQ	MOQ	Item number	Barcode
ROUND							
 	2,00	379	1300	1	1	66781431	8717574050950
	2,00	628	2100	1	1	66781432	8717574050967
	2,40	264	1300	1	1	66781433	8717574050974
	2,40	439	2100	1	1	66781434	8717574050981
	2,70	216	1300	1	1	66781435	8717574050998
	2,70	360	2100	1	1	66781436	8717574051001
	3,00	169	1300	1	1	66781437	8717574051018
	3,00	281	2100	1	1	66781438	8717574051025

PROLINE AUGER BITS



AUGER BITS							
	Ø (mm)	Total length (mm)	Spiral length (mm)	PQ	MOQ	Item number	Barcode
	55	1100	660	1	1	66714001	8717574017892
	80	1100	660	1	1	66714002	8717574017908
	100	1100	660	1	1	66714003	8717574017915
	120	1100	660	1	1	66714004	8717574017922
	150	1100	660	1	1	66714005	8717574017939
	200	1100	660	1	1	66714006	8717574017946
	250	1100	660	1	1	66714007	8717574017953
	300	1100	660	1	1	66714008	8717574017960

EXTENSION						
	Ø (mm)	Total length (mm)	PQ	MOQ	Item number	Barcode
	45	600	1	1	66714026	8717574018097

DRILL CHUCK						
	Ø (mm)	PQ	MOQ	Item number	Barcode	
	1 - 13	1	1	66714027	8717574018592	
	3 - 16	1	1	66714028	8717574020090	

CONNECTION PIN							
	Ø (mm)	Total length (mm)	Spiral length (mm)	PQ	MOQ	Item number	Barcode
	8	52	45	2	1	66714025	8717574018080

In order to extend the use of the shaft and spiral of the auger, the knife and center point can be exchanged after being worn-out:




SPARE PARTS AUGER BITS						
	Description	For Auger bit	PQ	MOQ	Item number	Barcode
	Knife	55 / 80	1	1	66714012	8717574017984
	Knife	100	1	1	66714013	8717574017991
	Knife	120	1	1	66714014	8717574018004
	Knife	150	1	1	66714015	8717574018011
	Knife	200	1	1	66714016	8717574018028
	Knife	250	1	1	66714017	8717574018035
	Knife	300	1	1	66714018	8717574018042
All knives supplied with spare bolts and nuts.						
	Center point	55	1	1	66714021	8717574018059
	Center point	80 - 150	1	1	66714022	8717574018066
	Center point	200 - 300	1	1	66714023	8717574018073


PROLINE HIGH PRESSURE WASHER



	Description	PQ	MOQ	Item number	Barcode
	Cleaning brush	1	1	66335651	4549115035584
	Rotary brush kit	1	1	66335652	4549115035591
	Patio cleaner	1	1	66336412	4549115057869
	Angle nozzle (45 degrees)	1	1	66335654	4549115035614
	Angle nozzle (315 degrees)	1	1	66336414	4549115057883
	Rotary angle nozzle	1	1	66336413	4549115057876

Suitable for Hikoki / Hitachi high pressure washers AW100/AW130/AW150 and other brands

	Description	PQ	MOQ	Item number	Barcode
	Extension hose 10m	1	1	66335657	4549115035621
	Pipe cleaning kit 7m	1	1	66335653	4549115035607
	Strainer hose set only to be used with siphon function, available on AW130 and AW150	1	1	66335817	4549115039650
Suitable for Hikoki / Hitachi high pressure washers AW100/AW130/AW150 and other brands					



PROLINE INDEX

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66335651	230	664100106	126	664100302	104	664100603	194	664100772	76	664100830	22
66335652	230	664100107	126	664100303	104	664100690	208	664100773	76	664100831	22
66335653	230	664100108	126	664100304	104	664100701	77	664100774	76	664100832	22
66335654	230	664100109	126	664100305	104	664100702	77	664100775	76	664100840	23
66335657	230	664100111	126	664100306	104	664100703	77	664100776	76	66500507	180
66335817	230	664100112	126	664100307	105	664100704	77	664100777	76	6650750069	205
66336412	230	664100113	126	664100308	102	664100705	77	664100781	76	6650750075	205
66336413	230	664100114	126	664100309	102	664100706	77	664100782	76	6650750076	205
66336414	230	664100116	126	664100311	108	664100707	77	664100783	76	66705315M	108
66337527	197	664100117	126	664100400	205	664100708	77	664100784	76	66705453	202
66338633	194	664100118	126	664100401	202	664100709	77	664100785	76	66705456	202
66338634	194	664100119	126	664100402	202	664100710	77	664100786	76	66705459	202
66370105	145	664100121	126	664100403	202	664100711	77	664100787	76	66705565	204
66370106	145	664100122	126	664100404	202	664100712	77	664100788	76	66705566	204
66370133	194	664100123	126	664100405	202	664100713	77	664100789	76	66705568	204
66372168	196	664100124	126	664100406	202	664100714	77	664100790	76	66705569	204
66372170	196	664100201	123	664100413	202	664100715	77	664100791	76	66705570	204
6640010051	196	664100202	123	664100501	86	664100716	77	664100801	22	66705571	204
6640010111	196	664100203	123	664100502	86	664100717	77	664100802	22	66705572	204
6640010123	196	664100204	123	664100503	86	664100718	77	664100803	22	66705573	204
6640010714	193	664100205	123	664100504	86	664100719	77	664100804	22	66705574	204
6640014401	203	664100206	123	664100505	86	664100720	77	664100805	22	66705575	204
6640014402	203	664100207	123	664100506	86	664100721	77	664100806	22	66705576	204
6640014403	203	664100208	123	664100507	86	664100729	77	664100807	22	66705577	204
6640014404	203	664100209	123	664100508	86	664100741	75	664100808	22	66705599	203
6640014405	203	664100211	124	664100509	86	664100742	75	664100809	22	66711000	108
6640014406	203	664100212	124	664100510	86	664100743	75	664100810	22	66711008	219
66402555	23	664100214	124	664100511	86	664100744	75	664100811	22	66711012	180
664100001	141	664100215	124	664100512	86	664100745	75	664100812	22	66711016	180
664100002	141	664100219	124	664100513	86	664100746	75	664100813	22	66711231	145
664100003	141	664100221	124	664100519	86	664100747	75	664100814	22	66711232	145
664100004	141	664100222	124	664100521	85	664100748	75	664100815	22	66711236	145
664100006	142	664100223	124	664100522	85	664100749	75	664100816	22	66711237	145
664100011	143	664100224	124	664100523	85	664100751	76	664100817	22	66711238	145
664100012	143	664100225	124	664100524	85	664100752	76	664100818	22	66711239	145
664100013	143	664100231	124	664100525	85	664100753	76	664100819	22	66711251	145
664100014	143	664100232	124	664100526	85	664100754	76	664100820	22	66711252	145
664100015	143	664100233	124	664100527	85	664100755	76	664100821	22	66711253	145
664100016	143	664100234	124	664100528	85	664100756	76	664100822	22	66711254	145
664100017	143	664100235	124	664100529	85	664100757	76	664100823	22	66711271	128
664100018	143	664100241	125	664100530	85	664100758	76	664100824	22	66711272	128
664100019	143	664100242	125	664100531	85	664100759	76	664100825	22	66711281	128
664100101	126	664100243	125	664100532	85	664100760	76	664100826	22	66711282	128
664100102	126	664100246	125	664100533	85	664100761	76	664100827	22	66711283	128
664100103	126	664100248	125	664100601	194	664100762	76	664100828	22	66711284	128
664100104	126	664100301	104	664100602	193	664100771	76	664100829	22	66711291	200

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66711292	200	66713655	207	66715252	204	66750182	152	66750331	114	66750463	194
66711293	200	66714001	229	66715253	204	66750183	152	66750332	114	66750470	181
66711294	200	66714002	229	66715254	204	66750184	152	66750334	114	66750471	181
66711295	200	66714003	229	66715255	204	66750185	152	66750338	114	66750472	181
66712072	215	66714004	229	66715258	204	66750200	24	66750340	114	66750473	181
66712073	215	66714005	229	66744085	24	66750200	36	66750345	106	66750475	181
66712600	144	66714006	229	66744087	91	66750201	36	66750361	107	66750476	181
66712605	144	66714007	229	66744088	24	66750204	36	66750362	107	66750477	181
66712630	120	66714008	229	66744088	88	66750205	36	66750363	107	66750478	181
66712650	144	66714012	229	66744119	38	66750206	36	66750364	107	66750523	166
66712651	144	66714013	229	66744120	38	66750207	36	66750365	107	66750524	166
66712690	100	66714014	229	66744121	38	66750209	36	66750371	21	66750525	166
66713517	208	66714015	229	66744122	38	66750210	36	66750372	21	66750526	166
66713518	208	66714016	229	66744123	38	66750214	36	66750373	21	66750555	105
66713519	208	66714017	229	66744124	38	66750216	36	66750374	21	66750557	105
66713520	208	66714018	229	66744125	38	66750217	36	66750375	21	66750593	204
66713537	210	66714021	229	66744126	38	66750218	36	66750376	21	66750595	204
66713538	210	66714022	229	66744127	38	66750219	36	66750377	21	66750597	204
66713539	210	66714023	229	66744128	38	66750220	36	66750378	21	66750667	203
66713540	210	66714025	229	66744129	38	66750227	36	66750379	21	66750668	203
66713541	210	66714026	229	66744130	38	66750228	36	66750380	21	66750669	203
66713542	210	66714027	229	66750011	150	66750230	36	66750381	21	66750671	204
66713543	210	66714028	229	66750012	151	66750231	36	66750382	21	66750672	204
66713544	210	66714039	209	66750019	152	66750232	36	66750383	21	66750673	204
66713545	210	66714040	209	66750021	152	66750233	36	66750384	21	66750674	204
66713546	210	66714041	209	66750023	153	66750234	36	66750385	21	66750675	204
66713547	210	66714042	209	66750024	153	66750235	36	66750386	21	66750676	204
66713548	210	66714043	209	66750025	151	66750236	36	66750387	21	66750677	204
66713549	210	66714044	209	66750026	151	66750237	36	66750388	21	66750678	204
66713550	210	66714045	209	66750027	153	66750238	36	66750389	21	66750681	203
66713602	212	66714046	209	66750028	153	66750240	36	66750390	21	66750682	203
66713603	212	66714047	209	66750029	152	66750241	36	66750391	21	66750683	203
66713604	212	66714048	209	66750030	154	66750242	36	66750392	21	66750684	203
66713605	212	66714049	209	66750031	151	66750243	36	66750393	21	66750685	203
66713606	212	66714050	209	66750032	151	66750245	36	66750394	21	66750686	203
66713607	212	66714500	129	66750033	150	66750246	24	66750395	21	66750687	203
66713613	212	66714520	129	66750036	152	66750246	34	66750420	206	66750693	203
66713614	212	66714800	205	66750037	153	66750247	34	66750421	206	66750695	203
66713615	212	66714805	216	66750038	150	66750247	36	66750422	206	66750697	203
66713616	212	66714811	214	66750039	150	66750250	35	66750435	194	66750910	29
66713632	213	66714813	214	66750040	151	66750251	35	66750436	194	66750911	29
66713633	213	66714814	215	66750041	151	66750253	35	66750437	194	66750912	29
66713634	213	66714815	215	66750042	152	66750261	35	66750442	193	66750913	29
66713635	213	66714816	215	66750043	152	66750262	35	66750443	193	66750914	29
66713636	213	66714817	215	66750044	152	66750264	35	66750447	193	66750915	29
66713637	213	66714818	214	66750045	153	66750265	35	66750448	193	66750916	29
66713642	213	66714819	214	66750046	152	66750266	35	66750449	129	66750917	29
66713643	213	66714821	217	66750047	154	66750267	35	66750451	34	66750918	29
66713644	213	66714822	217	66750049	154	66750268	35	66750451	114	66750960	37
66713645	213	66714826	217	66750085	154	66750271	35	66750452	34	66750961	37
66713646	213	66714827	217	66750087	153	66750273	35	66750452	114	66750962	37
66713647	213	66714833	216	66750088	151	66750281	35	66750453	34	66750963	37
66713651	207	66714841	216	66750089	150	66750282	35	66750453	88	66750964	37
66713652	207	66714842	215	66750090	150	66750286	35	66750455	24	66750965	37
66713653	207	66715000	108	66750091	150	66750290	35	66750455	114	66750966	37
66713654	207	66715251	204	66750181	150	66750294	35	66750462	193	66750967	37

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66750968	37	66751056	37	66751451	113	66751545	100	66751651	33	66751843	110
66750969	37	66751058	37	66751452	113	66751546	100	66751652	33	66751846	110
66750970	37	66751125	97	66751453	113	66751547	100	66751656	33	66751847	110
66750971	37	66751126	97	66751454	113	66751548	100	66751675	34	66751849	111
66750973	37	66751132	94	66751455	113	66751551	97	66751676	34	66751850	111
66750974	37	66751133	94	66751456	113	66751552	97	66751677	34	66751851	111
66750990	95	66751134	94	66751457	113	66751554	97	66751686	34	66751854	111
66750991	95	66751135	94	66751458	113	66751555	97	66751691	33	66751855	111
66750992	95	66751136	94	66751459	113	66751557	97	66751692	33	66751856	111
66750993	95	66751171	102	66751460	113	66751558	97	66751693	33	66751857	111
66750994	95	66751172	102	66751461	113	66751559	97	66751694	33	66751858	111
66750995	95	66751173	102	66751462	113	66751561	98	66751695	33	66751859	111
66750996	96	66751176	102	66751463	113	66751562	98	66751696	33	66751860	111
66750997	95	66751177	102	66751464	113	66751563	98	66751697	33	66751861	111
66750999	95	66751178	102	66751465	113	66751564	98	66751698	33	66751862	111
66751000	96	66751181	102	66751466	113	66751565	98	66751699	33	66751863	111
66751001	96	66751182	102	66751467	113	66751566	98	66751801	110	66751864	111
66751003	96	66751183	102	66751468	113	66751567	98	66751802	110	66751865	111
66751004	96	66751184	102	66751469	113	66751571	99	66751803	110	66751866	111
66751005	95	66751185	102	66751470	113	66751572	99	66751804	110	66751867	111
66751006	24	66751190	102	66751471	113	66751573	99	66751805	110	66751868	111
66751006	34	66751222	95	66751472	113	66751574	99	66751806	110	66751869	111
66751008	96	66751225	96	66751473	113	66751582	100	66751807	110	66751870	111
66751009	96	66751226	96	66751474	114	66751583	100	66751808	110	66751871	111
66751010	96	66751301	136	66751475	114	66751584	100	66751809	110	66751872	111
66751011	96	66751302	136	66751501	97	66751585	100	66751810	110	66751873	111
66751012	96	66751305	137	66751503	97	66751587	94	66751811	110	66751874	111
66751013	96	66751306	136	66751504	97	66751588	94	66751812	110	66751875	111
66751013	100	66751307	136	66751507	97	66751589	94	66751813	110	66751876	114
66751014	96	66751308	136	66751508	97	66751590	94	66751814	110	66751877	114
66751014	100	66751309	136	66751509	97	66751591	94	66751815	110	66751878	111
66751015	96	66751310	137	66751510	97	66751592	94	66751816	110	66751879	111
66751015	100	66751311	136	66751519	99	66751594	94	66751817	110	66751881	110
66751016	96	66751312	136	66751520	99	66751595	94	66751818	110	66751884	110
66751016	100	66751313	136	66751521	99	66751597	94	66751819	110	66751901	112
66751025	20	66751314	136	66751522	99	66751598	94	66751820	110	66751903	112
66751028	95	66751315	136	66751523	99	66751599	94	66751821	110	66751904	112
66751029	37	66751316	137	66751524	99	66751601	35	66751822	110	66751905	112
66751030	20	66751317	136	66751525	99	66751602	35	66751823	110	66751906	112
66751032	95	66751318	136	66751526	99	66751604	35	66751825	110	66751907	112
66751033	95	66751319	137	66751527	99	66751605	35	66751826	110	66751909	112
66751034	95	66751320	137	66751529	99	66751606	35	66751827	110	66751910	112
66751035	95	66751321	137	66751530	99	66751608	35	66751828	110	66751911	112
66751036	96	66751322	137	66751530	100	66751609	35	66751829	110	66751912	112
66751037	95	66751323	137	66751531	98	66751611	35	66751830	110	66751913	112
66751038	95	66751324	138	66751532	98	66751612	35	66751831	110	66751914	112
66751039	95	66751325	138	66751533	98	66751613	35	66751832	110	66751915	112
66751048	96	66751326	138	66751535	98	66751616	35	66751833	110	66751916	112
66751049	34	66751327	138	66751536	98	66751617	35	66751834	110	66751917	112
66751049	36	66751328	138	66751537	98	66751630	35	66751835	110	66751918	112
66751050	95	66751329	138	66751538	98	66751635	35	66751836	110	66751919	112
66751051	38	66751330	138	66751539	98	66751636	35	66751837	110	66751920	112
66751052	38	66751331	138	66751541	100	66751637	35	66751838	110	66751921	112
66751053	38	66751340	138	66751542	100	66751638	35	66751839	110	66751927	112
66751054	95	66751342	138	66751543	100	66751643	35	66751840	110	66751929	112
66751055	37	66751346	136	66751544	100	66751644	35	66751842	110	66751930	112

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66751931	112	66752033	164	66752123	80	66752185	81	66752312	104	66752417	140
66751932	112	66752034	165	66752124	80	66752186	81	66752313	104	66752418	140
66751933	112	66752035	160	66752125	80	66752187	81	66752318	104	66752419	141
66751934	112	66752037	165	66752126	80	66752188	81	66752319	104	66752421	140
66751935	112	66752038	165	66752127	80	66752189	81	66752320	104	66752422	140
66751936	112	66752039	165	66752128	80	66752190	81	66752321	104	66752423	140
66751939	112	66752040	164	66752129	80	66752190	84	66752323	104	66752426	140
66751943	112	66752041	164	66752130	80	66752191	81	66752324	104	66752427	140
66751944	112	66752042	164	66752131	80	66752192	81	66752343	104	66752428	140
66751945	112	66752043	160	66752132	80	66752193	81	66752344	104	66752431	140
66751947	112	66752044	160	66752133	80	66752194	81	66752345	104	66752432	140
66751948	114	66752045	160	66752134	80	66752195	81	66752346	104	66752433	140
66751950	112	66752048	163	66752135	80	66752239	105	66752347	104	66752434	141
66751951	112	66752049	165	66752136	80	66752240	106	66752351	105	66752435	141
66751952	112	66752053	91	66752137	80	66752241	104	66752352	105	66752436	140
66751953	112	66752054	91	66752138	80	66752242	104	66752353	105	66752437	140
66751954	112	66752056	90	66752139	80	66752243	104	66752354	105	66752438	140
66751955	112	66752057	90	66752140	80	66752244	104	66752355	105	66752439	141
66751956	112	66752058	90	66752141	80	66752248	105	66752356	105	66752441	140
66751957	112	66752061	90	66752142	80	66752251	103	66752357	105	66752442	140
66751958	112	66752062	90	66752143	80	66752252	103	66752358	105	66752443	140
66751959	112	66752064	90	66752144	80	66752253	103	66752359	105	66752444	141
66751964	112	66752065	90	66752145	80	66752254	103	66752360	105	66752446	142
66751970	114	66752066	90	66752146	80	66752255	103	66752362	105	66752447	142
66751971	114	66752067	90	66752147	80	66752256	103	66752363	105	66752448	142
66751972	114	66752068	90	66752148	80	66752257	103	66752364	105	66752449	142
66751973	114	66752070	90	66752149	80	66752258	103	66752366	105	66752451	140
66751978	114	66752072	90	66752150	80	66752260	103	66752367	105	66752452	140
66751980	114	66752079	90	66752151	80	66752261	103	66752368	105	66752453	140
66751982	114	66752082	91	66752152	80	66752262	103	66752372	105	66752455	140
66751986	114	66752083	91	66752153	80	66752263	103	66752376	103	66752456	140
66751987	114	66752097	91	66752154	80	66752264	103	66752379	104	66752457	140
66751988	114	66752098	91	66752155	80	66752265	103	66752386	105	66752458	140
66752005	163	66752099	91	66752156	80	66752266	103	66752388	24	66752459	141
66752006	163	66752101	79	66752157	80	66752267	103	66752388	106	66752461	140
66752012	162	66752102	79	66752158	80	66752271	104	66752389	24	66752462	140
66752013	162	66752103	79	66752159	80	66752272	104	66752389	106	66752463	140
66752014	162	66752104	79	66752160	80	66752273	104	66752390	106	66752466	142
66752015	162	66752105	79	66752161	80	66752274	104	66752391	106	66752467	142
66752016	162	66752106	79	66752162	80	66752275	104	66752392	106	66752468	142
66752017	161	66752107	79	66752163	81	66752276	104	66752393	106	66752469	142
66752018	161	66752108	79	66752164	81	66752277	104	66752394	106	66752470	142
66752019	161	66752109	79	66752165	81	66752278	104	66752396	106	66752471	142
66752020	161	66752110	79	66752168	81	66752280	104	66752397	105	66752473	142
66752021	161	66752111	79	66752169	81	66752281	104	66752398	106	66752476	140
66752022	163	66752112	79	66752171	82	66752282	104	66752401	140	66752477	140
66752023	163	66752113	79	66752172	82	66752285	104	66752402	140	66752478	140
66752024	163	66752114	80	66752173	82	66752286	104	66752403	140	66752479	141
66752025	163	66752115	80	66752174	82	66752287	104	66752406	140	66752480	140
66752026	163	66752116	80	66752175	82	66752288	104	66752407	140	66752481	140
66752027	162	66752117	80	66752176	82	66752289	104	66752408	140	66752482	140
66752028	163	66752118	80	66752177	82	66752307	104	66752412	141	66752483	140
66752029	164	66752119	80	66752181	81	66752308	104	66752413	141	66752484	140
66752030	164	66752120	80	66752182	81	66752309	104	66752414	141	66752485	140
66752031	164	66752121	80	66752183	81	66752310	104	66752415	141	66752486	142
66752032	164	66752122	80	66752184	81	66752311	104	66752416	140	66752487	142

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66752488	142	66752780	13	66752933	13	66753059	187	66753148	184	66753417	188
66752489	142	66752785	13	66752934	13	66753061	187	66753149	184	66753418	188
66752491	142	66752788	13	66753000	108	66753062	187	66753150	184	66753419	188
66752493	142	66752789	13	66753001	186	66753063	187	66753172	127	66753421	189
66752494	142	66752791	13	66753002	186	66753064	187	66753173	127	66753422	189
66752500	108	66752792	13	66753003	186	66753065	187	66753176	127	66753423	189
66752501	122	66752793	13	66753004	186	66753066	187	66753177	127	66753424	189
66752502	122	66752794	13	66753005	186	66753067	187	66753179	127	66753425	189
66752511	123	66752795	13	66753006	186	66753068	187	66753182	127	66753426	189
66752512	123	66752796	13	66753007	186	66753069	187	66753183	127	66753427	189
66752514	123	66752797	13	66753008	186	66753071	187	66753186	127	66753428	189
66752515	123	66752801	117	66753009	186	66753072	187	66753187	127	66753429	189
66752521	123	66752802	117	66753011	186	66753073	187	66753188	127	66753430	188
66752522	123	66752804	117	66753012	186	66753074	187	66753189	127	66753431	188
66752524	123	66752805	117	66753013	186	66753075	187	66753192	127	66753432	188
66752525	123	66752811	117	66753014	186	66753076	187	66753193	127	66753433	188
66752676	160	66752812	117	66753015	186	66753077	187	66753196	127	66753434	188
66752677	160	66752813	117	66753016	186	66753078	187	66753197	127	66753435	188
66752678	160	66752814	117	66753017	186	66753079	187	66753199	127	66753436	188
66752679	160	66752815	117	66753018	186	66753100	183	66753240	190	66753437	188
66752681	161	66752817	117	66753019	186	66753101	183	66753241	190	66753438	188
66752682	161	66752821	117	66753021	186	66753102	183	66753242	190	66753439	188
66752683	161	66752822	117	66753022	186	66753103	183	66753243	190	66753441	188
66752684	161	66752823	117	66753023	186	66753104	183	66753244	190	66753442	188
66752685	162	66752824	117	66753024	186	66753105	183	66753245	190	66753443	189
66752686	162	66752825	117	66753025	186	66753106	183	66753260	190	66753444	189
66752687	165	66752841	117	66753026	186	66753107	183	66753261	190	66753445	189
66752688	165	66752842	117	66753027	186	66753108	183	66753262	190	66753450	187
66752689	165	66752844	117	66753028	186	66753109	183	66753263	190	66753502	127
66752691	161	66752845	117	66753031	186	66753110	183	66753264	190	66753503	127
66752692	162	66752851	117	66753032	186	66753111	184	66753265	190	66753506	127
66752693	162	66752852	117	66753033	186	66753112	184	66753281	190	66753507	127
66752694	162	66752853	117	66753034	186	66753113	184	66753282	190	66753509	127
66752695	163	66752854	117	66753035	186	66753114	184	66753283	190	66753512	127
66752732	13	66752855	117	66753036	186	66753115	184	66753284	190	66753513	127
66752733	13	66752857	117	66753037	186	66753116	184	66753285	190	66753516	127
66752734	13	66752861	118	66753038	186	66753117	184	66753291	190	66753517	127
66752735	13	66752862	118	66753040	187	66753118	184	66753292	190	66753519	127
66752736	13	66752863	118	66753041	187	66753119	184	66753293	190	66753522	127
66752737	13	66752864	118	66753042	187	66753131	183	66753294	190	66753523	127
66752738	13	66752865	118	66753043	187	66753132	183	66753295	190	66753526	127
66752739	13	66752867	118	66753044	187	66753133	183	66753401	188	66753527	127
66752743	13	66752871	118	66753045	187	66753134	183	66753402	188	66753529	127
66752744	13	66752872	118	66753046	187	66753135	183	66753403	188	66753600	205
66752745	13	66752876	118	66753047	187	66753136	183	66753404	188	66753611	202
66752746	13	66752877	118	66753048	187	66753137	183	66753405	188	66753612	202
66752747	13	66752878	118	66753049	187	66753138	183	66753406	188	66753613	202
66752748	13	66752886	118	66753050	187	66753139	183	66753407	188	66753614	202
66752772	13	66752887	118	66753051	187	66753140	183	66753408	188	66753616	202
66752773	13	66752926	13	66753052	187	66753141	184	66753409	188	66753621	203
66752774	13	66752927	13	66753053	187	66753142	184	66753411	188	66753622	203
66752775	13	66752928	13	66753054	187	66753143	184	66753412	188	66753623	203
66752776	13	66752929	13	66753055	187	66753144	184	66753413	188	66753624	203
66752777	13	66752930	13	66753056	187	66753145	184	66753414	188	66753626	203
66752778	13	66752931	13	66753057	187	66753146	184	66753415	188	66753631	202
66752779	13	66752932	13	66753058	187	66753147	184	66753416	188	66753632	202

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66753633	202	66754022	178	66754102	178	66754223	83	66754334	28	66754390	30
66753634	202	66754023	178	66754103	178	66754224	83	66754335	28	66754391	30
66753636	202	66754024	178	66754104	178	66754225	83	66754336	28	66754392	30
66753641	203	66754025	177	66754105	178	66754226	83	66754337	28	66754393	30
66753642	203	66754031	178	66754106	178	66754227	83	66754338	28	66754394	30
66753643	203	66754032	178	66754107	178	66754228	83	66754339	28	66754395	30
66753644	203	66754033	178	66754108	178	66754229	83	66754340	28	66754396	30
66753646	203	66754034	178	66754109	177	66754230	83	66754341	28	66754397	30
66753702	205	66754035	177	66754110	177	66754231	83	66754342	28	66754401	62
66753801	127	66754036	177	66754111	179	66754232	83	66754343	28	66754402	62
66753802	127	66754037	179	66754112	179	66754233	83	66754344	28	66754403	62
66753804	127	66754051	176	66754113	179	66754234	83	66754345	28	66754404	62
66753806	127	66754052	176	66754114	178	66754235	83	66754346	28	66754405	62
66753807	127	66754053	176	66754118	177	66754241	84	66754347	28	66754406	62
66753809	127	66754054	176	66754119	177	66754242	84	66754348	28	66754407	62
66753811	183	66754055	176	66754121	177	66754243	84	66754349	28	66754408	62
66753812	183	66754056	176	66754131	176	66754244	84	66754350	28	66754409	62
66753815	185	66754057	176	66754132	176	66754245	84	66754351	28	66754410	62
66753816	185	66754058	176	66754133	176	66754251	84	66754352	28	66754411	62
66753817	185	66754059	176	66754134	176	66754252	84	66754353	27	66754412	62
66753819	184	66754060	176	66754135	176	66754253	84	66754354	27	66754413	62
66753821	191	66754061	176	66754136	176	66754254	84	66754355	28	66754414	62
66753822	191	66754062	176	66754137	176	66754255	84	66754356	28	66754415	62
66753823	191	66754063	176	66754138	176	66754301	27	66754357	28	66754416	62
66753824	191	66754064	176	66754139	176	66754302	27	66754358	28	66754417	62
66753825	191	66754065	176	66754140	176	66754303	27	66754359	28	66754418	62
66753830	192	66754066	176	66754141	176	66754304	27	66754360	28	66754419	62
66753831	192	66754067	176	66754142	176	66754305	27	66754361	28	66754420	62
66753832	192	66754068	176	66754143	176	66754306	27	66754362	28	66754421	62
66753833	192	66754069	176	66754144	176	66754307	27	66754363	26	66754422	62
66753834	192	66754070	176	66754145	176	66754308	27	66754364	26	66754423	62
66753841	191	66754071	176	66754149	178	66754309	28	66754365	26	66754424	62
66753842	191	66754072	176	66754192	179	66754310	28	66754366	26	66754425	62
66753843	191	66754073	176	66754193	179	66754311	28	66754367	26	66754426	62
66753844	191	66754074	176	66754201	83	66754312	28	66754368	26	66754427	62
66753852	185	66754075	176	66754202	83	66754313	28	66754369	26	66754428	62
66753853	185	66754081	177	66754203	83	66754314	28	66754370	26	66754429	62
66753948	206	66754082	177	66754204	83	66754315	28	66754371	30	66754430	62
66753949	206	66754083	177	66754205	83	66754316	28	66754372	30	66754431	62
66754000	108	66754084	177	66754206	83	66754317	28	66754373	30	66754432	62
66754001	176	66754085	177	66754207	83	66754318	28	66754374	30	66754433	62
66754002	176	66754086	177	66754208	83	66754319	28	66754375	30	66754434	62
66754003	176	66754087	178	66754209	83	66754320	28	66754376	30	66754435	62
66754004	176	66754088	178	66754210	83	66754321	28	66754377	30	66754436	62
66754005	176	66754089	178	66754211	83	66754322	28	66754378	30	66754437	62
66754006	176	66754090	177	66754212	83	66754323	28	66754379	30	66754438	62
66754007	176	66754091	178	66754213	83	66754324	28	66754380	30	66754439	62
66754008	176	66754092	178	66754214	83	66754325	28	66754381	30	66754440	62
66754009	176	66754093	178	66754215	83	66754326	28	66754382	30	66754441	62
66754010	176	66754094	178	66754216	83	66754327	28	66754383	30	66754442	63
66754016	177	66754095	178	66754217	83	66754328	28	66754384	30	66754443	63
66754017	177	66754096	178	66754218	83	66754329	28	66754385	30	66754444	63
66754018	178	66754097	178	66754219	83	66754330	28	66754386	30	66754445	63
66754019	178	66754098	177	66754220	83	66754331	28	66754387	30	66754446	63
66754020	178	66754099	177	66754221	83	66754332	28	66754388	30	66754447	63
66754021	178	66754101	178	66754222	83	66754333	28	66754389	30	66754448	63

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66754449	63	66754509	64	66754565	65	66760085	38	66780044	44	66780109	59
66754450	63	66754510	64	66754566	65	66760086	38	66780045	44	66780111	59
66754451	63	66754511	64	66754567	65	66760087	38	66780046	44	66780112	59
66754452	63	66754512	64	66754568	65	66760088	38	66780047	44	66780113	59
66754453	63	66754513	64	66754569	65	66773000	119	66780048	44	66780114	59
66754454	63	66754514	64	66754570	65	66773001	119	66780049	44	66780121	59
66754455	63	66754515	64	66754571	65	66773002	119	66780050	44	66780122	59
66754456	63	66754516	64	66754572	65	66773003	119	66780051	44	66780123	59
66754457	63	66754517	64	66754573	65	66773004	119	66780052	44	66780124	59
66754458	63	66754518	64	66754574	65	66773005	119	66780053	45	66780125	59
66754459	63	66754519	64	66754575	65	66773006	119	66780054	45	66780126	59
66754460	63	66754520	64	66754576	65	66773007	119	66780055	45	66780128	59
66754461	63	66754521	64	66754577	65	66773008	119	66780056	45	66780129	59
66754462	63	66754522	64	66754578	65	66773009	119	66780057	45	66780131	60
66754463	63	66754523	64	66754579	65	66773010	119	66780058	45	66780132	60
66754464	63	66754524	64	66754580	65	66773011	119	66780059	45	66780133	60
66754465	63	66754525	64	66754581	65	66773012	119	66780060	45	66780134	60
66754466	63	66754526	64	66754582	65	66773013	119	66780061	45	66780135	60
66754467	63	66754527	64	66754583	65	66773014	119	66780062	45	66780136	60
66754468	63	66754528	64	66754584	65	66773015	119	66780063	45	66780137	60
66754469	63	66754529	64	66754585	65	66773016	120	66780064	45	66780139	60
66754470	63	66754530	64	66754586	65	66773017	120	66780065	45	66780141	60
66754471	63	66754531	64	66754587	65	66773018	120	66780066	45	66780142	60
66754472	63	66754532	64	66754588	65	66773019	120	66780067	45	66780143	60
66754473	63	66754533	64	66754589	65	66773020	120	66780071	45	66780201	47
66754474	63	66754534	64	66754594	66	66773021	120	66780072	45	66780202	47
66754475	63	66754535	64	66754601	201	66780001	44	66780073	45	66780203	47
66754476	63	66754536	64	66754605	201	66780002	44	66780074	45	66780204	47
66754477	63	66754537	64	66754611	201	66780003	44	66780075	45	66780205	47
66754478	63	66754538	64	66754615	201	66780004	44	66780076	45	66780206	47
66754479	63	66754539	64	66754621	201	66780005	44	66780077	45	66780207	47
66754480	63	66754540	65	66754623	201	66780006	44	66780078	45	66780208	47
66754481	63	66754541	65	66754625	201	66780007	44	66780079	45	66780209	47
66754482	63	66754542	65	66754626	201	66780008	44	66780080	45	66780210	47
66754483	63	66754543	65	66754631	201	66780009	44	66780081	45	66780211	47
66754484	63	66754544	65	66754633	201	66780010	44	66780082	45	66780212	47
66754485	63	66754545	65	66754635	201	66780011	44	66780083	45	66780213	47
66754486	63	66754546	65	66754636	201	66780012	44	66780084	45	66780214	47
66754487	63	66754547	65	66754701	87	66780013	44	66780085	45	66780215	47
66754488	63	66754548	65	66754711	88	66780014	44	66780086	45	66780216	47
66754489	63	66754549	65	66754712	88	66780015	44	66780087	45	66780217	47
66754490	63	66754550	65	66754713	88	66780016	44	66780088	45	66780218	47
66754491	63	66754551	65	66754721	88	66780017	44	66780089	45	66780219	47
66754495	66	66754552	65	66754722	88	66780018	44	66780090	45	66780220	47
66754496	66	66754553	65	66754723	88	66780019	44	66780094	46	66780221	47
66754497	66	66754554	65	66754726	88	66780020	44	66780095	46	66780222	47
66754498	66	66754555	65	66754727	88	66780021	44	66780096	46	66780223	47
66754499	66	66754556	65	66754733	88	66780022	44	66780097	46	66780224	47
66754501	64	66754557	65	66754734	88	66780023	44	66780099	46	66780225	47
66754502	64	66754558	65	66754740	88	66780024	44	66780101	58	66780226	47
66754503	64	66754559	65	66754745	88	66780025	44	66780102	58	66780227	47
66754504	64	66754560	65	66754750	88	66780026	44	66780103	58	66780228	47
66754505	64	66754561	65	66760071	38	66780027	44	66780104	58	66780229	47
66754506	64	66754562	65	66760072	38	66780041	44	66780106	59	66780230	47
66754507	64	66754563	65	66760073	38	66780042	44	66780107	59	66780231	47
66754508	64	66754564	65	66760074	38	66780043	44	66780108	59	66780232	47

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66780642	55	66780726	131	66780808	42	66780887	40	66781066	227	66781290	221
66780643	55	66780727	131	66780809	42	66780888	40	66781067	227	66781291	221
66780644	55	66780728	131	66780810	42	66780889	40	66781068	227	66781292	221
66780645	55	66780729	131	66780811	42	66780890	40	66781069	227	66781293	221
66780646	55	66780730	131	66780812	42	66780891	40	66781072	227	66781294	221
66780647	56	66780732	131	66780813	42	66780892	40	66781073	227	66781295	221
66780648	56	66780733	131	66780814	42	66780893	40	66781074	227	66781301	222
66780649	56	66780734	131	66780815	42	66780894	40	66781075	227	66781302	222
66780650	56	66780735	133	66780816	42	66780898	40	66781076	227	66781303	222
66780651	56	66780736	131	66780817	42	66780899	40	66781077	227	66781306	222
66780652	56	66780739	131	66780818	42	66781001	226	66781082	227	66781307	222
66780653	56	66780740	131	66780821	42	66781002	226	66781083	227	66781309	222
66780654	56	66780741	131	66780822	42	66781003	226	66781084	227	66781310	222
66780655	56	66780742	133	66780823	42	66781004	226	66781085	227	66781313	223
66780656	56	66780743	131	66780824	42	66781005	226	66781086	227	66781317	223
66780657	56	66780746	131	66780825	42	66781006	226	66781087	227	66781321	224
66780658	56	66780747	131	66780826	42	66781007	226	66781088	227	66781401	224
66780659	56	66780748	131	66780827	42	66781008	226	66781089	227	66781402	224
66780660	56	66780749	133	66780828	42	66781009	226	66781091	226	66781403	224
66780661	56	66780750	131	66780829	42	66781010	226	66781092	226	66781404	224
66780662	56	66780753	131	66780851	39	66781011	226	66781110	218	66781411	224
66780663	56	66780754	131	66780852	39	66781012	226	66781120	218	66781412	224
66780664	56	66780755	131	66780853	39	66781013	226	66781122	218	66781413	224
66780665	56	66780756	131	66780854	39	66781014	226	66781124	218	66781414	224
66780666	56	66780759	132	66780855	39	66781018	225	66781126	218	66781421	228
66780667	56	66780760	132	66780856	39	66781021	226	66781133	218	66781422	228
66780668	56	66780761	132	66780857	39	66781022	226	66781135	218	66781423	228
66780669	56	66780762	133	66780858	39	66781023	226	66781136	218	66781424	228
66780670	56	66780763	132	66780859	39	66781024	226	66781138	218	66781425	228
66780671	56	66780766	132	66780860	39	66781025	226	66781140	218	66781426	228
66780672	56	66780767	132	66780861	39	66781026	226	66781193	218	66781431	228
66780673	56	66780768	132	66780862	39	66781027	226	66781232	219	66781432	228
66780674	56	66780769	132	66780863	39	66781028	226	66781234	219	66781433	228
66780675	56	66780772	132	66780864	39	66781029	226	66781236	219	66781434	228
66780676	56	66780773	132	66780865	39	66781030	226	66781243	219	66781435	228
66780677	56	66780774	132	66780866	39	66781031	226	66781245	219	66781436	228
66780678	56	66780775	132	66780867	39	66781032	226	66781246	219	66781437	228
66780679	56	66780778	132	66780868	39	66781041	226	66781248	219	66781438	228
66780680	56	66780779	132	66780869	39	66781042	226	66781250	219	66781701	72
66780681	56	66780780	132	66780870	39	66781043	226	66781271	220	66781702	72
66780682	56	66780781	132	66780871	39	66781044	226	66781272	220	66781703	72
66780683	56	66780784	132	66780872	39	66781045	226	66781273	220	66781704	72
66780684	56	66780785	132	66780873	39	66781046	226	66781274	220	66781705	72
66780685	56	66780786	132	66780874	39	66781047	226	66781275	220	66781706	72
66780686	56	66780788	134	66780875	40	66781048	226	66781276	220	66781707	72
66780687	56	66780789	134	66780876	40	66781049	226	66781277	220	66781708	72
66780688	56	66780790	134	66780877	40	66781050	226	66781278	220	66781709	72
66780689	56	66780791	131	66780878	40	66781051	226	66781279	220	66781710	72
66780690	56	66780792	132	66780879	40	66781052	226	66781280	220	66781711	72
66780691	56	66780801	42	66780880	40	66781053	226	66781281	220	66781712	72
66780692	56	66780802	42	66780881	40	66781054	226	66781282	220	66781713	72
66780693	56	66780803	42	66780882	40	66781055	226	66781285	221	66781714	72
66780694	56	66780804	42	66780883	40	66781062	227	66781286	221	66781715	72
66780695	56	66780805	42	66780884	40	66781063	227	66781287	221	66781716	72
66780698	57	66780806	42	66780885	40	66781064	227	66781288	221	66781717	72
66780699	57	66780807	42	66780886	40	66781065	227	66781289	221	66781718	72

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66781719	72	66781791	74	66781857	70	66781918	67	66782271	197	66782430	16
66781720	72	66781792	74	66781858	70	66781919	67	66782272	197	66782431	16
66781721	72	66781793	74	66781859	70	66781920	67	66782273	197	66782432	16
66781722	72	66781794	74	66781860	70	66781921	67	66782274	197	66782433	16
66781723	72	66781795	74	66781861	70	66781922	67	66782291	198	66782434	16
66781724	72	66781801	69	66781862	70	66781931	68	66782292	198	66782435	16
66781731	73	66781802	69	66781863	70	66781932	68	66782293	198	66782436	16
66781732	73	66781803	69	66781864	70	66781933	68	66782294	198	66782437	16
66781733	73	66781804	69	66781865	70	66781934	68	66782296	198	66782438	16
66781734	73	66781805	69	66781866	70	66781935	68	66782297	198	66782439	16
66781735	73	66781806	69	66781867	70	66781936	68	66782298	199	66782440	16
66781736	73	66781807	69	66781868	70	66781937	68	66782299	199	66782441	16
66781737	73	66781808	69	66781869	70	66781938	68	66782301	122	66782442	16
66781738	73	66781809	69	66781870	70	66781941	68	66782302	122	66782443	16
66781739	73	66781810	69	66781871	70	66781942	68	66782304	122	66782444	16
66781740	73	66781811	69	66781872	70	66781943	68	66782306	122	66782445	16
66781741	73	66781812	69	66781873	70	66781944	68	66782307	122	66782446	16
66781742	73	66781813	69	66781874	70	66781945	68	66782308	122	66782447	16
66781743	73	66781814	69	66781875	70	66781946	68	66782309	122	66782448	16
66781744	73	66781815	69	66781876	70	66781947	68	66782311	123	66782449	16
66781745	73	66781816	69	66781877	70	66781948	68	66782312	123	66782450	16
66781746	73	66781817	69	66781881	71	66781949	68	66782313	123	66782451	16
66781747	73	66781818	69	66781882	71	66781950	68	66782314	123	66782452	16
66781748	73	66781819	69	66781883	71	66781951	68	66782315	123	66782453	16
66781749	73	66781820	69	66781884	71	66781952	68	66782316	123	66782454	17
66781750	73	66781821	69	66781885	71	66781953	68	66782317	123	66782455	17
66781751	73	66781822	69	66781886	71	66781954	68	66782319	123	66782456	17
66781752	73	66781823	69	66781887	71	66781981	68	66782401	16	66782457	17
66781753	73	66781824	69	66781888	71	66781982	68	66782402	16	66782458	17
66781754	73	66781825	69	66781889	71	66781983	68	66782403	16	66782459	17
66781761	73	66781826	69	66781890	71	66781991	71	66782404	16	66782460	17
66781762	73	66781827	69	66781891	71	66781992	71	66782405	16	66782461	17
66781763	73	66781831	70	66781892	71	66781993	71	66782406	16	66782462	17
66781764	73	66781832	70	66781893	71	66781994	71	66782407	16	66782463	17
66781765	73	66781833	70	66781894	71	66781995	71	66782408	16	66782464	17
66781766	73	66781834	70	66781895	71	66781996	71	66782409	16	66782465	17
66781767	73	66781835	70	66781896	71	66782221	196	66782410	16	66782466	17
66781768	73	66781836	70	66781897	71	66782231	196	66782411	16	66782467	17
66781769	73	66781837	70	66781898	71	66782232	196	66782412	16	66782468	17
66781770	73	66781838	70	66781901	67	66782233	196	66782413	16	66782469	17
66781771	73	66781839	70	66781902	67	66782234	196	66782414	16	66782470	17
66781772	73	66781840	70	66781903	67	66782235	196	66782415	16	66782471	17
66781773	73	66781841	70	66781904	67	66782236	196	66782416	16	66782472	17
66781774	73	66781842	70	66781905	67	66782241	196	66782417	16	66782473	17
66781775	73	66781843	70	66781906	67	66782242	196	66782418	16	66782474	17
66781776	73	66781844	70	66781907	67	66782251	197	66782419	16	66782475	17
66781777	73	66781845	70	66781908	67	66782252	197	66782420	16	66782476	17
66781778	73	66781846	70	66781909	67	66782253	197	66782421	16	66782477	17
66781779	73	66781847	70	66781910	67	66782254	197	66782422	16	66782478	17
66781780	73	66781848	70	66781911	67	66782261	197	66782423	16	66782479	17
66781781	73	66781851	70	66781912	67	66782262	197	66782424	16	66782480	17
66781782	73	66781852	70	66781913	67	66782263	197	66782425	16	66782481	17
66781783	73	66781853	70	66781914	67	66782264	197	66782426	16	66782482	17
66781784	73	66781854	70	66781915	67	66782265	197	66782427	16	66782483	17
66781790	74	66781855	70	66781916	67	66782266	197	66782428	16	66782484	17
66781790	106	66781856	70	66781917	67	66782267	197	66782429	16	66782485	17

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
66782486	17	66782614	18	66782674	19	66783204	9	66783306	10	66783414	32
66782487	17	66782615	18	66782675	19	66783205	9	66783307	10	66783415	32
66782488	17	66782616	18	66782676	19	66783206	9	66783308	10	66783416	32
66782489	17	66782617	18	66782677	19	66783207	9	66783309	10	66783417	32
66782490	17	66782618	18	66782678	19	66783208	9	66783310	10	66783418	32
66782491	17	66782619	18	66782679	19	66783209	9	66783311	10	66783419	32
66782492	17	66782620	18	66782680	19	66783210	9	66783312	10	66783420	32
66782493	17	66782621	18	66782681	19	66783211	9	66783313	10	66783421	32
66782494	17	66782622	18	66782701	170	66783212	9	66783314	10	66783422	32
66782495	17	66782623	18	66782702	170	66783214	9	66783315	10	66783423	32
66782496	17	66782624	18	66782711	170	66783215	9	66783316	10	66783424	32
66782497	17	66782625	18	66782712	170	66783216	9	66783317	10	66783428	32
66782498	17	66782626	18	66782713	170	66783217	9	66783318	10	66783429	32
66782499	17	66782627	18	66782714	170	66783218	9	66783319	10		
66782500	17	66782628	18	66782715	170	66783219	9	66783320	10		
66782501	17	66782629	18	66782719	171	66783220	9	66783321	10		
66782502	17	66782630	18	66782720	171	66783221	9	66783322	10		
66782503	17	66782631	19	66782721	171	66783222	9	66783323	10		
66782504	17	66782632	19	66782722	171	66783223	9	66783324	10		
66782505	17	66782633	19	66782723	171	66783224	9	66783325	10		
66782506	18	66782634	19	66782724	171	66783225	9	66783326	10		
66782507	18	66782635	19	66782725	171	66783226	9	66783327	10		
66782508	18	66782636	19	66782733	172	66783227	9	66783341	11		
66782509	18	66782637	19	66782734	172	66783228	9	66783342	11		
66782510	18	66782638	19	66782735	172	66783229	9	66783343	11		
66782511	18	66782639	19	66782736	172	66783230	9	66783344	11		
66782512	18	66782640	19	66782737	172	66783231	9	66783345	11		
66782513	18	66782641	19	66782738	172	66783232	9	66783346	11		
66782514	18	66782642	19	66782739	172	66783233	9	66783347	11		
66782515	18	66782643	19	66782740	172	66783234	9	66783348	11		
66782516	18	66782644	19	66782741	172	66783235	9	66783349	11		
66782517	18	66782645	19	66782756	173	66783236	9	66783350	11		
66782518	18	66782646	19	66782757	173	66783237	9	66783351	11		
66782519	18	66782651	19	66782758	173	66783238	9	66783352	11		
66782520	18	66782652	19	66782760	173	66783239	9	66783353	11		
66782521	18	66782653	19	66782761	173	66783273	14	66783354	11		
66782522	18	66782654	19	66782762	173	66783274	14	66783355	11		
66782530	20	66782655	19	66782763	173	66783275	14	66783356	11		
66782531	20	66782656	19	66782764	173	66783276	14	66783357	11		
66782532	20	66782657	19	66782781	174	66783277	14	66783358	11		
66782533	20	66782658	19	66782782	174	66783278	14	66783359	11		
66782534	20	66782659	19	66782783	174	66783279	14	66783360	11		
66782540	16	66782660	19	66782784	174	66783280	14	66783361	11		
66782601	18	66782661	19	66782785	174	66783281	14	66783362	11		
66782602	18	66782662	19	66782786	174	66783282	14	66783363	11		
66782603	18	66782663	19	66782788	174	66783283	14	66783364	11		
66782604	18	66782664	19	66782791	172	66783284	14	66783365	11		
66782605	18	66782665	19	66782791	189	66783285	14	66783390	11		
66782606	18	66782666	19	66782793	174	66783286	14	66783391	11		
66782607	18	66782667	19	66783116	199	66783287	14	66783401	32		
66782608	18	66782668	19	66783121	199	66783288	14	66783402	32		
66782609	18	66782669	19	66783122	199	66783301	10	66783403	32		
66782610	18	66782670	19	66783123	199	66783302	10	66783404	32		
66782611	18	66782671	19	66783201	9	66783303	10	66783411	32		
66782612	18	66782672	19	66783202	9	66783304	10	66783412	32		
66782613	18	66782673	19	66783203	9	66783305	10	66783413	32		

NOTES

**HIKOKI POWER TOOLS
FINLAND OY**

Tupalankatu 9, 15680 Lahti

PHONE: +358 20 7431 530

**info@hikoki-powertools.fi
www.hikoki-powertools.fi**

Printed in Finland 2020

**Koki Holdings Co. Ltd.
Shinagawa Intercity Tower A, 21st Floor
15-1, Konan 2-chome, Minata-ku, Tokyo
108-6020 – Japan**

No part of this catalog may be reproduced or copied without prior consent. All pictures in this catalog are meant to give an impression. This catalog has been compiled with the utmost care. Nevertheless it is possible that certain information included is now outdated or no longer complete. HiKOKI is not responsible for results of actions taken purely on the basis of this catalog.